



**Intrauterine Fetal Death and Stillbirth:
Guidelines for Investigation**

THIS IS A CLINICAL GUIDELINE ONLY, INTENDED FOR USE BY PERINATAL HEALTH PROFESSIONALS.

All policies and procedures must be approved by the appropriate processes within each facility (i.e.: Maternal/Child or Perinatal Committee, Medical Advisory Committee etc.)

INTRODUCTION

Purpose: To present care and investigative options for women (and their relatives) who experience intrauterine fetal demise (IUFD) or stillbirth.

Definition: There is variation in the thresholds for reporting stillbirth, both internationally and across Canadian provinces. These include differences in either gestational age or fetal birth weight (Fretts 2005). For consistency of data collection and reporting, the Reproductive Care Program of Nova Scotia has adopted the definition of stillbirth used by the Vital Statistics Division of Service Nova Scotia:

- ❑ 'Stillbirth' means the complete expulsion or extraction from its mother after at least twenty weeks pregnancy, or after attaining a weight of five hundred grams or more, of a fetus in which, after such expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord or unmistakable movement of voluntary muscle.
- ❑ 'Intrauterine fetal demise' refers to babies with no signs of life in utero.

Prevalence: According to the Nova Scotia Atlee Perinatal Database (2015), the provincial stillbirth rate has remained virtually unchanged since 1988.

INFORMED DECISION-MAKING

The mother and family must be provided with information about available investigative options that will assist in determining factors that may have contributed to the fetal death. These investigations may involve the mother, fetus, or placenta. Informed consent must be obtained and documented.

The following elements are to be included in the consent form for post-mortem examination:

- Purpose and extent of the examination
- Possibility of organ or tissue retention and the purpose (i.e. clinical investigation, research, and/or teaching)
- What should happen to tissues/organ after post-mortem
- Research and education

The process of obtaining informed consent is outlined in the IWK's [Policy #580: Consent for Autopsy](#); an example of a consent form is provided in Appendix A.

STANDARD INVESTIGATIONS

The following are indicated for <u>ALL</u> intrauterine fetal deaths; these may be modified in conjunction with the mother's preferences.		
Timing	Category	Investigation
All IUFDs (Antepartum)	Basic	Previous OBS history Current pregnancy Review of antenatal investigations including u/s Maternal/paternal family and personal history
	Counseling parents	Include value of autopsy, placental examination, and genetic analysis
	Maternal	Ultrasound (see details below) Kleihauer-Betke
All IUFDs (Postpartum)	Fetus	External examination Offer autopsy (complete or selective) and obtain consent Obtain with consent: cord blood or other fetal tissue for genetic analysis (if no consent for antepartum collection, or unable to obtain)
	Placenta	Examination of placenta +/- cord including histopathology
When results are available for all investigations	<p><u>Health Care Team:</u> Multidisciplinary review using site-specific Quality Assurance process to evaluate factors contributing to fetal demise.</p> <p><u>Follow-up:</u> Investigation findings should be reviewed with the mother's Primary Care Provider, who will review these in turn with the mother and appropriate family members.</p>	

Maternal Investigations:

❑ **Ultrasound (for IUFD)**

- When fetal death is suspected, an ultrasound (u/s) examination should be undertaken to confirm the diagnosis and to determine gestation and estimate fetal size. Further management will depend on these findings. Additional u/s assessment may be difficult, based on length of fetal demise and resources available locally.

Maternal Investigations (continued) :□ **Thorough history includes:**

- Obstetric history of recurrent miscarriages; previous child with anomaly, hereditary condition, or growth restriction; previous gestational hypertension or preeclampsia; previous gestational diabetes mellitus (GDM); previous placental abruption; previous fetal demise.
- Current pregnancy: maternal age; gestational age at fetal death; co-morbidities – hypertension, GDM, SLE, cholestasis; pre-pregnancy BMI and gestational weight gain; complications of multifetal gestation, i.e. twin-twin transfusion syndrome, twin reversed arterial perfusion syndrome, and discordant growth; placental abruption; abdominal trauma; preterm labour or rupture of membranes; gestational age at onset of prenatal care; congenital malformations; infections or (including?) chorioamnionitis
- Family history of recurrent spontaneous abortions; venous thromboembolism (VTE) or pulmonary embolism (PE); congenital anomaly or abnormal karyotype; hereditary condition or syndrome; developmental delay; consanguinity.
- Maternal medical history of VTE or PE; diabetes mellitus; chronic hypertension; thrombophilia; SLE; autoimmune disease; epilepsy; severe anaemia; heart disease; or tobacco, alcohol, drug or medication use/misuse.

□ **Laboratory testing**

- Complete Blood Count (CBC) including platelets (if not drawn recently)
- Kleihauer-Betke test (regardless of Rh status)

Infant Investigations:□ **External Examination**

- Document morphologic abnormalities on maternal health record
- Document birth weight and placenta weight on maternal health record
- Obtain consent to take photographs (if no autopsy)

□ **Autopsy**

- Obtain informed consent for general, complete or directed autopsy
- Neuropathologic exam should be requested if indicated by history or prenatal ultrasound findings
- If general autopsy declined → discuss directed or 'limited' autopsy
- If all autopsy options are declined → obtain consent to take photographs (digital images - photos - taken by pathology) and Diagnostic Imaging (radiograph).

□ **Sex Determination**

If the genital sex is not clear and the parents do not wish for post-mortem testing in any form, they might wish to judge the sex themselves for registration purposes, perhaps based on an earlier scan, or ask the midwife or doctor to make a judgment. Other parents might choose not to sex the baby and give a neutral name. Stillborn babies can be registered as having indeterminate sex.

Placental Investigation:□ **Examination of Placenta**

- For all IUIDs, the placenta and umbilical cord should be examined manually then routinely sent to pathology for clinical examination.

SELECTIVE INVESTIGATIONS

This suggested list may be modified when a specific cause of IUFD or stillbirth is obvious, or in conjunction with the mother's preferences.		
Condition present (known or suspected)	Category	Investigation
Congenital anomalies	Cerebral anomalies	MRI (consent required)
	Other congenital anomalies	Radiography (consent required)
Maternal Disease	Hypertension	CBC + reticulocyte count AST ALT LDH Uric Acid Urine protein CRPs Bile salts
	Thyroid disease	TSH Free T4
	Diabetes (known or suspected due to family history, maternal obesity, glucosuria, polyhydramnios, or fetal macrosomia)	Hb A1C Fasting glucose Random glucose OGTT 75 grams
	Suspected substance use	Toxicology screen (consent required)
Maternal and/or Fetal Infection	Swabs for culture (as appropriate)	Maternal vaginal-rectal swabs Fetal swabs Placental swabs
	Maternal serology (as appropriate)	Toxoplasmosis Rubella Cytomegalovirus (CMV) Syphilis Parvovirus B19
	Fetal blood	Cord or cardiac blood for C&S

Condition present (known or suspected)	Category	Investigation
Inherited Thrombophilia <ul style="list-style-type: none"> • family history of hereditary thrombophilia, or • maternal history of DVT, or • evidence of fetal growth restriction or placental disease 	Tests which can be completed immediately	Factor V Leiden mutation Prothrombin Gene mutation MTHFR mutation
	Tests to be ordered 6-8 weeks postpartum (Prearrange prior to discharge)	FVIII Antithrombin Protein C Protein S Thrombin Time Plasma homocysteine Serum homocysteine (fasting)
Acquired Thrombophilia <ul style="list-style-type: none"> • fetal growth restriction, or • autoimmune disease 	Antiphospholipid Syndrome	Lupus anticoagulant Anticardiolipin antibody Anti-beta2 glycoprotein 1 antibody
	Autoimmune disease	Anti-nuclear antibodies
Fetal Hydrops	Maternal blood	Blood type & antibody screen Haemoglobin electrophoresis Parvovirus B19IgM Toxoplasmosis IgM Rubella IgM (*if mother non-immune)
	Amniotic fluid	Metabolic disease testing
	Fetal or Cord Blood	Blood type Haemoglobin electrophoresis CBC, differential, reticulocyte count
Neonatal Allo-Immune Thrombocytopenia (NAIT)	Fetal	CBC, differential, reticulocyte count
	Maternal, Paternal, & cord/fetal blood	NAIT Investigation *consult with IWK Blood transfusion service for collection instructions

REFERENCES

American College of Obstetricians and Gynecologists. ACOG Practice Bulletin No. 102: Management of Stillbirth. *Obstet Gynecol* 2009;113(3):748-61.

Fretts RC. Etiology and Prevention of Stillbirth. *Am J Obstet Gynecol* 2005;193(6):1923-35.

IWK Health Centre (2014). Policy #40046: Investigation of Intrauterine Fetal Death (IUFD). Retrieved Dec 10, 2015 from http://policy.nshealth.ca/Site_Published/IWK/document_render.aspx?documentRender.IdType=6&documentRender.GenericField=&documentRender.Id=50649.

IWK Health Centre (2014). Policy #580: Consent for Autopsy. Retrieved Feb 10, 2016 from: http://policy.nshealth.ca/Site_Published/IWK/policy_search.aspx?search=1&querySessionId=Querysearch1_71&siteFilter=0&xslpath=%5cResources%5cintranet%5cxsl%5crender_policy_search_results.xsl

Korteweg FJ, Erwich JJHM, Timmer A, et al. Evaluation of 1025 fetal deaths: proposed diagnostic workup. *Am J Obstet Gynecol* 2012;206(1):53.e1-12.

Reproductive Care Program of Nova Scotia (1996). Guideline for investigating an intrauterine death.

Royal College of Obstetricians and Gynaecologists. Green-top Guideline No. 55: Late Intrauterine Fetal Death and Stillbirth (2010, reaffirmed 2014)). Retrieved Dec 10, 2015 from <https://www.rcog.org.uk/en/guidelines-research-services/guidelines/gtg55/>.

Society of Obstetricians and Gynecologists of Canada. (2006). *Stillbirth and Bereavement: Guidelines for Stillbirth Investigation*. Retrieved Dec 10, 2015 from <http://sogc.org/wp-content/uploads/2013/01/178E-CPG-June2006.pdf>.

APPENDIX A: EXAMPLE - AUTOPSY CONSENT FORM

Consent for Autopsy

Appendix E: Consent for Autopsy

Consent for Autopsy

I, _____, being allowed by law to consent, hereby allow the pathologists of the IWK Health Centre to perform an autopsy upon:

(Last name of patient) (First name) (Middle name)

The autopsy procedure has been explained to me by _____ in terms that I fully understand. I have been given an opportunity to read the **Autopsy Information Sheet** and have received answers to any questions I asked. I may withdraw or change this consent before the autopsy has taken place.

Having considered the following options for autopsy, I authorize one of the following with a checkmark (✓)

*Each option may require diagnostic imaging and digital images, and may include tissue sampling for genetic testing.

<input type="checkbox"/> Complete Autopsy (Includes a Neuropathologic Exam) A complete autopsy includes a Neuropathologic Exam providing detailed information about the brain and spinal cord. I understand this would require the tissues of the brain/spinal cord be kept until the exam is completed.	<input type="checkbox"/> General Autopsy (Excludes a Neuropathologic Exam) A general autopsy does not include a Neuropathologic Exam but does include detailed examination of the rest of the body.	<input type="checkbox"/> Directed Autopsy (Organ Specific) Which I understand will give detailed information about the specific organ(s) being examined. Please list organs: _____ _____
--	---	--

Other Instructions _____

 _____ (Initials)

After the autopsy process is complete: (Please Circle)

- | | | |
|---|-----|----|
| 1. Return all organs examined with the body
(excluding brain and/or spinal cord in the case of Complete Autopsy. If no, see below) | Yes | No |
| <ul style="list-style-type: none"> • Keep organ(s)/tissue samples until examination(s) are complete for: <ul style="list-style-type: none"> (a) future diagnosis or determination of risk to my family (b) medical education (sample(s) will be non-identifiable) (c) research purposes (sample(s) will be non-identifiable) | Yes | No |
| 2. Use digital images for medical education. The remains will not be identifiable. | Yes | No |

For any organ(s)/tissues that are kept, the IWK will provide common cremation and burial at the IWK Memorial Site.

Please send final autopsy report to: Dr(s)/NP(s): _____

(Time) (Day/month/year) (Signature of person allowed to consent) (Print name & relationship of person allowed to consent)

(Time) (Day/month/year) (Signature, print name and designation of person getting consent)

(Time) (Day/month/year) (Signature, print name & designation of witness to telephone consent)

(Time) (Day/month/year) (Signature, print name of pathologist reviewing the terms of the consent)

This is a CONTROLLED document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the server file version prior to use.