



A NEWBORN DIAGNOSED WITH NEONATAL OPIOID WITHDRAWAL SYNDROME

TRANSFER STEPS: DIRECT FNCU ADMIT

Anticipatory Step: After consultations with IWK Health, at the first "Yes" consider calling EHS and identify that **OAT transfer** is being considered and that you would like to <u>place a transfer 'On Hold'</u> to allow for coordination of transfer resources.

• If calling to put the transfer on hold, proceed to **step two** (providing patient information and identifying this is a booking for an OAT transfer) while awaiting confirmation for the transfer.

TRANSFER REQUIRED

Step One: Ensure pregnant person and newborn are accepted to FNCU following the algorithm in the OAT transfer resource.

Step Two: Phone the Emergency Health Services (EHS) non-emergency line at 1-888-346-9999 (if the transfer is 'On Hold', call to have it activated).

• Identify the booking is for **an OAT Transfer** and requires Advanced Care Paramedic (ACP) transport of a birthparent and newborn with **KangooFix**.





- Provide all patient information as requested by EHS Birthparent and newborn will be booked in the system as separate patients.
 - See the reverse of this infographic for key patient information.

Step Three: Pick-up time will be provided, or you will receive a callback from the EHS Patient Flow team to confirm the pick-up time.

If patient transport is no longer required, please call EHS to cancel the 'On Hold' transfer. Transfers with a 'Hold' status will not be assigned a resource until confirmation is received from the sending facility.











A NEWBORN DIAGNOSED WITH NEONATAL OPIOID WITHDRAWAL SYNDROME

PATIENT INFORMATION AS REQUESTED:

Patient names, birth dates, Health card numbers
Will the patient require medication monitoring or administration
Is the patient using or in need of any medical equipment for transport?
What is the patient's weight?
When would you like the transfer scheduled?
Will anyone be accompanying the patient?
Are there any infection control issues?
Will the patient be returning to the originating facility?
Can the patient safely sit upright in a wheelchair during transport?
Is the patient ambulatory?





