



Nova Scotia Atlee
Perinatal Database
Coding Manual
28th
Edition
(Version 28.0.0)

April 2024

Table of Contents

INDEX FOR ADMISSION INFORMATION	1
INDEX FOR ROUTINE INFORMATION – DELIVERED ADMISSION	2
INDEX FOR ROUTINE INFORMATION – LABOUR	4
INDEX FOR ROUTINE INFORMATION – INFANT	5
INDEX FOR ROUTINE INFORMATION – UNDELIVERED ADMISSION	7
INDEX FOR ROUTINE INFORMATION – POSTPARTUM ADMISSION	8
INDEX FOR ROUTINE INFORMATION – NEONATAL ADMISSION	9
ADULT RCP CODES	10
INFANT RCP CODES	11
LISTING OF HOSPITALS	13
LISTING OF HOSPITALS	14
ADMISSION INFORMATION	19
DELIVERED ADMISSION	30
Routine Information – Delivered Admission	30
Routine Information – Labour	62
Routine Information – Infant	87
UNDELIVERED ADMISSION	106
Routine information– Undelivered	106
POSTPARTUM ADMISSIONS	115
Routine Information – Postpartum Admission	116
NEONATAL ADMISSIONS	123
Routine Information – Neonatal Admissions	124

ADULT RCP CODES	138
INFANT RCP CODES	158
INDEX OF MATERNAL DISEASES AND PROCEDURES	195
INDEX OF NEONATAL DISEASES AND PROCEDURES	212

INDEX FOR ADMISSION INFORMATION

Admission date/time	19
Admission process status	29
Admission type	20
A/S/D number	21
 Birth date.....	 21
 Care provider attending.....	 26
City/town	27
Contact hospital	19
 Discharge date	 19
Discharge time	19
 Given name(s)	 20
 Health card number	 21
 Mailing address	 27
Marital status.....	26
Municipal code	22
 Postal code	 28
Previous surname	20
Province	28
 Sex	 27
Street address	27
 Unit number	 19

INDEX FOR ROUTINE INFORMATION – DELIVERED ADMISSION

Active pushing date/time	75
Abdominal circumference measurement	48
Abdominal circumference gestational age	50
Abortions	33
Admitted from	31
Analgesia administered during labour	56
Antibiotic therapy antepartum	57
Antibiotic therapy intrapartum (not for GBS)	57
Antibiotic therapy intrapartum (prophylaxis for GBS)	58
Antibiotic therapy postpartum	58
Antibiotic date.....	59
Antibiotic time	59
Autopsy (maternal)	54
 Biparietal diameter measurement	 48
Biparietal diameter gestational age.....	50
Bishop Score	43
BMI pre-pregnancy	43
BMI at delivery	44
 Covid-19	 40
Crown-rump length measurement.....	47
Crown-rump length gestational age	49
 Date of first ultrasound	 46
Date of last normal menstrual period	32
Discharge date/time	53
Discharge to (maternal discharge)	53
Delivery hospital	30
 Education	 40
Ethnicity	40
 Femur length measurement.....	 49
Femur length gestational age	51
 Gravida	 33
 Head circumference measurement	 48
Head circumference gestational age	50

Intent to breastfeed	32
ICU admission	55
Lactate value	74
Maternal height	42
Maternal screening test(s)	53
Maternal ultrasound	46
Maternal steroid therapy	55
Maternal steroid therapy date/time	55
Maternal primary cause of death	54
No applicable data recorded (ultrasound)	47
Number of fetuses	45
Number of previous C-sections.....	35
Number of previous fetal deaths	34
Number of previous low birth weight infants	36
Number of previous neonatal deaths	34
Number of previous overweight infants	36
Number of previous pre-term deliveries	35
Number of previous pre-term deliveries in each category	36
Number of previous postpartum hemorrhage	35
Pre-conception folate intake	32
Prenatal record on chart at time of coding	31
Pre-pregnancy smoking	37
Pre-pregnancy weight	41
Present weight	45
Preterm	33
Partner involved	40
Route of administration for analgesia	56
Smoking at first prenatal visit	38
Smoking at time of admission.....	44
Smoking at 20 weeks	39
Term	33

INDEX FOR ROUTINE INFORMATION – LABOUR

APGAR score (s)	79
Birth order	60
Birth weight	78
Care provider attending delivery	80
Cord milking	76
Date of medical augmentation	69
Date of rupture of membranes	60
Date/time of admission to LDR	68
Date/time of 4 centimeters dilatation	71
Date of second stage	73
Delayed Cord Clamping	76
Dilatation at C-section	76
Dilatation at medical augmentation	70
Dilatation on admission to LDR	68
Episiotomy	78
Fetal surveillance	72
Indication for induction of labour	64
Induction of labour-methods and agents	65-67
Induction of labour-place	65
Initial mother and baby contact	72
Labour	63
Lactate value	74
Meconium staining	62
Medical augmentation	69
Method of delivery	75

Mode of delivery	74
Oxytocin date/time	66
Presentation at delivery.....	77
Primary indication for C-section	81
Time of medical augmentation	69
Time of rupture of membranes	61
Type of rupture of membranes.....	62

INDEX FOR ROUTINE INFORMATION – INFANT

Admission to hospital/date	82
Admission to hospital/time	83
A/S/D number	85
Autopsy	92
Baby not admitted to hospital with mother.....	84
Base excess value	95
Birth date/time	83
Covid-19	96
Care provider attending	86
Chromosomal abnormalities	99
Clinical gestational age	87
Cord artery pH	93
Cord artery pH value	94
Critical Congenital Heart Disease Screening	89
Date/time of death	93
Date/time of discharge	90
Discharge to	90
Elective non-resuscitation	98
Feeding during admission	89
Fetal death occurred.....	84
Fetal malnutrition	96
Finnegan Score/Eat, sleep, console	98
Given name(s)	82

Head circumference	86
Health card number	85
Infant length	86
Infant's unit number	82
Neonatal Intensive Care Unit (NICU)	87
Outcome of infant	88
Pediatric Intensive Care Unit (PICU)	88
Primary cause of death	91
Retinopathy of prematurity	98
Sex	82
Supplementation of breastfeeding indication.....	89
Surname	82
Twin type	97

INDEX FOR ROUTINE INFORMATION – UNDELIVERED ADMISSION

Abortions	102
Admitted from	101
Antibiotic therapy	107
Antibiotic therapy date	107
Antibiotic therapy time	108
Autopsy	106
 Covid-19	 103
 Date/time of discharge	 105
Discharge to	105
 Gravida.....	 101
 Maternal steroid therapy	 108
Maternal steroid date	108
Maternal steroid time	108
 Petersm	 106
Primary cause of death.....	106
 Screening test (s)	 104
Term	105

INDEX FOR ROUTINE INFORMATION – POSTPARTUM ADMISSION

Abortions)	112
Admitted from	111
Antibiotic therapy	115
Antibiotic therapy date/time	114
Autopsy	115
Cause of death (maternal)	115
Covid-19	114
Discharge date/time	114
Discharge to	114
Gravida.....	112
Preterm	116
Process status	117
Term.....	116

INDEX FOR ROUTINE INFORMATION – NEONATAL ADMISSION

Admitted from	120
Autopsy	125
Birth hospital	120
Birth order	119
Covid-19	130
Chromosomal abnormalities	132
Critical Congenital Heart Disease Screening	122
Death date	127
Death time	128
Discharge date/time	124
Discharge to	124
Elective non-resuscitation	129
Feeding during admission	123
Fetal malnutrition.....	128
Finnegan Score/eat, sleep console	132
Maternal steroid therapy	130
Neonatal Intensive Care Unit (NICU)	121
Outcome	122
Pediatric Intensive Care Unit (PICU)	121
Primary cause of death	126
Retinopathy of prematurity	131
Supplementation indication	123
Twin type	128

ADULT RCP CODES

Anesthesia during delivery only	140
Anesthesia during labour and delivery.....	139
Anesthesia during labour only	139
Blood dyscrasias affecting pregnancy	147
Complications of anesthesia	141
Cannabinoid hyperemesis syndrome	154
Endocrine disease affecting pregnancy	145
Gastro-intestinal diseases	143
Heart disease affecting pregnancy	145
Immunizations	151
Maternal antibody conditions during pregnancy.....	133
Maternal carrier status and/or chronic infection during pregnancy	134
Maternal drug and chemical use during pregnancy	137
Maternal drug therapies for specific conditions of pregnancy, delivery and postpartum	135
Maternal drug therapy during pregnancy/postpartum period.....	136
Maternal/fetal diagnostic and therapeutic procedures	138
Maternal steroids for chronic conditions	141
Maternal transfusions, blood and other products	150
Maternal transfusions, reasons for	150
Neoplasm affecting pregnancy	147
Neurological illness affecting pregnancy.....	144
Other obstetrical conditions affecting pregnancy	142
Other non-obstetrical disease, not elsewhere classifiable	148
Polycystic Ovarian Syndrome	154
Previous pregnancy maternal diseases	149
Procedures for postpartum hemorrhage	151
Psychiatric illnesses affecting pregnancy	143
Pulmonary diseases affecting pregnancy	148
Renal disease affecting pregnancy	146

INFANT RCP CODES

Anomaly/metabolic syndromes and conditions	154
Apnea	188
Arterial catheters	177
Birth asphyxia sequelae	170
Burns (complications of).....	181
Central venous catheters	176
Chronic pulmonary disease of prematurity	170
Convulsions/seizures	171
Depression at birth	168
Endotracheal intubation (complications of)	180
Erythromycin eye prophylaxis.....	179
Immunizations.....	182
Intra-ventricular hemorrhage	186
Lab results.....	183
Medications.....	173
Medications (complications of)	181
Mode of ventilation.....	179
Naso/Oro-gastric tube (complications of).....	181
Neonatal Abstinence (Drug withdrawal)	175
Neoplasm	172
Non-specific neurological findings	187
Other specific neurological findings	188
Patent ductus arteriosus.....	168
Peripheral IV	189
Persistent fetal circulation/Persistent pulmonary hypertension of the newborn	169
Phototherapy	182
Placental or cord anomalies	153

Requirement for home oxygen	170
Retinopathy of prematurity (treatment for)	189
Respiratory distress syndrome	169
Resuscitation at delivery	189
Therapeutic cooling of the newborn	195
Trauma	186
Surgery (complications of)	181
Vascular catheters (complications of)	180

LISTING OF HOSPITALS

Hospitals appearing in bold provide maternity services

	Hospital #
Aberdeen Regional Hospital	
New Glasgow	11
All Saints Hospital	
Springhill	12
Annapolis Community Health Centre	
Annapolis Royal	13
Antepartum Mable	
Home	91
Bayview Memorial Health Centre	
Advocate Harbour	58
Buchanan Memorial Health Centre	
Neil's Harbour	15
Cape Breton Health Care Facility:	
Glace Bay site	87
Northside (North Sydney Site)	87
Sydney Site	87
CFB Cornwallis	
Cornwallis	79
CFB Stadacona	
Halifax	78
Chaleur Regional Hospital	
New Brunswick	-10
Colchester Regional Hospital	
Truro	18
Cumberland Regional Health Care Centre	
Amherst	30
Dartmouth General Hospital	
Dartmouth	65
Digby General Hospital	
Digby	20

LISTING OF HOSPITALS

Hospitals appearing in bold provide maternity services.

	Hospital #
East Coast Forensic Dartmouth	71
Eastern Kings Memorial Wolfville	21
Eastern Memorial Hospital Canso	22
Eastern Shore Memorial Hospital Sheet Harbour	23
Fishermen's Memorial Hospital Lunenburg.....	24
George Dumont Hospital New Brunswick	-11
Glace Bay Health Care Facility (See Cape Breton Healthcare Complex)	87
Guysborough Memorial Hospital Guysborough	27
Hants Community Hospital Windsor.....	37
Home of the Guardian Angel Halifax	88
(Use for "discharge to" only if mom and baby both go to the home)	
Home Home.....	0
Intended delivery at home (NOT attended by a health care professional) Home.....	-7
Intended Delivery at home (attended by a health care professional) Home.....	-8
Inverness Consolidated Memorial Hospital Inverness	34

LISTING OF HOSPITALS

Hospitals appearing in bold provide maternity services.

	Hospital #
IWK Health Centre	
Halifax	86
Lillian Fraser Memorial Hospital	
Tatamagouche	32
Midwife Delivery at Home	
Home.....	-5
Moncton Hospital (The)	
New Brunswick.....	-12
Musquodoboit Valley Memorial Hospital	
Middle Musquodoboit.....	33
New Waterford Consolidated Hospital	
New Waterford	63
North Cumberland Memorial Hospital	
Pugwash	35
Northside General Hospital	
(See Cape Breton Health Care Complex)	87
Nova Institution for Women	
Truro	92
Nova Scotia Hospital	
Dartmouth	77
Planned Home Birth (not midwife attended)	
Home	-2
Point Pleasant Lodge	
Halifax	64
Prince County Hospital	
Prince Edward Island	-13
Queen Elizabeth Hospital	
Prince Edward Island	-14

LISTING OF HOSPITALS

Hospitals appearing in bold provide maternity services.

	Hospital #
Queen Elizabeth II Health Sciences Centre Halifax	85
Queens General Hospital Liverpool.....	38
Roseway Hospital Shelburne	39
Sackville Memorial Hospital New Brunswick.....	-15
Sacred Heart Hospital Cheticamp	47
Self-Discharge Home	-6
Soldiers Memorial Hospital Middleton	48
South Cumberland Community Care Centre Parrsboro	49
South Shore Regional Hospital Bridgewater.....	14
St. Anne's Hospital Arichat	40
St. Martha's Regional Hospital Antigonish.....	43
St. Mary's Memorial Hospital Sherbrooke	45
Strait Richmond Hospital Cleveland	68
Sutherland-Harris Memorial Hospital Pictou	50

LISTING OF HOSPITALS

Hospitals appearing in bold provide maternity services.

	Hospital #
Twin Oaks Memorial Hospital	
Musquodoboit Harbour	52
Valley Regional Hospital	
Kentville.....	67
Victoria County Memorial Hospital	
Baddeck	53
Western Kings Memorial Health Centre	
Berwick.....	55
Yarmouth Regional Health Centre	
Yarmouth	56

Hospitals out of province**HOSPITAL#**

Hospital in Alberta	
Alberta	-16
Hospital in Bermuda	
Bermuda	-31
Hospital in British Columbia	
British Columbia.....	-17
Hospital in Manitoba	
Manitoba	-18
Hospital in New Brunswick (other than those listed)	
New Brunswick.....	-20
Hospital in Newfoundland & Labrador	
Newfoundland & Labrador	-19
Hospital in Northwest Territories	
Northwest Territories	-21
Hospital not in list	
Non-specific	-32
Hospital in Nunavut	
Nunavut	-28
Hospital in Ontario	
Ontario	-22
Hospital in PEI (other than those listed)	
Prince Edward Island	-23
Hospital in Quebec	
Quebec	-24
Hospital in Saskatchewan	
Saskatchewan	-25
Hospital in United States	
United States	-26
Hospital in Yukon	
Yukon	-27

ADMISSION INFORMATION

UNIT NUMBER

Patient's hospital unit number.

Found on the health record folder or the '*HOSPITAL ADMISSION FORM*'.

CONTACT HOSPITAL

Hospital in which the chart is being coded. *When the hospital number is associated with a coder user name, this field will be auto-filled.*

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 13-18.

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23, 'MM' is in range 0-59

If discharge time is not documented leave discharge time blank and code '9' in the field immediately following.

ADMISSION DATE

Patient's admission date to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'YYYYMMDD'.

ADMISSION TIME

Patient's admission time to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23, 'MM' is in range 0-59.

GIVEN NAME(S)

Patient's given name(s).

Found on the '*HOSPITAL ADMISSION FORM*'.

SURNAME

Patient's surname.

Found on the '*HOSPITAL ADMISSION FORM*'.

ADMISSION TYPE

Type of admission.

Found on '*ADMISSION SEPARATION SHEET*'.

1	Delivered Admission
2	Undelivered Admission
3	Postpartum Admission
5	Neonatal Admission

PREVIOUS SURNAME

Patient's maiden name or other previous surname.

Found on the '*HOSPITAL ADMISSION FORM*'.

Leave blank for neonatal admissions.

This field can be left blank if not documented.

A/S/D NUMBER

Hospital number referring to the patient's present admission.

Found on the patient's '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'CCNNNNNNNN/YY' where 'CC' is the admit type, 'NNNNNNNN' is an ascension number related to the number of admissions of the year and 'YY' denotes the fiscal year (April 1 to March 31), changing on April 1st of each year. The / has to be entered before the 'YY' denoting the fiscal year.

Zeros before the ascension number must be entered if number does not have 7 digits, e.g. AS0000123/05.

Code '999999999999' for other provincial account numbers, or when unknown.

HEALTH CARD NUMBER

Found on the '*HOSPITAL ADMISSION FORM*'.

Record the patient's **Nova Scotia** Health Card Number.

- Nova Scotia residents admitted without a Nova Scotia Health Card Number
- Patients from outside Nova Scotia

If a Nova Scotia Health Card Number or hospital generated '8000' number is not available, code;

0	Nova Scotia patient health card #, card not available
0	Armed Forces
0	First Nations
0	Self-paying
1	Patient from outside Nova Scotia

BIRTH DATE

Patient's date of birth.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'YYYYMMDD'.

MUNICIPAL CODE

Patient's municipal code.

Found on the '*HOSPITAL ADMISSION FORM*'.
Code using one of the following:

ANNAPOLIS COUNTY	
12	Annapolis Municipality
13	Annapolis Royal
19	Bridgetown
49	Middleton

ANTIGONISH COUNTY	
14	Antigonish Municipality
15	Town of Antigonish

CAPE BRETON COUNTY	
22	Cape Breton Municipality
31	Dominion
32	Glace Bay
45	Louisbourg
52	New Waterford
53	North Sydney
67	Sydney
68	Sdney Mines

COLCHESTER COUNTY	
26	Colchester Municipality
65	Stewiacke
70	Truro

CUMBERLAND COUNTY	
11	Amherst
27	Cumberland Municipality
54	Oxford
55	Parrsboro
63	Springhill
DIGBY COUNTY	
24	Clare Municipality
29	Digby Municipality
30	Town of Digby

GUYSBOROUGH COUNTY	
21	Canso
33	Guysborough Municipality
50	Mulgrave
66	St. Mary's Municipality

HALIFAX COUNTY	
77	Bedford
28	Dartmouth
34	Halifax
35	Halifax Municipality (<u>not</u> Bedford, Dartmouth or Halifax)

HANTS COUNTY	
38	Hantsport
36	East Hants Municipality
37	West Hants Municipality
73	Windsor

INVERNESS COUNTY	
39	Inverness Municipality
58	Port Hawkesbury

KINGS COUNTY	
18	Berwick
41	Kentville
42	Kings Municipality
74	Wolfville

LUNENBURG COUNTY	
20	Bridgewater
23	Chester Municipality
46	Lunenburg Municipality
47	Lunenburg Town
48	Mahone Bay

PICTOU COUNTY	
51	New Glasgow
56	Pictou Municipality
57	Pictou Town
64	Stellarton
69	Trenton
72	Westville

QUEENS COUNTY	
43	Liverpool
59	Queens Municipality

RICHMOND COUNTY	
60	Richmond Municipality

SHELBURNE COUNTY	
17	Barrington Municipality
25	Clark's Harbour
44	Lockeport
61	Shelburne Municipality
62	Shelburne Town

VICTORIA COUNTY	
71	Victoria Municipality

YARMOUTH COUNTY	
16	Argyle Municipality
75	Yarmouth Municipality
76	Yarmouth Town

OUT OF PROVINCE RESIDENTS	
81	Alberta
82	British Columbia
83	Manitoba
84	New Brunswick
85	Newfoundland and Labrador
86	Ontario
87	Prince Edward Island
88	Quebec
89	Saskatchewan
90	Yukon
91	Northwest Territories
92	Nunavut
95	Bermuda
97	USA
98	Other countries
99	Unknown

MARITAL STATUS

Patient's marital status.

Found on *the 'HOSPITAL ADMISSION FORM' or 'PRENATAL RECORD'*.

Code using one of the following:

1	Single
2	Married
3	Widowed
4	Divorced
5	Separated
6	Common-law
7	Unknown
8	Partner, not otherwise specified

Marital status will automatically blank out for neonatal admissions.

CARE PROVIDER ATTENDING

Care provider most responsible for the patient's care *while in hospital*.

Found on the *'HOSPITAL ADMISSION FORM'*.

Code using the Provincial Medical Board Number or Provider Number for Midwives.

Code '**88888**' if physician is not registered in Nova Scotia.
Code '**99999**' for unknown.

SEX

Adult patients the sex will automatically fill as 'F' for female.

For neonatal admissions select the legal phenotypical sex of the infant regardless of Karyotype.

F	Female
M	Male
A	Ambiguous
9	Unknown

STREET ADDRESS

Patient's Street address.

Found on the '*HOSPITAL ADMISSION FORM*'.

Example: 4 King Street

MAILING ADDRESS

Patient's mailing address.

This field can be left blank if mailing address is not documented or same as street address.

Found on the '*HOSPITAL ADMISSION FORM*'.

Example: PO Box 40 or RR#2

CITY /TOWN

Patient's city, town or village of residence.

Found on the '*HOSPITAL ADMISSION FORM*'.

POSTAL CODE

Patient's postal code.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'A1A1A1' where "A" is an alphabetic character and "1" is a number.

Code '**888888**' when the postal code is known and outside of country, e.g. USA, Britain, St. Pierre-Miquelon.

Code '**999999**' for unknown.

PROVINCE

Patient's province of residence.

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the following:

AB	Alberta
BC	British Columbia
MB	Manitoba
NS	Nova Scotia
NB	New Brunswick
NL	Newfoundland and Labrador
NT	Northwest Territories
NU	Nunavut
ON	Ontario
PE	Prince Edward Island
QC	Quebec
SK	Saskatchewan
YT	Yukon
US	USA
XX	Not Canada or USA

ADMISSION PROCESS STATUS

Indicates the coding status of the admission information.

Code using one of the following:

2 Coding of chart in process. The case is set to 2 *automatically when it is accessed by the coder for the first time.*

3 Coding of admission information completed.

Once the case is frozen (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred; status 5 indicates that data has been transferred.

Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be forwarded to the Clinical Data Coordinator at RCP.

DELIVERED ADMISSION

Routine Information – Delivered Admission

Any admission of a pregnant women resulting in the delivery of;

1. a liveborn infant
OR
2. an infant that has reached 20 or more completed weeks gestation
OR
3. an infant weighting 500 or more grams
OR
4. Infant that is one of a set of multiples where the above criteria has been achieved.

DELIVERY HOSPITAL

Hospital in which the delivery of the infant took place.

Found on the '*HOSPITAL ADMISSION FORM*' or '*MATERNAL ADMISSION ASSESSMENT FORM*'.

Code one of the standard 2 digit provincial codes for hospitals found on pages 13-18.

If a birth occurs in a hospital without an obstetrical service, and the mother and baby are transferred to a facility with an obstetrical service, the hospital receiving the transfer is to collect this case as a delivered case.

In these situations, **the 'Delivery Hospital' should be coded with the hospital number of the facility where the birth occurred.**

Code one of the following for the unusual situations:

-1	Unplanned out of hospital, e.g. delivery en route to hospital, unplanned birth at home.
-2	Planned birth at home
-5	Midwife attended home delivery

ADMITTED FROM

Mother's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If the patient is transferred from another hospital, record the standard 2 digits provincial code numbers for that facility found on page 13-18.

If patient comes from home, code '0'

Code one of the following for the unusual situations:

-7	Intended delivery at home without the help of a health care provider (not a midwife)
-8	Intended delivery at home with the help of a health care provider (not a midwife)

If a patient comes from the Emergency Room of another facility without having been admitted to the facility, enter '0' admitted from home.

If a patient is admitted from the Nova Institution for Women enter '92'

**PRENATAL RECORD ON
CHART AT TIME OF
CODING**

The complete prenatal record (3pgs.) should be filed on chart at time of coding

Code one of the following:

Y	Yes	Prenatal record on chart at time of coding
N	No	Prenatal record not on chart at time of coding

**DATE OF LAST NORMAL
MENSTRUAL PERIOD**

Date of patient's last normal menstrual period.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Use the following format: 'YYYYMMDD'

If the date of the last normal menstrual period is unknown or missing, leave 'LMP date' blank and code '9' in the field immediately following.

If unsure is ticked in the box on the prenatal record but a date is documented as well, enter the date given in the field provided.

**PRE-CONCEPTION FOLATE
INTAKE**

Maternal pre-conception folate intake.

Found on the '*PRENATAL RECORD*'.

If noted on prenatal record as "started after found out was pregnant" enter 'N'.

Code one of the following:

Y	Yes
N	No
9	Unknown

INTENT TO BREASTFEED

Maternal intention to breastfeed.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code one of the following:

Y	Yes
N	No
U	Unsure
9	Unknown

GRAVIDA

The number of pregnancies, including the present pregnancy, regardless of gestational age, type, or outcome. A pregnancy of twins/multiples is counted as one pregnancy. A blighted ovum and molar pregnancy are classified as a gravida

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

TERM

The total number of previous pregnancies, with birth occurring at ≥ 37 completed weeks

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

PRETERM

The total number of previous pregnancies, with birth occurring between 20 +0 and 36 6/7 completed weeks

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

ABORTIONS

The number of pregnancies, that were spontaneous losses (before 20 weeks gestation or weighing less than 500 grams) or planned terminations. Spontaneous abortions include miscarriage, ectopic pregnancy, missed abortions, blighted ovum and molar pregnancies

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

**NUMBER OF PREVIOUS
FETAL DEATHS**

Number of previous fetal deaths specifically recorded as weighing 500 grams or more, and/or equal to or greater than 20 weeks gestation or when documented as a fetal death or stillbirth by the physician.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '9' for unknown.

**NUMBER OF PREVIOUS
NEONATAL DEATHS**

Number of previous neonatal deaths specifically recorded weighing 500 grams or more, and/or equal to or greater than 20 weeks gestation or when documented as a neonatal death by the physician.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '9' for unknown.

**NUMBER OF PREVIOUS
C-SECTIONS**

Number of previous C-sections.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**0**' if no previous C-sections.

Code '**9**' for unknown.

**POSTPARTUM
HEMORRHAGE
IN A PREVIOUS
PREGNANCY**

Postpartum hemorrhage in a previous pregnancy.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code one of the following:

Y	Yes
N	No
9	Unknown

**PREVIOUS PRE-TERM
DELIVERY**

Number of pre-term deliveries in previous pregnancies.

Found on the '*PRENATAL RECORD*'.

Code the number of deliveries excluding the present pregnancy where the delivery took place after 20 0/7 weeks of gestation and less than 36 6/7 completed weeks of gestation.

This includes liveborn and stillborn deliveries.

Code '**9**' for unknown.

**NUMBER OF PREVIOUS
PRE-TERM DELIVERIES
IN EACH CATEGORY**

Enter the number of pre-term deliveries occurring within the appropriate gestational age category.

Found on the '*PRENATAL RECORD*'.

#Previous PTD $\leq 28\ 6/7$ weeks (28 completed weeks)

#Previous PTD 29 0/7 to 32 6/7 weeks

#Previous PTD 33 0/7 to 36 6/7 weeks

#Previous PTD weeks unspecified

Code '**9**' for unknown.

**NUMBER OF PREVIOUS LOW
BIRTH WEIGHT INFANTS**

Number of previous infants with birth weight less than or equal to **2499 grams** (5 lbs. 8 oz.).

Found on the '*PRENATAL RECORD*' or '*PHYSICIANS ASSESSMENT*'.

Code '**9**' for unknown.

**NUMBER OF PREVIOUS
OVERWEIGHT INFANTS**

Number of previous infants with birth weight greater than **4080 grams** (9 lbs.).

Found on the '*PRENATAL RECORD*' or '*PHYSICIANS ASSESSMENT*'.

Code '**9**' for unknown.

PRE-PREGNANCY SMOKING

Number of cigarettes smoked per day before the mother became pregnant.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day pre-pregnancy, with the following **exceptions**:

0	Patient did not smoke pre-pregnancy
75	Patient smoked ≥ 75 cigarettes per day pre-pregnancy
88	Patient known to be a smoker pre-pregnancy, but number of cigarettes smoked per day is unknown
99	Not indicated whether or not the patient smoked pre-pregnancy

NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

**SMOKING AT FIRST
PRENATAL VISIT**

Number of cigarettes smoked per day at the time of the first prenatal visit.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day at the first prenatal visit, with the following **exceptions**:

0	Patient did not smoke at the time of the first prenatal visit
75	Patient smoked ≥ 75 cigarettes per day at the time of the first prenatal visit
88	Patient known to be a smoker at first prenatal visit, but number of cigarettes smoked per day is unknown
99	Not indicated whether or not the patient smoked at time of first prenatal visit

NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

SMOKING AT 20 WEEKS

Number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks, with the following **exceptions**:

0	Patient did not smoke at the time of prenatal visit from 18-22 weeks.
75	Patient smoked ≥ 75 cigarettes per day at the time of the prenatal visit from 18-22 weeks.
88	Patient known to be a smoker, but number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks is unknown
99	Not indicated at the time of prenatal visit from 18-22 weeks whether the patient smoked.

NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

HIGHEST LEVEL OF EDUCATION

Highest level of education completed.

Found on the '*PRENATAL RECORD*'.

Code one of the following:

1	Less than Secondary Education (some High School)
2	Secondary Education (completion of High School)
3	Technical/some Post-Secondary Education (Community College or working on a bachelor's degree)
4	Post-Secondary Education (completion of bachelor's degree e.g. Arts, Commerce or Science)
5	Graduate Level (completion of master's degree e.g. Masters in Nursing or Education)
6	Post Graduate Level (completion of Doctorate e.g. Doctor of Philosophy)
7	Professional Degree (e.g. Physician, Lawyer or Dentist)
99	Unknown

PARTNER INVOLVED

Partner involved.

Found on the Prenatal Record or Maternal Assessment

Code one of the following:

Y	Yes
N	No
9	Unknown
7	Not applicable

COVID-19

Covid 19- test noted on chart.

Found on the Prenatal Record

Code one of the following:

Y	Yes
N	No

If it is noted mom tested positive for Covid -19 during her pregnancy, enter the dates of all positive tests

If the dates are unknown, enter 9 in the field immediately following the date field.

ETHNICITY

Maternal race/ethnicity.

Found on the '*PRENATAL RECORD*'.

Choose **ALL** applicable categories documented on the 'Prenatal Record'.

ACA	Acadian
BLA	Black
EAS	East Asian
IND	Indigenous
LAT	Latin American
MDE	Middle Eastern
OTH	Other
PRE	Prefer not to say
SEA	Southeast Asian
SOA	South Asian
WHI	White
999	Unknown

PRE- PREGNANCY WEIGHT

Maternal pre-pregnancy weight.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

This field has been designed to allow either pounds (lbs.) or kilograms (kgs.) to be coded. If the weight is recorded in kilograms, it should be entered in kilograms, and 'K' should be coded in the field immediately following, e.g. 60K.

If the weight is recorded in pounds (lbs.), it should be entered in pounds, and 'P' should be coded in the field immediately following, e.g. 121 P.

If the weight is not documented as a whole number, round to the nearest whole number

e.g. 60.2 kg = 60 kgs
60.7 kg = 61 kgs

If weight is recorded in a range, code the highest weight

e.g. 130 to 135 lbs. = 135 lbs.

If pre-pregnancy weight is unknown, subtract weight gain from pre-delivery weight if noted on the Maternal Assessment.

Code '**999**' for unknown.

"If BMI is noted, weight does not have to be entered"

MATERNAL HEIGHT

Maternal height.

Found on the '*PRENATAL RECORD*'.

Refers to mother's height in feet and inches or centimeters.

For measurements in feet and inches, if not recorded as a whole number, round up to the next whole number for inches, e.g. 5'3.5" record as 5'4".

For measurements in centimeters, if not recorded as a whole number, round up to the next whole number, e.g. 150.6cm record as 151 cm.

Code '**999**' in centimeters field for an unknown value.

PRE- PREGNANCY BMI

Maternal pre-pregnancy BMI

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'

If the weight has been documented, you do not have to enter the BMI.

SMOKING AT TIME OF ADMISSION

Number of cigarettes smoked per day at time of the admission.

Found on the '*MATERNAL ADMISSION ASSESSMENT*', the '*MATERNAL NURSING REASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

If none of these forms are present or the information is missing, but the most recent prenatal visit documented is within 7 days of the delivery admission and the smoking data were recorded at that visit, enter that number.

If there is no information about maternal smoking within 7 days of the delivery admission, code '99' for unknown.

Code the number of cigarettes smoked per day at the time of delivery admission, with the following **exceptions**:

0	Patient did not smoke at the time of delivery
75	Patient smoked ≥ 75 cigarettes per day at the time of delivery
88	Patient known to be a smoker at the time of delivery but number of cigarettes smoked per day is unknown
99	Not indicated whether or not the patient smoked at the time of delivery

NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

PRESENT WEIGHT

Patient's weight recorded prior to delivery.

Found on the '*MATERNAL ADMISSION ASSESSMENT*', OR patient's last weight on the '*PRENATAL RECORD*' (if it was within a week of delivery).

This field has been designed to allow either pounds (lbs.) or kilograms (kg) to be coded. If the weight is recorded in kilograms, it should be entered in kilograms, and 'K' should be coded in the field immediately following, e.g. 60 K.

If the weight is recorded in pounds (lbs.), it should be entered in pounds, and 'P' should be coded in the field immediately following, e.g. 121 P.

If the weight is not documented as a whole number, round to the nearest whole number

e.g. 60.2 kg = 60 kg.

e.g. 60.7 kg = 61 kg.

If weight is recorded in a range, code the highest weight

e.g. 130- 135 lbs. = 135 lbs.

If the present weight is unknown, add pre-pregnancy and weight gain.

Code '**999**' for unknown value.

" If BMI is coded, weight does not have to be entered"

PRESENT BMI

Maternal BMI at time of delivery

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'

If BMI is documented within a week of delivery, it can be used

If the weight has been documented, you do not have to enter the BMI.

**BISHOP
SCORE**

Bishop Score.

Found on the '*PREADMISSION MATERNITY ASSESSMENT
and/or Cervical Ripening Record*'

Bishop Score is only completed on patients with induced (I) or
an attempt to induce (A) labour type.

Code one of the following:

Y	Yes, Bishop Score completed
N	No, Bishop Score not done

If Y is coded for Bishop Score please enter the value of the test
in the field adjacent.

**VALUE OF
BISHOP SCORE**

Bishop Score Value.

Found on the '*PREADMISSION MATERNITY ASSESSMENT*'.

Enter value of the first Bishop Score assigned by clinical
individuals even if not all values are noted on the document.
If noted as a range, choose the lower of the values.

If all values (Dilatation, Effacement, Station, Consistency and
Position) are documented but the score is not tallied, add the
numbers together and enter the value.

If all values are not documented, enter '99' for unknown.

NUMBER OF FETUSES

Code the number of fetuses the mother carried to delivery during the present pregnancy.

Found on the '*BIRTH RECORD*' or the '*PRENATAL RECORD*' or the '*PHYSICIANS ASSESSMENT*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code one of the following:

1	Singleton
2	Twins
3	Triplets
4	Quadruplets
5	Quintuplets

MATERNAL ULTRASOUND

Maternal ultrasound.

Found on an '*ULTRASOUND REPORT*' within the chart.

Indicate '**Y**' if an ultrasound report is on the chart.

When '**Y**' is entered, the ultrasound screen will pop up. Enter appropriate values.

If there is no ultrasound report on the chart but it is documented that the patient had an ultrasound, record '**Y**' indicating that the patient had an ultrasound and click the box stating ultrasound done but no values recorded.

If there is no ultrasound report on the chart and it is not documented that an ultrasound has been done record '**N**'.

FETUS NUMBER

Fetus number.

This column holds a value to differentiate between ultrasound studies for multiple births.

For singleton pregnancies, the number will always be 1.

In multiple pregnancies, fetus #1 for first reported ultrasound, fetus #2 for second, etc.

DATE OF FIRST ULTRASOUND

Date of first ultrasound.

Date of earliest ultrasound during this pregnancy where measurements or gestational age of the fetus are recorded.

Found on the '*ULTRASOUND REPORT*'.

Use the following date format: 'YYYYMMDD'.

**NO APPLICABLE DATA
RECORDED**

No applicable data recorded.

If it is indicated on the chart that an Obstetrical Ultrasound was done but none of the applicable values recorded click the NAD box to indicate this fact.

**CHOOSE APPLICABLE
CATEGORY**

Choose a category dependent on the manner in which the data on the earliest ultrasound is reported.

Choose applicable category:

Measurements
Gestational Age by Measurements
Gestational Age

If the earliest ultrasound is reported in more than one category types, choose one and enter the data in that category completely.

**CROWN-RUMP LENGTH
MEASUREMENT**

Crown-rump length recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the crown-rump length is recorded, capture this measurement only.

If the crown-rump length is not recorded on the first ultrasound (with measurements) for this pregnancy, leave this field blank, and record values for the following four variables; **biparietal diameter, head circumference, abdominal circumference, and femur length.**

**BIPARIETAL DIAMETER
MEASUREMENT**

Biparietal diameter recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crown-rump** length measurement has been recorded, leave the field blank.

**HEAD CIRCUMFERENCE
MEASUREMENT**

Head circumference recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crown-rump** length measurement has been recorded, leave the field blank.

**ABDOMINAL
CIRCUMFERENCE
MEASUREMENT**

Abdominal circumference recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crown-rump** length measurement has been recorded, leave the field blank.

**FEMUR LENGTH
MEASUREMENT**

Femur length recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crown-rump** length measurement has been recorded, leave the field blank.

**CROWN- RUMP LENGTH
GESTATIONAL AGE**

Crown-rump length recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

If the crown-rump length gestational age is recorded, capture this gestational age only.

If the crown rump-length gestational age is not recorded on the first ultrasound (in weeks and days) for this pregnancy, leave this field blank and record values for the following four variables: **biparietal diameter**, **head circumference**, **abdominal circumference** and **femur length**.

BIPARIETAL DIAMETER
GESTATIONAL AGE

Biparietal diameter recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

If the **crown-rump** length gestational age has been recorded, leave this field blank.

HEAD CIRCUMFERENCE
GESTATIONAL AGE

Head circumference recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

If the **crown-rump** length gestational age has been recorded, leave this field blank.

ABDOMINAL
CIRCUMFERENCE
GESTATIONAL AGE

Abdominal circumference recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

If the **crown-rump** length gestational age has been recorded, leave this field blank.

FEMUR LENGTH
GESTATIONAL AGE

Femur length recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

If the **crown-rump** length gestational age has been recorded, leave this field blank.

GESTATIONAL AGE

Gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

Enter gestational age noted as weeks and days on an Ultrasound report that is not associated with any measurements.

MATERNAL SCREENING

Maternal screening tests.

Found documented on the '*PRENATAL RECORD*'.

If there is no documentation indicate Unknown.

Group B Strep Screening (usually done at 35-37 weeks)

D	Declined
N	No, not done
U	Unknown
Y	Yes done

Nuchal Translucency

C	Completed
D	Declined
N	No, not done
U	Unknown

C

HIV testing

D	Declined
N	No, not done
U	Unknown
Y	Yes done

Maternal Serum Screening

C	Completed
D	Declined
N	No, not done
U	Unknown

NIPT Testing

D	Declined
M	MSI
N	No, not done
P	Done -pay unknown
S	Self-Pay
U	Unknown

WAST

P	Positive
N	Negative
U	Unknown

EPDS Score

#	Trimester 1 score
#	Trimester 2 score
#	Trimester 3 score

Enter the score between range of 0-30 in each box as noted on the prenatal record.

If the score is not noted, enter 99 for unknown.

T-ACE Score

#	T-ACE score
---	-------------

Enter the score between range of 0-5 noted on prenatal record.

Enter score '7' if not applicable or enter '9' for unknown.

DISCHARGE DATE

Mother's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Mother's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23, 'MM' is in range 0-59.

If discharge time is not documented leave blank and code '9' in the field immediately following.

MOTHER DISCHARGE TO

The immediate destination of mother upon discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 13-18 or use one of the following codes:

-9 Maternal death
0 Home

If a patient is discharged to the Nova Scotia Institution for Women code '92'

ICU ADMISSION

Maternal admission to the ICU , higher level of care

Yes	Yes, admission to ICU
No	No, admission to ICU
9	Unknown, admission to ICU

**MATERNAL PRIMARY CAUSE
OF DEATH**

Maternal primary cause of death.

Found on '*DEATH CERTIFICATE*' or stated by the physician.

This field will autofill if mother lived.

Code one of the following:

77777	Lived
OTHR	Other
PEMB	Pulmonary Embolus
PPHM	Postpartum Hemorrhage
STRK	Stroke

MATERNAL AUTOPSY

Completion of maternal autopsy.

Found on the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

This field will autofill if the mother lived.

Code one of the following:

LVD	Lived (not applicable)
YES	Died and autopsy done
NO	Died but autopsy not done

**MATERNAL STEROID
THERAPY**

Maternal steroid therapy.

Found on the '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

Code using one of the following:

- 1= Dexamethasone
- 2= Betamethasone (Celestone)
- 3= Unknown steroid

Chose value as documented on chart, or leave **blank**.

**STEROID THERAPY
DATE**

Date first maternal steroid administered.

Found on '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

Use the following format: 'YYYYMMDD'.

If date of first steroid is not documented, leave date field blank and enter '**9**' in the field immediately following.

**STEROID THERAPY
TIME**

Time first maternal steroid administered.

Found on '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23; 'MM' is in range 0-59.

Record the time of the first steroid given to the mother during the hospital stay or up to 12 hours prior to admission to hospital.

If time of the first steroid is not documented, leave time field blank and enter '**9**' in the field immediately following.

**ANALGESIA ADMINISTERED
DURING LABOUR**
(excluding stillbirths)

Analgesia administered during labour.

Found on the 'BIRTH RECORD', 'MEDICATION SHEETS' or 'PARTOGRAM'.

Choose only **one** drug and the route administered.
Choose the drug administered **closest** to the time of delivery.

Drug

1	Demerol (Meperidine)
2	Dilaudid (Hydromorphone HCl)
3	Fentanyl (Sublimaze)
4	Largactil (Chlorpromazine Tranquillizer)
5	Morphine (includes Opium; Pantopon)
6	Nembutal (Pentobarbital Hypnotic)
7	Nubain (Nalbuphine)
8	Phenergan (Promethazine Tranquillizer)
9	Seconal (Secobarbital)
10	Sparine (Promazine Tranquillizer)
11	Talwin (Pentazocine)
12	Tuinal (Amo-Secobarb Hynotic)
13	Valium (Diazepam Tranquillizer)
14	Other specified analgesia during labour

**ROUTE OF ANAGLESIA
ADMINISTERED**

Route of administration.

Choose only **one** route of administration for the drug given closest to the time of delivery.

1	Unknown route, < 1 hr. prior to delivery
2	Unknown route, 1< 2 hr. prior to delivery
3	Unknown route, 2-4 hr. prior to delivery
4	Unknown route, > 4 hr., prior to delivery
5	I.M., < 1 hr. prior to delivery
6	I.M., 1<2 hr. prior to delivery
7	I.M., 2-4hr. prior to delivery
8	I.M., > 4 hr. prior to delivery
9	I.V., < 1 hr. prior to delivery
10	I.V., 1<2 hr. prior to delivery
11	I.V., 2-4 hr. prior to delivery
12	I.V., > 4 hr. prior to delivery

**ANTIBIOTIC THERAPY
ADMINISTERED DURING
ANTEPARTUM PERIOD**

Antibiotic therapy administered during the antepartum period.

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

If documented, enter 'Y' for Yes. If no antibiotics were administered, leave blank.

Code 'Y' if antibiotic is given during the admission, even if it is for a non-pregnancy related condition.

If antibiotic therapy was started before admission, code the time and date started if within 10 days of admission. If the mother was on antibiotics prior to admission and the date is not documented, record unknown.

**ANTIBIOTIC THERAPY
ADMINISTERED DURING
INTRAPARTUM PERIOD
(NOT FOR GBS)**

Antibiotic therapy administered during the intrapartum period (not for GBS), **including administration during C-Section.**

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or '*PARTOGRAM*'.

If documented, enter 'Y' for YES. If no antibiotics were administered, leave blank.

Code Y if antibiotic is given during the admission, even if it is for a non-pregnancy related condition.

**ANTIBIOTIC THERAPY
ADMINISTERED DURING
POSTPARTUM PERIOD**

Antibiotic therapy administered during postpartum period.

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

If documented, enter 'Y' for Yes. If no antibiotics were administered, leave blank.

Code 'Y' if antibiotic is given during the admission, even if it is for a non-pregnancy related condition.

**PROPHYLAXIS FOR GBS
ADMINISTERED DURING
INTRAPARTUM PERIOD**

Prophylaxis for GBS administered during intrapartum period.

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

If documented as "prophylaxis for GBS" code 'Y' for Yes.

If there is **NO** note to indicate administration is for GBS prophylaxis but antibiotics given during the intrapartum period, code as administered during intrapartum period.

ANTIBIOTIC DATE

Date antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first antibiotic therapy given to the mother during the hospital stay.

If date of first antibiotic therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the date of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the date is not documented, record unknown.

ANTIBIOTIC TIME

Time antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in range 0-59.

Record the time of the first antibiotic therapy given to the mother during the hospital stay.

If time of first antibiotic therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the time of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the time is not documented, record unknown.

Routine Information – Labour

BIRTH ORDER

Birth order.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Code one of the following:

1	Singleton, or first born of multiples
2	Second born of multiples
3	Third born of multiples
4	Fourth born of multiples
5	Fifth born of multiples

DATE OF RUPTURE OF MEMBRANES

Date of rupture of membranes (ROM).

Found on the '*BIRTH RECORD*'

Use the following format: 'YYYYMMDD'.

If there is more than one rupture of membranes, code the earliest date recorded.

If the patient has an elective C-section and there is no history of prior rupture of membranes, use the date of birth as the date of rupture of membranes, since membranes would have been ruptured on the day of delivery.

If the date of rupture of membranes is unknown, leave 'Rupture Date' blank and code '9' in the field immediately following.

**TIME OF RUPTURE OF
MEMBRANES**

Time of rupture of membranes (ROM).

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM'.

'HH' is in the range of 0-23 and 'MM' is in the range of 0-59.

If there is more than one rupture of membranes, record the earliest time.

If the patient has a C-section and there is no history of prior rupture of membranes, use the time of birth as the time of rupture of membranes, since membranes would have to be ruptured to deliver.

When membranes are known to have ruptured within 5 minutes of delivery and the exact time not specified, then the time of birth should be coded as the time of rupture of membranes.

If more than 5 minutes and exact time not specified, then leave 'Rupture Time' blank and code '9' in the field immediately following.

In situations of long rupture and when the date is known, but the time is not specified, code the appropriate date, leave 'Rupture Time' blank and code '9' in the field immediately following.

If the time of rupture of membranes is unknown, leave 'Rupture Time' blank and code '9' in the field immediately following.

TYPE OF RUPTURE OF MEMBRANES

Type of rupture of membranes (ROM).

Found on the 'BIRTH RECORD'.

Code one of the following:

S	Spontaneous
A	Artificial
C	Suspected
9	Unknown

If there is more than one rupture of membranes, code the type based on the first rupture of membranes.

If the patient has a C-section and there is no history of prior rupture of membranes, code the type of rupture as 'Artificial'.

Code 'Suspected' if documented as suspected on the 'Birth Record' with no other documentation of an actual time or date of a spontaneous or artificial rupture of membranes.

MECONIUM STAINING

Meconium staining of the amniotic fluid.

Found on the '*BIRTH RECORD*' or the '*NURSES NOTES*'.

Do not code 'Y' if documentation states 'as noted at time of birth or delivery'.

Code one of the following:

Y	Yes
N	No
9	Unknown

LABOUR

Initiation of labour.

Found on the '*BIRTH RECORD*' or '*PARTOGRAM*'.

Code one of the following:

S	Spontaneous onset of labour (include augmentation of spontaneous labour)
I	Artificial induction of labour (does not include augmentation of labour)
N	No labour prior to delivery (e.g. elective repeat C-section)
A	Attempted induction. This is to be used if an attempt at inducing labour has been made but no labour happens. (Failed induction)

If the cervical dilatation is ≥ 3 cm when the oxytocin and/or prostaglandin is initiated, code labour as spontaneous (**S**).

If the cervical dilatation is < 3 cm or there are no regular contractions when the oxytocin and/or prostaglandin is initiated, code labour as induced (**I**).

**INDICATION FOR
INDUCTION OF
LABOUR**

Reason for induction of labour.

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code one of the following:

0	Not induced
1	Elective (Non-Medical/Social)
2	Fetal growth restriction
3	Diabetes
4	Post dates
5	Premature rupture of membranes without chorioamnionitis
6	Premature rupture of membranes with clinical chorioamnionitis
7	Isoimmunization
8	History of precipitate labour
9	Concern for fetal wellbeing*
10	Intrauterine death
11	Geographic
12	Hypertension
13	Other
14	Oligohydramnios (decreased amniotic fluid)
15	Fetal anomaly
16	Polyhydramnios
17	Multiple pregnancy (pregnancy with more than 1 fetus)
18	PUPP
19	Cholestasis of pregnancy
20	Thrombocytopenia
21	Previous fetal death/poor obstetrical history
22	Seizure
23	Macrosomia
24	No indication given
25	Advanced maternal age * only code if maternal age is 40 at time of delivery and gestation is 39 weeks or greater. If not, code as elective induction in the absence of any other indication
26	Maternal request
27	Vaginal bleeding
28	Positive Group B Strep with rupture of membranes
29	BMI

**INDUCTION OR ATTEMPT
AT INDUCTION OF
LABOUR PLACE**

Induction or attempt at induction of labour place.

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT*', or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code one of the following:

1	Inpatient
2	Outpatient
3	Both inpatient and outpatient
9	Unknown

**INDUCTION OR ATTEMPT
AT INDUCTION OF LABOUR
(METHODS/AGENTS)**

Induction or attempt at induction of labour methods/agents.

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT*', or the '*MATERNAL ADMISSION ASSESSMENT*'.

If labour was induced, enter 'Y' for each documented method/agent used in an attempt to induce labour.

Artificial rupture of membranes, if clearly stated to induced labour

Y = Yes

Cervical catheter

Y = Yes

Prostaglandin

Y = Yes

Cervidil

Y = Yes

Oxytocin

Y = Yes

If Oxytocin is given, when you enter 'Y', the date and time fields immediately following will open to be entered.

OXYTOCIN DATE

Date Oxytocin therapy administered.

Found on 'PARTOGRAM'.

Use the following format: 'YYYYMMDD'.

If date of Oxytocin therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If Oxytocin is administered more than one time during a delivered admission, record the date of the administration that started labour and resulted in the delivery of an infant(s).

OXYTOCIN TIME

Time Oxytocin therapy administered.

Found on 'PARTOGRAM'.

Use the following format: 'HHMM'.

'HH' is the range of 0-23, 'MM' is in the range of 0-59.

If time of Oxytocin therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If Oxytocin is administered more than once during a delivered admission, record the time of the administration that started labour and resulted in the delivery of an infant(s).

**INDUCTION OR ATTEMPT AT
INDUCTION OF LABOUR
METHODS/AGENTS**

Induction or attempt at induction of labour methods/agents.

Found on the “*BIRTH RECORD*” or “*PARTOGRAM*”

Oral prostin

Y = Yes

Other Specified

Y= Yes

If method/agent of induction is **not known or documented**, code ‘9’ in the artificial rupture of membranes field to indicate Unknown.

**DATE OF ADMISSION TO
LABOUR /DELIVERY**

Date of admission to the labour/delivery room (LDR) and delivered before discharged from the unit.

Found on the “*PARTOGRAM*” or the “*PROGRESS NOTES*” or “*MATERNAL ADMISSION ASSESSMENT*”.

Use the following format: ‘YYYYMMDD’.

If date of admission to LDR is unknown, leave ‘LDR Date’ blank and code ‘9’ in the field immediately following.

**TIME OF ADMISSION TO
LABOUR/DELIVERY ROOM**

Time of admission to the labour/delivery room (LDR) and delivered before discharged from the unit.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*' or '*MATERNAL ADMISSION ASSESSMENT*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23, 'MM' is in range 0-59.

If time of admission to LDR is unknown, leave 'LDR Time' blank and code '9' in the field immediately following.

**DILATATION AT TIME OF
ADMISSION TO
LABOUR/DELIVERY ROOM**

Cervical dilatation at admission to the labour/delivery room and delivered before discharge from the unit.

Found on the '*PARTOGRAM*'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimeters.

Code the first dilatation recorded within 2 hours of admission to the LDR. Round the dilatation down to the nearest centimeter, e.g. 3.5 would be coded as 3.

Code '99' for unknown.

MEDICAL AUGMENTATION

Medical augmentation.

Use of Oxytocin to improve contractions after labour has started spontaneously.

Found on the '*PARTOGRAM*' or '*BIRTH RECORD*'.

Code one of the following:

Y	Yes
N	No
7	Not applicable
9	Unknown

**DATE OF MEDICAL
AUGMENTATION**

Date of initiation of Oxytocin to augment labour.

Found on the '*PARTOGRAM*'.

Use the following format: 'YYYYMMDD'.

If date of medical augmentation is unknown, leave 'Augmentation Date' blank and code '9' in the field immediately following.

**TIME OF MEDICAL
AUGMENTATION**

Time of initiation of Oxytocin to augment labour.

Found on the '*PARTOGRAM*'.

Use the following format: 'HHMM'

'HH' is the range 0-23. 'MM' is in range 0-59.

If time of medical augmentation is unknown, leave 'Augmentation Time' blank, and code '9' in the field immediately following.

**DILATATION AT
TIME OF MEDICAL
AUGMENTATION**

Dilatation at time of augmentation of labour.

Found on the '*PARTOGRAM*'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimeters.

Round the dilatation down to the nearest centimeter, e.g. 3.5 would be coded as 3.

If the dilatation is not documented at time of augmentation, code the last dilatation recorded during the two hours prior to the initiation of the Oxytocin.

Code '99' for unknown.

**DATE WHEN CERVICAL
DILATATION AT 4
CENTIMETERS**

Date when cervical dilatation is 4 cm.

Found on the 'PARTOGRAM' or the 'PROGRESS NOTES'.

Use the following format: 'YYYYMMDD'.

Code when first indicated by physician or nurse.

If the patient goes into labour, but has a C-section and dilatation at C-section is < 4 cm, leave '4 cm date' blank and code '7' in the field immediately following.

If date of cervical dilation at 4 cm is unknown, leave '4 cms date' blank and code '9' in the field immediately following.

**TIME WHEN CERVICAL
DILATATION AT 4
CENTIMETERS**

Time when cervical dilatation is 4 cm.

Found on the 'PARTOGRAM' or the 'PROGRESS NOTES'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23, 'MM' is in range 0-59.

Code when first indicated by physician or nurse.

If not recorded on the Partogram, but dilatation before and after 4 cm is recorded, estimate the time when dilatation would have been 4 cm.

If the patient goes into labour, but has a C-section and dilatation at C-section is < 4 cm, leave '4 cm time' blank and code '7' in the field immediately following.

If time of cervical dilatation at 4 cm is unknown, leave '4 cm time' blank and code '9' in the field immediately following.

FETAL SURVEILLANCE

Fetal surveillance.

Found on the '*PARTOGRAM*'.

Enter 'Y' if a fetal surveillance method has been used for clinical care.

Do not enter 'Y' if the reading is an admission strip.

When 'Y' is entered, a surveillance methods screen will pop up.

Code all documented methods.

1	Intermittent auscultation
2	External monitoring
3	Internal monitoring

LACTATE SCORE

Lactate Score.

Found on the '*PROGRESS NOTES*'

This is a form of surveillance that will be well documented in progress notes if it is done. An electrode will draw blood from the baby's scalp.

Code one of the following:

Y	Yes, lactate completed
N	No, lactate not done
9	Unknown

If Y is coded for lactate, please enter the value of the test in the field adjacent.

**VALUE OF
LACTATE TEST**

Lactate Value.

Found on the '*PROGRESS NOTES*'.

Enter value of the lactate test, if there are more than 1 test completed, enter the value of the result closest to delivery.

If all values are not documented, enter '99' for unknown.

**DATE OF ONSET OF
SECOND STAGE OF
LABOUR**

Date of onset of second stage of labour.

Defined as full cervical dilatation (10cms).

Found on the '*BIRTH RECORD*' or '*PARTOGRAM*'

Use the following format: 'YYMMDD'.

If the patient goes into labour, but does not get to second stage prior to having a C-section, leave 'Stage 2 Date' blank, and code '7' in the field immediately following.

If date of stage 2 is unknown, leave 'Stage 2 Date' blank and code '9' in the field immediately following.

**TIME OF ONSET OF`
SECOND STAGE OF
LABOUR**

Time of onset of second stage of labour.

Defined as full cervical dilatation (10cms).

Found on the '*BIRTH RECORD*' or '*PARTOGRAM*'

Use the following format: 'HHMM'.

'HH' is in the range 0-23, 'MM' is in range 0-59.

If the patient goes into labour, but does not get to second stage prior to having a C-section, leave 'Stage 2 Time' blank, and code '7' in the field immediately following.

If time of stage 2 is unknown, leave 'Stage 2 Time' blank and code '9' in the field immediately following.

ACTIVE PUSHING DATE

Date of onset of active pushing.

Found on the '*PARTOGRAM*'

Use the following format: 'YYMMDD'.

If the patient goes into labour, but does not get to active pushing prior to having a C-section, leave 'Active pushing Date' blank, and code '7' in the field immediately following.

If date of active pushing is unknown, leave 'Active pushing Date' blank and code '9' in the field immediately following.

TIME ACTIVE PUSHING

Time of onset of active pushing.

Found on the '*PARTOGRAM*'

Use the following format: 'HHMM'.

'HH' is in the range 0-23, 'MM' is in range 0-59.

If the patient goes into labour, but does not get to active pushing prior to having a C-section, leave 'active pushing Time' blank, and code '7' in the field immediately following.

If time of active pushing is unknown, leave 'active pushing Time' blank and code '9' in the field immediately following.

**INITIAL MOTHER
BABY CONTACT**

Initial mother and baby contact.

Found on the '*PARTOGRAM*', *ADMISSIONS/DISCHARGE FORM*' *NURSES NOTES*,.

Code one of the following:

Y	Yes, skin to skin contact initiated or baby to breast has been noted on Partogram.
---	--

If yes is entered, you will be asked to enter the time initiated and the duration as noted on the partogram.

If the time is not documented, enter '9' in the field immediately following the time box.

1	< less than 60 minutes
2	>= 60 minutes
3	Unknown duration
N	No, no skin-to-skin contact or baby to breast is indicated
7	If fetal death, enter 7 for not applicable
9	Unknown, if none of the applicable boxes are checked

MODE OF DELIVERY

Mode of delivery.

Found on the '*OPERATIVE REPORT*' or the '*BIRTH RECORD*'.

Code one of the following:

ABD	Abdominal
CSC	C-section combined transverse and vertical incision–inverted T and J incision. (This refers to the uterine incision, not skin incision)
CSH	C-section//hysterectomy
CST	C-section, transverse incision
CSV	C-section, classical incision (vertical incision in the body of uterus)
CSU	C-section, type unknown
LVS	C-section, low vertical incision
VAG	Vaginal

METHOD OF DELIVERY

Method of delivery.

Found on the '*OPERATIVE REPORT*' or the '*BIRTH RECORD*'.

If more than one method of delivery is noted on the birth record, code to the highest degree of intervention. For example, low and mid forceps noted on birth record, enter mid forceps in the data entry screen. Code one of the following:

ABR	Assisted breech
ACH	Forceps to after-coming head (Breech – vaginal delivery only)
BRE	Breech extraction (Vaginal delivery only)
CSC	C-section with vacuum and forceps
CSF	C-section with forceps
CSN	C-section
CSV	C-section with vacuum
FAF	Failed forceps or failed trial of forceps followed by C-section
FCF	Failed forceps followed by C-section with forceps
FVC	Attempted forceps and vacuum followed by C-section using forceps and/or vacuum
FVV	Attempted forceps followed by vacuum vaginal delivery
HIF	High forceps
HIV	High vacuum
LWF	Low forceps
LWV	Low vacuum
MIF	Mid forceps
MIV	Mid vacuum
OUF	Outlet forceps
OUV	Outlet vacuum
PVE	Internal podalic version and extraction (not during c/section, vaginal deliveries only)
SPT	Spontaneous vaginal
VAC	Vacuum followed by C-section
VAF	Vacuum followed by forceps
VEX	Vacuum extraction
VCV	Attempted vacuum followed by C-section using forceps and/or vacuum
VFC	Vacuum followed by forceps and then by C-section
999	Unknown method of delivery

CORD MILKING

Cord Milking at time of delivery.

Found on the '*BIRTH RECORD*'

Code one of the following:

Y	Yes
N	No
7	For fetal death will autofill.
9	Unknown

**DELAYED CORD
CLAMPING**

Delayed Cord Clamping at time of delivery.

Found on the '*BIRTH RECORD*'

Code one of the following:

1	< 30 seconds
2	30-60 seconds
3	>1 minute to 3 minutes
4	>3 minutes
7	for fetal death will autofill.
8	Not done
9	Unknown

**CERVICAL DILATATION
DURING LAST EXAM PRIOR
TO C-SECTION**

Cervical dilatation during last exam prior to C-section.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimeters.

Round the dilatation down to the nearest cm, e.g. 3.5 would be coded as 3.

Code '99' for unknown.

**PRESENTATION OF INFANT
AT DELIVERY**

Presentation of infant at delivery.

Found on the '*OPERATIVE REPORT*', '*BIRTH RECORD*' or '*PHYSICIANS ASSESSMENT*'.

Enter VTX (includes Cephalic, LOA, ROA, OT, ROT, LOT, OA, Transverse) unless noted as one of the following:

BCH	Breech, other or specified
BOW	Brow
CPD	Compound presentation
FAC	Face
FRB	Frank breech
FTB	Footling breech
POP	Persistent occiput posterior (ROP, LOP, OP)
VTX	Vertex (OA, LOA, OT)
SHL	Shoulder presentation (transverse lie)
999	Unknown

EPISIOTOMY

Episiotomy.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Code one of the following:

0	Not done
4	Medio-lateral
6	Midline
9	Unknown

BIRTH WEIGHT

Infant's birth weight.

Found on the '*BIRTH RECORD*' or the '*NEWBORN WEIGHT GRAPH*' in grams.

First weight noted after birth.

For conjoined twins, split weight between babies.

'If an infant was born dead or died after birth and was not weighed, code '9999'.

If a baby has a tumor or growth at time of birth and the tumor or growth is removed shortly after, record actual weight at birth, including tumor or growth.

DO NOT take from Pathology Report.

Code '9999' for unknown.

APGAR SCORE AT 1 MINUTE

APGAR score at 1 minute.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal death

APGAR SCORE AT 5 MINUTES

APGAR score at 5 minutes.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal death

APGAR SCORE AT 10 MINUTES

APGAR score at 10 minutes.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal death

**CARE PROVIDER ATTENDING
DELIVERY**

Care provider attending the delivery.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE RECORD*'.

Code using the Provincial Medical Board Number or
Provider Number for Midwives.

Code '**88888**' – if Care Provider is not registered in Nova Scotia
Code '**99999**' – if unknown.

**PRIMARY INDICATION FOR
C-SECTION**

Primary indication for C-section.

Found on the '*OPERATIVE RECORD*' or the '*BIRTH RECORD*' or the '*PROGRESS NOTES*' or the '*CONSULTATION NOTE*'.

Code one of the following:

AMA	Advanced maternal age
APL	Abruptio placenta
BCH	Breech
CXD	Diseases of the cervix
DBT	Diabetes
DYS	Dystocia (Cephalopelvic disproportion, (C.P.D), Failure-to-progress, Maternal exhaustion, Cervical stenosis POP, OP)
FDS	Concern for fetal well-being *
FGT	Fetal growth restriction (retardation)
FID	Failed induction
HIV	Human Immunodeficiency Virus
HSV	Maternal herpes simplex infection
HTD	Hypertensive disorders
ISO	Isoimmunization
MAC	Macrosomia suspected
MAT	Maternal choice /non-medical (excludes if mom choses a C-section because of previous c-section, use PCS in those cases)
MLP	Malpresentation (e.g. shoulder, brow, face; excludes breech and transverse lie)
MTP	Multiple pregnancy
OFC	Other fetal conditions
OOC	Other obstetrical conditions
PCS	Previous C-section
PLC	Prolapsed cord
PLP	Placenta Previa
PMC	Postmortem C-section
PRM	Prolonged rupture of membranes
PTD	Previous traumatic delivery (e.g. 3 rd or 4 th degree tear)
SFA	Fetal anomaly (suspected or diagnosis)
SUR	Suspected/imminent uterine rupture
TLI	Transverse lie (includes unstable lie and oblique lie)
UTS	Uterine surgery, previous
VAG	Vaginal delivery

* Concern for fetal well-being: abnormal biophysical profile, abnormal or atypical NST, abnormal amniotic fluid assessment or abnormal Doppler.

Routine Information – Infant

INFANT’S UNIT NUMBER

Infant’s hospital unit number.

Found on the health record folder or the ‘*HOSPITAL ADMISSION FORM*’

In a fetal death this field will auto fill ‘777777777’

GIVEN NAME(S)

Infant’s given name (s).

Found on the ‘*HOSPITAL ADMISSION FORM*’.

SURNAME

Infant’s surname.

Found on the ‘*HOSPITAL ADMISSION FORM*’

SEX

The legal phenotype of the infant regardless of karyotype.

Found on the ‘*BIRTH RECORD*’.

Code one of the following:

F	Female
M	Male
A	Ambiguous

DATE OF INFANT'S BIRTH

Date of infant's birth.

Found on the '*BIRTH RECORD*'.

Use the following format: 'YYYYMMDD'.

If the date of infant's birth is unknown, leave 'Birth Date' blank, and code '9' in the field immediately following.

TIME OF INFANT'S BIRTH

Time of infant's birth.

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in range 0-59.

If the time of infant's birth is unknown, leave 'Birth Time' Blank, and code '9' in the field immediately following.

**DATE OF INFANT'S
ADMISSION TO HOSPITAL**

Date of infant's admission to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Date of infant's admission to hospital will autofill and be the same as birth date if baby is born at the contact hospital.

If baby was born at home, en-route or in a hospital without obstetrical services, the admit date will be after the birth date. If delivery hospital indicates one of the noted delivery places, data entry screens will apply appropriate edits.

Use the following format: 'YYYYMMDD'.

BABY NOT ADMITTED TO HOSPITAL

Baby not admitted to hospital.

If Infant was not admitted to hospital and mother was, contact RCP Clinical Data Coordinator.

TIME OF INFANT'S ADMISSION TO HOSPITAL

Time of infant's admission to hospital.

Found on the '*HOSPITAL ADMISSION SHEET*'.

Time of infant's admission to hospital will autofill and be the same as birth time if baby is born at the contact hospital.

If baby was born at home, en-route or in a hospital without obstetrical services, the admit time will be after the birth time. If delivery hospital indicates one of the noted delivery places, data entry will apply applicable edits.

Use the following format 'HHMM'.

'HH' is in the range of 0-23, 'MM' is in the range of 0-59.

FETAL DEATH

Fetal death occurred.

Found on the '*BIRTH RECORD*' or the '*AUTOPSY REPORT*'.

Code one of the following:

AA	After admission and before labour
BA	Before admission
IP	Intrapartum
NA	Not applicable
UK	Unknown

INFANT A/S/D NUMBER

Hospital number referring to the infant's present admission.

Found on the infant's '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'CCNNNNNNNN/YY' where 'CC' is the admit type, 'NNNNNNNN' is an ascension number related to the number of admissions of the year and 'YY' denotes the fiscal year (April 1 to March 31), changing on April 1st of each year. The '/' has to be entered before the 'YY' denoting the fiscal year.

Zeroes before the ascension number must be entered if number does not have 7 digits, e.g. AS0000123/05.

Code '**999999999999**' for unknown value

In the case of a fetal death this field will auto fill to '**777777777777**'.

INFANT HEALTH CARD NUMBER

Found on the '*HOSPITAL ADMISSION FORM*'.

Record the patient's **Nova Scotia** Health Card Number.

- Nova Scotia residents admitted without a Nova Scotia Health Card Number
- Patients from outside Nova Scotia

If a Nova Scotia Health Card Number or hospital generated '8000' number is not available, code,

0	Nova Scotia patient health card #, card not available
0	Armed Forces
0	First Nations
0	Self-paying
1	Patient from outside Nova Scotia
7	Will auto fill for fetal deaths

INFANT'S ATTENDING CARE PROVIDER

Care provider most responsible for care of the infant while in hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using the Provincial Medical Board Number or Provider Number for Midwives.

Code '**88888**' if Care Provider is not registered in Nova Scotia. Code '**99999**' for unknown.

In the case of a fetal death this field will auto fill to '**77777**'.

INFANT LENGTH

Infant length in centimeters (cm).

Found on '*NEWBORN ADMISSION/DISCHARGE*' or '*NEWBORN NURSING ASSESSMENT FORM*'.

Enter length in centimeters, rounding to the closest whole number. e.g.: 51.7 record as 52 cms.

Enter '**99**' for unknown value.

HEAD CIRCUMFERENCE

Infant head circumference in centimeters (cm).

Found on '*NEWBORN ADMISSION/DISCHARGE*' or '*NEWBORN NURSING ASSESSMENT FORM*'.

Enter head circumference in centimeters, rounding to the closest whole number. e.g.: 39.7 cms record as 40 cms. If more than one measurement taken, record the measurement documented closest to discharge.

Enter '**99**' for an unknown value.

**CLINICAL ESTIMATE OF
GESTATIONAL AGE**

The closest approximation in weeks to the gestational age obtained by the physical examination of the infant.

Found on the '*NEWBORN ADMISSION/DISCHARGE*' or '*NEWBORN BIRTH ASSESSMENT*'.

Code stated number of completed weeks. The following is a guide.

Documented as ... Use:

38 + weeks	38
38-40 weeks	39
38-39 weeks	38
> 39 weeks	39
Term	40
unknown	99

**NEONATAL INTENSIVE
CARE UNIT (NICU)**

Infants admitted to the NICU or infants requiring special care in a normal nursery where a NICU is not available.

Found in the '*PROGRESS NOTES*'.

Code one of the following:

Y Yes
N No

If 'Y' is entered, the screen NICU date and time will pop up.
Enter admit and discharge date and time to and from the NICU.

If there is more than one admission and discharge to the NICU during the same admission, enter the date and time of the second admission in the next row. Continue until all admissions to the Unit are recorded.

**PEDIATRIC INTENSIVE
CARE UNIT (PICU)**
(IWK ONLY)

Infants admitted to the PICU at the IWK only.

Found in the '*PROGRESS NOTES*'.

Code one of the following:

Y Yes
N No

If 'Y' is entered, the screen PICU date and time will pop up.
Enter admit and discharge date and time to and from the PICU.

If there is more than one admission and discharge to the PICU during the same admission, enter the date and time of the second admission in the next row. Continue until all admissions to the Unit are recorded.

OUTCOME OF INFANT

Outcome of infant at time of discharge.

Found on the '*INFANT'S PROGRESS NOTES*'.

Code one of the following:

LVD	Infant lived to discharge
NND	Liveborn infant who died before being discharged home from hospital
FTD	Fetal death

**FEEDING DURING
ADMISSION**

Record one of the following to indicate the method of feeding during the hospital stay.

Found on the '*NURSES NOTES*', '*NEWBORN FEEDING SHEET*' '*NEWBORN BREASTFEEDING RECORD*' or '*NEWBORN ADMISSION/DISCHARGE FORM*'

If the infant is put to breast in the Labour and Delivery Room and then receives no further human milk during the stay, record this as non-exclusive breastfeeding.

If the infant is supplemented with expressed breast milk, capture as exclusive breastfeeding.

Code one of the following:

E	Exclusive Breastfeeding: The infant/child received human milk (including expressed or donor milk) and allows the infant to receive oral rehydration solutions (ORS), syrup, (vitamins, mineral supplements, medicines) but does not allow the infant to receive anything else.
S	Non-Exclusive Breastfeeding: The infant/child has received human milk (including expressed or donor milk) and water, water-based drinks, fruit juice, ritual fluids or any other liquid including non-human milk or solids
N	No Breastfeeding: the infant/child received no human milk.
9	There is no documentation as to how the baby was fed during the hospital stay.

**SUPPLEMENTATION
INDICATION**

Record one of the following reasons for supplementation of breastfeeding during the hospital stay.

Found on the '*DAILY BREASTFEEDING RECORD*' '*NEWBORN ADMISSION/DISCHARGE*' or '*NEWBORN NURSING ASSESSMENT*' FORM.

If the infant has received supplementation to breastfeeding, please indicate reason noted.

If an indication is not ticked on either of noted forms, enter 9.

Code one of the following:

M	Medical indication for supplementation
N	Non-medical indication for supplementation
9	No indication for supplementation

CCHD SCREENING

Critical Congenital Heart Disease Screening

Found on the '*NEWBORN ADMISSION/DISCHARGE FORM*' or '*NEWBORN NURSING ASSESSMENT*'.

Code one of the following:

COM	Completed- Not specified
DEC	Declined
NCA	Not clinically appropriate
PAS	Passed
REF	Referred
777	Autofill for fetal death
999	Unknown

If completed is checked off but no indication if the result was passed or referred, enter completed - not specified. If there is absolutely nothing ticked on either sheet to indicate if the test was completed or not, please enter 999 for unknown

INFANT'S DISCHARGE DATE

Discharge date of infant's admission to the hospital of birth.

Found in the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

INFANT'S DISCHARGE TIME

Discharge time of infant's admission to the hospital of birth.

Found in the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23, 'MM' is in range 0-59.

If the time of infant's discharge is unknown, leave infant's discharge time' blank and code '9' in the field immediately following.

DISCHARGE TO

Immediate destination of infant on discharge from hospital.

Found in the '*PHYSICIANS' PROGRESS NOTES*' or the '*NURSES NOTES*' or the '*PHYSICIANS ORDER SHEET*'.

Code one of the standard 2-digit provincial facility numbers noted on pages 13-18 or use one of the following codes:

If a patient is discharged to the Nova Scotia Institution for Women code 92

0	Home
-9	Infant Death

**INFANT'S PRIMARY CAUSE
OF DEATH**

Infant's primary cause of death.

Found on the '*AUTOPSY REPORT*' or stated by the physician.

Code one of the following:

7777	Infant lived
ABRP	Abruptio placenta
ANEC	Acute necrotizing enterocolitis
OAIR	Airway failure
AMNO	Amniocentesis
ANAL	Analgesia or anesthesia
ASPN	Aspiration
CPDP	Chronic pulmonary disease
COTR	Complications of treatment
ANOM	Congenital anomaly
CRLK	Cord loops and/or knots
CDOT	Cord, miscellaneous
CORP	Cord prolapse
DIAB	Maternal diabetes
DBRN	Degenerative brain disease
DUCT	Ductus syndrome of prematurity
EXTX	Exchange transfusion
FETH	Fetal hemorrhage
FMAL	Fetal malnutrition
HMDD	Hyaline membrane disease
HYDR	Idiopathic hydrops
IBOM	Inborn errors of metabolism
INFT	Infection
IVTF	Intravascular transfusion
ISOM	Isoimmunization
KERN	Kernicterus
MALP	Malpresentation
SHOC	Maternal shock
MUSF	Multi-system failure
MINF	Myocardial infarction
NEOP	Neoplasia
TTTX	Twin-to-twin transfusion (Parabiotic syndrome)
PPFC	Persistent fetal circulation
PLPV	Placenta previa

**INFANT'S PRIMARY CAUSE
OF DEATH (con't)**

Infant's primary cause of death.

AIRL	Pneumothorax, pneumomediastinum and/or pneumopericardium
PIVH	Primary intraventricular hemorrhage
PPHN	Primary pulmonary hypertension
PULH	Primary pulmonary hemorrhage
RUPU	Ruptured uterus
SIDS	Sudden infant death syndrome
THAB	Therapeutic abortions
TOXM	Toxemia
TRAS	Tracheal stenosis
TRAU	Trauma (obstetrical)
UNEX	Unexplained
UXPA	Unexplained peripartum asphyxia
VOLV	Acquired volvulus

AUTOPSY

Completion of infant autopsy.

Found on the '*NEWBORN CODING SHEET*' or the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

Code one of the following:

LVD	Lived (not applicable)
YES	Died and autopsy done
NO	Died but autopsy not done

DATE OF DEATH

Date of infant's death.

Found in the '*NURSES NOTES*' or the '*DISCHARGE NOTE*'.

Use the following format: 'YYYYMMDD'.

If death date is unknown, leave blank and code '9' in the field immediately following.

TIME OF DEATH

Time of infant's death.

Found in the '*NURSES NOTES*' or the '*DISCHARGE NOTE*'.

Use the following format: 'HHMM'

'HH' is in the range 0-23; 'MM' is in range 0-59.

If death time is unknown, leave blank and code '9' in the field immediately following.

CORD ARTERY pH Cord artery pH completed.

Found on the '*LAB REPORTS*' or the '*PROGRESS NOTES*'.

Code one of the following:

Enter values if arterial gases available. If only venous values available, enter " No "

Y	Yes
N	No

CORD ARTERY pH VALUE

Cord artery pH value.

Found on the '*LAB REPORTS*'.

Use the following format: X.XX'

Decimal point must be entered if the value is not a whole number
e.g. 7.14.

If the value is a whole number, enter that number e.g. 7.

Allowed range is 6.4 to 7.8.

If value is outside the range, contact the RCP Clinical Data Coordinator.

Code '99' for unknown.

'77' will auto fill for not applicable or fetal death.

pCO₂ VALUE

pCO₂ value.

Found on the '*LAB REPORTS*'.

Use the following format: XXX.X'.

Decimal points must be entered if the value is not a whole number e.g. 56.9.

If the value is a whole number, enter that number e.g. 56.

Allowed range is 0 to 130.

If value is outside the range, contact the RCP Clinical Data Coordinator.

Code '999' for unknown.

'777' will auto fill for not applicable or fetal death.

BASE EXCESS VALUE

Base excess value.

Found on the *'LAB REPORTS'*.

Use the following format: 'YXX' where Y is a negative sign (-) and 'XX' is the value or 'XX' where the value is positive.

Allowed range is -30 to 10.

If value is outside the range, contact the RCP Clinical Data Coordinator.

Code '99' for unknown.

'77' will auto fill for not applicable or fetal death.

COVID-19

Covid 19- test noted on chart

Code one of the following:

Y	Yes
N	No

If it is noted babe tested positive for Covid -19 during the admission, enter all dates and times of positive tests.

If the dates are unknown, enter 9 in the field immediately following the date field

FETAL MALNUTRITION/ SOFT TISSUE WASTING

Fetal malnutrition or soft tissue wasting.

Found in the *'DISCHARGE SUMMARY'* or *'NEONATOLOGIST LISTING'*.

Code one of the following:

1	Moderate wasting
2	Severe wasting

TWIN TYPE

Twin type.

Found in the *'DISCHARGE SUMMARY'* or *'NEONATOLOGIST*

LISTING'.

Code one of the following:

1	Monoamniotic (one amniotic sac)
2	Monochorionic, diamniotic
3	Dichorionic, dissimilar sexes or blood groups
4	Dichorionic, similar sexes and blood groups
5	Dichorionic, similar sexes, blood groups undetermined
6	Undetermined
7	Conjoined twins

**ELECTIVE
NON-RESUSCITATION**

Elective non-resuscitation.

Found in the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST LISTING*'.

Code one of the following:

1	Do not resuscitate order on chart
2	Withdrawal of ventilator care with do not resuscitate order on chart
3	Non-resuscitation in labour and delivery room

**RETINOPATHY OF
PREMATURITY**

Retinopathy of prematurity.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

1	Stage 1	Peripheral vascular straightening
2	Stage 2	Peripheral shunt well seen
3	Stage 3	Vessels growing into vitreous
4	Stage 4	Retinal detachment

SCREENING FOR NAS

Finnegan score.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

1	Finnegan score, NAS diagnosis, treated with narcotics*
2	Finnegan score, NAS diagnosis, not treated with narcotics
3	Finnegan Score, No NAS
4	Eat, Sleep and Console, NAS diagnosis, treated with narcotics*
5	Eat, Sleep and Console, NAS diagnosis, not treated with narcotics*
6	Eat, Sleep and Console, No NAS diagnosis,

*if NAS is diagnosed and treated with a narcotic, choose treatment drug from code R066

**CHROMOSOMAL
ABNORMALITIES**

Chromosomal abnormalities.

Found in the '*GENETICS REPORT*' or '*NEONATOLOGIST LISTING*'.

Code one chromosomal abnormality from the listing:

1	Aneuploidy
2	Chimerism
3	Mosaicism
4	Triploidy
5	Deletion
6	Duplication
7	Microdeletion
8	Monosomy
9	Ring
10	Tandem repeat
11	Trisomy
12	Uniparental disomy
13	Translocation

Please note that chromosome numbers are from 1 to 23 and X and Y.

If Aneuploidy, Chimerism or Triploidy are selected you DO NOT have to code the chromosome affected. You DO NOT have to code the affected arm (p or q) or the site on the arm.

If Mosaicism, Deletion, Duplication, Microdeletion, Monosomy, Ring, Tandem Repeat, Trisomy or Uniparental Disomy are selected code the affected chromosome. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

If Translocation is selected two chromosomes should be coded. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

UNDELIVERED ADMISSION

Routine information– Undelivered

Any admission of a woman to a facility during pregnancy in which delivery does not take place.

ADMITTED FROM

Patient's location immediately prior to admission.

Found on the 'HOSPITAL ADMISSION FORM'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on page 13-18.

If a patient comes from the Emergency Room of another facility without having been admitted to the facility, enter '0' admit from home.

If a patient comes from the Nova Institution for Woman code '92'

GRAVIDA

The number of pregnancies, including the present pregnancy, regardless of gestational age, type or outcome. A pregnancy of twins/multiples is counted as one pregnancy. A blighted ovum and molar pregnancy are classified as a gravida

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

TERM

The total number of previous pregnancies, with birth occurring at ≥ 37 completed weeks

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

PRETERM

The total number of previous pregnancies, with birth occurring between 20 +0 and 36 6/7 completed weeks

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

ABORTIONS

The number of pregnancies, with spontaneous losses (before 20 weeks gestation or weighing less than 500 grams) or planned terminations. Spontaneous abortions include miscarriage, ectopic pregnancy, missed abortions, blighted ovum and molar pregnancies

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

COVID-19

Covid 19- test noted on chart

Code one of the following:

Y	Yes
N	No

If it is noted mom tested positive for Covid -19 during her pregnancy, enter the dates of all positive tests

If the dates are unknown, enter 9 in the field immediately following the date field

MATERNAL SCREENING

Maternal screening tests.

Found documented on the '*PRENATAL RECORD*'.

If there is no documentation indicate Unknown.

Group B Strep Screening (usually done at 35-37 weeks)

D	Declined
N	No, not done
U	Unknown
Y	Yes done

Nuchal Translucency

C	Completed
D	Declined
N	No, not done
U	Unknown

C

HIV

D	Declined
N	No, not done
U	Unknown
Y	Yes done

HIV Testing

Maternal Serum

Maternal Serum Screening

C	Completed
D	Declined
N	No, not done
U	Unknown

HIV Testing

Maternal Serum**NIPT Testing**

D	Declined
M	MSI
N	No, not done
S	Self-Pay
U	Unknown
P	Done pay unknown

Maternal Serum**WAST**

P	Positive
N	Negative
U	Unknown

Maternal Serum**EPDS Score**

#	Trimester 1 score
#	Trimester 2 score
#	Trimester 3 score

Enter the score between range of 0-30 in each box as noted on the prenatal record

If the score is not noted, enter 99 for unknown

T-ACE Score

#	T-ACE score
---	-------------

Enter the score between range of 0-5 noted on prenatal record

If the score is not noted, enter 9 for unknown

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'. 'HH' is in range 0-23; 'MM' is in range 0-59.

If discharge time not documented, leave blank and code '9' in the field immediately following

DISCHARGE TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code one of the standard 2-digit provincial codes for hospitals found on pages 13-18 or use one of the following codes:

If patient is discharged home, code 0.

If a patient is discharged to the Nova Institute for Women code 92

Code '-9' for Death.

**MATERNAL PRIMARY
CAUSE OF DEATH**

Maternal primary cause of death.

Found on '*DEATH CERTIFICATE*' or stated by the physician.

This field will auto fill if mother lived.

Code one of the following:

77777	Lived
OTHR	Other
PEMB	Pulmonary embolus
PPHM	Postpartum hemorrhage
STRK	Stroke

AUTOPSY

Completion of maternal autopsy.

Found on the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

This field will auto fill if mother lived.

Code one of the following:

LVD	Lived (not applicable)
YES	Died and autopsy done
NO	Died but autopsy not done

ANTIBIOTIC THERAPY

Antibiotic therapy.

Antibiotics administered during or within 10 days prior to admission.

Found on the '*MEDICATION SHEETS*'.

Enter '**Y**' if antibiotics administered. If no antibiotics administered, leave **blank**.

Code Y if antibiotic is given during or within 10 days of admission, even if it is for a non-pregnancy related condition.

ANTIBIOTIC DATE

Date antibiotic therapy first given.

Antibiotics administered during or within 10 days prior to admission.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first antibiotic therapy given to the mother during admission or within 10 days of admission.

If date of first antibiotic therapy is not documented, leave date field blank and enter '**9**' in the field immediately following.

If the mother was on antibiotics at admission, enter the date of the start of the antibiotics, if documented. If the mother was on antibiotic prior to admission and date is not documented, enter '**9**' in the field immediately following.

ANTIBIOTIC TIME

Time antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23; 'MM' is in range 0-59.

Record the time of the first antibiotic therapy given to the mother during admission or within 10 days of admission.

If the mother was on antibiotics at admission, enter the time of the start of the antibiotics, if documented. If the mother was on antibiotic prior to admission and time is not documented, enter '9' in the field immediately following.

STEROID THERAPY

Maternal steroid therapy.

Found on the '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

Code using one of the following:

- 1= Dexamethasone
- 2= Betamethasone (Celestone)
- 3= Unknown steroid

Chose value as documented on chart, or leave **blank**.

STEROID THERAPY DATE

Date first maternal steroid administered.

Found on '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first steroid given to the mother during the hospital stay or up to 12 hours prior to admission to hospital.

If date of first steroid is not documented, leave date field blank and enter '9' in the field immediately following.

**STEROID THERAPY
TIME**

Time first maternal steroid administered.

Found on '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23; 'MM' is in range 0-59.

Record the time of the first steroid given to the mother during the hospital stay or up to 12 hours prior to admission to hospital.

If time of the first steroid is not documented, leave time field blank and enter '9' in the field immediately following.

PATIENT'S PROCESS STATUS

Indicates the coding status of undelivered routine information.

Code one of the following:

- 2 Coding of chart in process. The case is set to 2 automatically when it is accessed by the coder for the first time.
- 3 Coding of undelivered information completed.

Once the case is 'frozen' (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred; status 5 indicates that data has been transferred.

Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be sent to the Clinical Data Coordinator at RCP.

LEFT BLANK INTENTIONALLY

POSTPARTUM ADMISSION

Routine Information – Postpartum Admission

Any admission of women up to 6 weeks postpartum.

Also include any admission beyond 6 weeks from delivery if the reason for the admission is stated as related to or caused by the pregnancy and or delivery.

Note: If a mother is admitted after an emergency birth which occurred in a hospital not providing maternity services or delivery at home, whether planned or unplanned and the mother and baby were transferred to another facility, the hospital receiving the transfer is requested to code the case as a '*DELIVERED ADMISSION*' and not a postpartum admission.

ADMITTED FROM

Patient's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 13-18.

If patient comes from home, code '0'.

If a patient comes from the Emergency Room of another facility without having been admitted to the facility, enter '0' admitted from home.

If a patient comes from the Nova Institution for Women enter '92'.

GRAVIDA

The number of pregnancies, including the present pregnancy, regardless of gestational age, type or outcome. A pregnancy of twins/multiples is counted as one pregnancy. A blighted ovum and molar pregnancy are classified as a gravida

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

TERM

The total number of previous pregnancies, with birth occurring at ≥ 37 completed weeks

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

PRETERM

The total number of previous pregnancies, with birth occurring between 20 +0 and 36 6/7 completed weeks

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

ABORTIONS

The number of pregnancies, that were spontaneous losses (before 20 weeks gestation or weighing less than 500 grams) or planned terminations. Spontaneous abortions include miscarriage, ectopic pregnancy, missed abortions, blighted ovum and molar pregnancies

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '99' for unknown.

COVID-19

Covid 19- test noted on chart

Code one of the following:

Y	Yes
N	No

If it is noted mom tested positive for Covid -19 during her pregnancy, enter the dates of all positive tests

If the dates are unknown, enter 9 in the field immediately following the date field

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23; 'MM' is in range 0-59.

If discharge time is not documented enter '9' in the field immediately following.

DISCHARGE TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code one of the standard 2-digit provincial codes for hospitals found on page 13-18 or use one of the following codes:

If patient is discharge home, code 0.

If patient is discharged to the Nova Institution for Women code 92

-9 *Maternal Death.*

**MATERNAL PRIMARY
CAUSE OF DEATH**

Maternal primary cause of death.

Found on '*DEATH CERTIFICATE*' or stated by the physician.

This field will autofill if mother lived.

Code one of the following:

77777	Lived
OTHR	Other
PEMB	Pulmonary embolus
PPHM	Postpartum hemorrhage
STRK	Stroke

MATERNAL AUTOPSY

Completion of maternal autopsy.

Found on the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

This field will autofill if mother lived.

Code one of the following:

LVD	Lived (not applicable)
YES	Died and autopsy done
NO	Died but autopsy not done

ANTIBIOTIC THERAPY

Antibiotics administered during postpartum period.

Found on the '*MEDICATION SHEETS*'.

Enter 'Y' if antibiotics administered. If no antibiotics administered, leave **blank**.

If antibiotic therapy was started within 10 days of admission code 'Y'.

Code 'Y' if an antibiotic is given, even for a non-pregnancy related condition.

ANTIBIOTIC DATE

Date antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first antibiotic therapy given to the mother during admission or within 10 days of admission.

If date of first antibiotic therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the date of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the date not

documented, enter '9' in the field immediately following.

ANTIBIOTIC TIME

Time antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in range 0-59.

Record the time of the first antibiotic therapy given to the mother during admission or within 10 days of admission.

If time of first antibiotic therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the time of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the time not documented, enter '9' in the field immediately following.

PROCESS STATUS

Indicates the coding status of undelivered routine information.

Code one of the following:

- 2 Coding of chart in process. The case is set to 2 automatically when it is accessed by the coder for the first time.
- 3 Coding of undelivered information completed.

Once the case is 'frozen' (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred; status 5 indicates that data has been transferred.

Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be sent to the Clinical Data Coordinator at RCP.

LEFT BLANK INTENTIONALLY

NEONATAL ADMISSIONS

Routine Information – Neonatal Admissions

- 1) Any infant with a birth weight of 500 grams or more, or a gestational age at birth of 20 or more completed weeks admitted or readmitted to hospital up to 27 days, 23 hours 59 minutes after birth.
- 2) Any infant transferred between hospitals that had not been discharged home from hospital.
- 3) Any admission to the Special Care Nursery.

BIRTH ORDER

Infant's order of birth.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Code one of the following:

1	Singleton, or first born of multiples.
2	Second born of multiples.
3	Third born of multiples
4	Fourth born of multiples
5	Fifth born of multiples.

ADMITTED FROM

Infant's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 13-18.

If a patient comes from Emergency Room of another facility without having been admitted to the facility, code '**0**', admitted from home.

If patient comes from home, code '**0**'.

If a patient comes from the Nova Institution for Women code '92'

BIRTH HOSPITAL

Infant's hospital of birth.

Found on the '*HOSPITAL ADMISSION FORM*' or the '*NURSES NOTES*'.

Code one of the standard 2-digit provincial codes for hospitals found on page 13-18.

If a patient comes from the Nova Institution for Women code '92'

If birth hospital is not documented, enter '99' for unknown.

**NEONATAL INTENSIVE
CARE UNIT (NICU)**

Infants admitted to the NICU or infants requiring special care in a normal nursery where a NICU is not available.

Found in the '*PROGRESS NOTES*'.

Code using one of the following:

Y	Yes
N	No

If 'Y' is entered, the screen NICU date and time will pop up. Enter admit and discharge date and time to and from the NICU.

If there is more than one admission and discharge to the NICU during the same admission, enter the date and time of the second admission in the next row. Continue until all admissions to the Unit are recorded.

**PEDIATRIC INTENSIVE
CARE UNIT (PICU)**
(IWK ONLY)

Infants admitted to the PICU at the IWK only.

Found in the '*PROGRESS NOTES*'.

Code using one of the following:

Y	Yes
N	No

If 'Y' is entered, the screen PICU date and time will pop up. Enter admit and discharge date and time to and from the PICU.

If there is more than one admission and discharge to the PICU during the same admission, enter the dates of the second admission in the next row. Continue until all admissions to the Unit are recorded.

CCHD SCREENING

Critical Congenital Heart Disease Screening

Found on the '*NEWBORN ADMISSION/DISCHARGE FORM*'
or '*NEWBORN NURSING ASSESSMENT*'.

Code one of the following:

COM	Completed- Not specified
CPA	Completed-Previous admission
DEC	Declined
NCA	Not clinically appropriate
PAS	Passed
REF	Referred
777	Autofill for fetal death
999	Unknown

If completed is checked off but no indication if the result was passed or referred, enter completed but not specified. If there is absolutely nothing ticked on either sheet to indicate if the test was completed or not, please enter 999 for unknown

OUTCOME

Outcome of infant at time of discharge.

Found on the '*INFANT'S PROGRESS NOTES*'.

Code one of the following:

LVD	Infant lived to discharge
NND	Liveborn infant who died before being discharged home from hospital

FEEDING DURING

Record one of the following to indicate the method of feeding

ADMISSION

during the hospital stay.

Found in the 'NURSES NOTES' or 'NEWBORN ADMISSION/DISCHARGE FORM'.

If the infant is put to breast in the Labour and Delivery Room and then receives no further human milk during the stay, record this as non-exclusive breastfeeding.

If the infant is supplemented with expressed breast milk, capture as exclusive breastfeeding

Code one of the following:

E	Exclusive Breastfeeding: The infant/child received human milk (including expressed or donor milk) and allows the infant to receive oral rehydration solutions (ORS), syrup, (vitamins, mineral supplements, medicines) but does not allow the infant to receive anything else.
S	Non-Exclusive Breastfeeding: The infant/child has received human milk (including expressed or donor milk) and water, water-based drinks, fruit juice, ritual fluids or any other liquid including non-human milk or solids
N	No Breastfeeding: the infant/child received no human milk.
9	There is no documentation as to how the baby was fed during the hospital stay.

SUPPLEMENTATION

Record one of the following reasons for supplementation of

INDICATION

breastfeeding during the hospital stay.

Found in the *'DAILY BREASTFEEDING RECORD*
'NEWBORN ADMISSION/DISCHARGE or *'NEWBORN*
NURSING ASSESSMENT' FORM.

If the infant has received supplementation to breastfeeding,
please indicate reason noted.

If an indication is not ticked on either of noted forms, enter 9.

Code one of the following:

M	Medical indication for supplementation
N	Non-medical indication for supplementation
9	Unknown indication for supplementation

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in the range 0-59.

If discharge time is not documented enter '9' in the field immediately following.

DISCHARGE TO

The immediate destination of patient on discharge.

Found on the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIAN ORDER SHEET*'.

Code one of the standard 2-digit provincial codes for hospitals found on pages 13-18 or use one of the following codes:

If patient is discharge home, code '0'.

If patient is discharge to Nova Institution for Women, code 92

-9 Death

AUTOPSY

Completion of infant autopsy.

Found on the '*NEWBORN CODING SHEET*' or the '*AUTOPSY REPORT*'.

The fields will auto fill if infant lived.

Code one of the following:

LVD	Lived (e.g., not applicable)
YES	Died and autopsy done
NO	Died but autopsy not done

**PRIMARY CAUSE
OF DEATH**

Primary cause of death.

Found on the '*AUTOPSY REPORT*' or stated by physician.
The fields will autofill if infant lived.

Code one of the following:

7777	Infant lived
ABRP	Abruptio placenta
ANEC	Acute necrotizing enterocolitis
OAIR	Airway failure
AMNO	Amniocentesis
ANAL	Analgesia or anesthesia
ASPN	Aspiration
CPDP	Chronic pulmonary disease
COTR	Complications of treatment
ANOM	Congenital anomaly
CRLK	Cord loops and/or knots
CDOT	Cord, miscellaneous
CORP	Cord prolapsed
DBRN	Degenerative brain disease
DUCT	Ductus syndrome of prematurity
EXTX	Exchange transfusion
FETH	Fetal hemorrhage
FMAL	Fetal malnutrition
HMDD	Hyaline membrane disease
HYDR	Idiopathic hydrops
IBOM	Inborn errors of metabolism
INFT	Infection

PRIMARY CAUSE OF DEATH (Con't)

IVTF	Intravascular transfusion
ISOM	Isoimmunization
KERN	Kernicterus
MALP	Malpresentation
DIAB	Maternal diabetes
SHOC	Maternal shock
MUSF	Multi-system failure
MINF	Myocardial infarction
NEOP	Neoplasia
TTTX	Twin-to-twin transfusion (Parabiotic syndrome)
PPFC	Persistent fetal circulation
PLPV	Placenta previa
AIRL	Pneumothorax, pneumomediastinum and/or pneumopericardium
PIVH	Primary intraventricular hemorrhage
PPHN	Primary pulmonary hypertension
PULH	Primary pulmonary hemorrhage
RUPU	Ruptured uterus
SIDS	Sudden infant death syndrome
THAB	Therapeutic abortions
TOXM	Toxemia
TRAS	Tracheal stenosis
TRAU	Trauma (obstetrical)
UNEX	Unexplained
UXPA	Unexplained peripartum asphyxia
VOLV	Acquired volvulus

DATE OF DEATH`

Date of infant's death.

Found in the 'NURSES NOTES' or the 'NEWBORN CODING SHEET'.

Use the following format: 'YYYYMMDD'.

If date of death is unknown, enter '9' in the field immediately following.

TIME OF DEATH

Time of infant's death.

Found in the 'NURSES NOTES' or the 'NEWBORN CODING SHEET'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23;'MM' is in range 0-59.

If time of death is unknown, enter '9' in the field immediately following.

COVID-19

Covid -19 test noted on chart.

Code one of the following:

Y	Yes
N	No

If it is noted babe tested positive for Covid -19 during the admission, enter all dates and times of positive tests.

If the dates are unknown, enter 9 in the field immediately following the date field.

**FETAL MALNUTRITION/
SOFT TISSUE WASTING**

Fetal malnutrition or soft tissue wasting.

Found in 'DISCHARGE SUMMARY' or 'NEONATOLOGIST'S LISTING'.

Code one of the following:

1	Moderate wasting
2	Severe wasting

TWIN TYPE

Twin type.

Found in '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Code one of the following:

1	Monoamniotic (one amniotic sac)
2	Monochorionic, diamniotic
3	Dichorionic, dissimilar sexes or blood groups
4	Dichorionic, similar sexes and blood groups
5	Dichorionic, similar sexes, blood groups undetermined
6	Undetermined
7	Conjoined twins

**ELECTIVE
NON-RESUSCITATION**

Elective non-resuscitation.

Found in '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Code one of the following:

1	Do not resuscitate order on chart
2	Withdrawal of ventilator care with do not resuscitate order on chart
3	Non-resuscitation in labour and delivery room

**MATERNAL STEROID
THERAPY**

Maternal steroid therapy.

Found on the '*MEDICATION SHEET*' or on the '*PRENATAL RECORD*'.

Code the earliest dose of the first course of treatment. For stillbirths, estimate duration of therapy to time of delivery.

In the case of multiples code for birth order 1 only.

Code one of the following:

Dexamethasone

1	< 24 hours before delivery
2	24 to 48 hours before delivery
3	> 48 hours to 7 days before delivery
4	> 7 days before delivery
5	Unknown when administered

Betamethasone (Celestone)

6	< 24 hours before delivery
7	24 to 48 hours before delivery
8	> 48 hours to 7 days before delivery
9	> 7 days before delivery
10	Unknown when administered

Unknown steroid

11	< 24 hours before delivery
12	24 to 48 hours before delivery
13	> 48 hours to 7 days before delivery
14	> 7 days before delivery
15	Unknown when administered

**RETINOPATHY OF
PREMATURITY**

Retinopathy of prematurity.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

1	Stage 1	Peripheral vascular straightening
2	Stage 2	Peripheral shunt well seen
3	Stage 3	Vessels growing into vitreous
4	Stage 4	Retinal detachment

SCREENING FOR NAS

Finnegan score.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

1	Finnegan score, NAS diagnosis, treated with narcotics*
2	Finnegan score, NAS diagnosis, not treated with narcotics
3	Finnegan Score, No NAS
4	Eat, Sleep and Console, NAS diagnosis, treated with narcotics*
5	Eat, Sleep and Console, NAS diagnosis, not treated with narcotics*
6	Eat, Sleep and Console, No NAS diagnosis,

*if NAS is diagnosed and treated with a narcotic, choose the narcotic from code R066

**CHROMOSOMAL
ABNORMALITIES**

Chromosomal abnormalities.

Found in the 'GENETICS REPORT' or NEONATOLOGIST'S LISTING'.

Code one chromosomal abnormality from the listing:

1	Aneuploidy
2	Chimerism
3	Mosaicism
4	Triploidy
5	Deletion
6	Duplication
7	Microdeletion
8	Monosomy
9	Ring
10	Tandem repeat
11	Trisomy
12	Uniparental disomy
13	Translocation

Please note that chromosome numbers are from 1 to 23 and X and Y.

If Aneuploidy, Chimerism or Triploidy are selected you DO NOT have to code the chromosome affected. You DO NOT have to code the affected arm (p or q) or the site on the arm.

If Mosaicism, Deletion, Duplication, Microdeletion, Monosomy, Ring, Tandem Repeat, Trisomy or Uniparental Disomy is selected code the affected chromosome. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

If Translocation is selected two chromosomes should be coded. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

ADULT RCP CODES

MATERNAL ANTIBODY CONDITIONS DURING PREGNANCY (R001)

Maternal antibody conditions during pregnancy.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Anti-La
200	Anti-D (Not to be used to indicate Rh-mom)
300	Anti-Big C (CW)
400	Anti-Big E
500	Anti-Big S
600	Anti-Dha (DUCH)
700	Anti-Fya (Duffy)
800	Anti-Kell (K1/K2)
900	Anti-Kidd (JKa)
1000	Anti-Little c
1100	Anti-Little e
1200	Anti-Little s
1300	Anti-Lutheran (Lua/Lub)
1400	Anti- Wright
1500	Antinuclear Antibody (ANA)
1600	Anti-Cardiolipin
1700	Anti-DNA Antibody
1800	Lupus Antibody (Lupus Anticoagulant)
1900	Anti-SSA (Ro)
2000	Anti-Phospholipid
2100	Factor V Leiden
2200	PL-A1 Platelet Antigen Negative

**MATERNAL CARRIER
STATUS AND/OR
CHRONIC INFECTION
DURING PREGANCY (R002)**

Maternal carrier status and/or chronic infection during pregnancy.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Cytomegalovirus
200	Group B streptococcus (GBS)
300	Herpes Simplex
400	HIV/Acquired Immune Deficiency Syndrome
600	Syphilis
700	Toxoplasmosis
800	Serum Hepatitis Carrier (Antigen positive: Hepatitis A)
900	Serum Hepatitis Carrier (Antigen positive: Hepatitis B)
1000	Serum Hepatitis Carrier (Antigen positive: Hepatitis C)
1100	Serum Hepatitis Carrier (Antigen positive: Hepatitis viral)
1200	Gonorrhea
1300	Chlamydia
1400	Genital Warts/Human Papillomavirus (HPV)
1500	Zika virus (confirmed cases only)

**MATERNAL DRUG
THERAPIES FOR SPECIFIC
CONDITIONS OF PREGNANCY
(R003)**

Maternal drug therapies for specific conditions of pregnancy, deliveries and postpartum.

Found on the '*PRENATAL RECORD*'.

Code all documented as being taken during the pregnancy and postpartum period anywhere in the Health Record.

100	Adalat (nifedipine) for premature labour
300	Atosiban for premature labour
400	Hemabate for postpartum hemorrhage
500	Indocid (Indomethacin) for premature labour
600	Indocid(Indomethacin) for tx of polyhydramnios
*700	MgSO ₄ for hypertension or seizures (i.e. Eclampsia prophylaxis or treatment).
900	Pentaspam for postpartum hemorrhage
1000	Terbutaline (Bricanyl) for premature labour
1100	Ventolin for premature labour
1200	Other Drugs for specific pregnancy, delivery or postpartum conditions
1300	Ergot for postpartum hemorrhage
1400	Misoprostil for postpartum hemorrhage
*1500	MgSO ₄ therapy for neuroprotection
*1600	MgSO ₄ therapy for unknown reason
1700	Adalat for hypertension
1800	Ephedrine for hypotension, post-epidural or spinal anesthesia
1900	Phenylephrine for hypotension, post-epidural or spinal anesthesia
2000	Progesterone for Premature Labour
2100	IV iron therapy administered before delivery
2150	IV iron therapy administered after delivery
2200	Tranexamic Acid for postpartum hemorrhage
2300	Labetalol for hypertension
2400	ASA for hypertension
2500	ASA for preterm delivery
2600	ASA for recurrent previous loss

*Note: There should be clear document for the use of MgSO₄ (Magnesium Sulfate therapy) noted in the chart. If it is not noted as being used for hypertension or as neuroprotection, then code as unknown use.

**MATERNAL DRUG
THERAPIES DURING
PREGNANCY/POSTPARTUM
(R004)**

Maternal drug therapies for specific conditions of pregnancy and postpartum.

Found on the '*PRENATAL RECORD*'.

Code all documented.

Code drug therapy if noted taken before pregnancy known.

Code drug therapy if condition has not been documented on chart but drug is prescribed and taken, such as synthroid prescribed and taken during pregnancy but no diagnosis of hypothyroidism documented, code the drug taken by the patient.

100	Anti-coagulation therapy before delivery
150	Anti-coagulation therapy after delivery
200	Anti-depressives
210	Anti-depressives- stopped during pregnancy
300	Anti-epileptics
400	Anti-hypertensive
500	Chronic narcotic use (not abuse, when indicated for medical problems, i.e. back pain)
600	Lithium
700	Methadone Opioid Agonist Therapy
710	Buprenorphine/naloxone(Suboxone) Opioid Agonist Therapy
720	Buprenorphine/(Subutex) Opioid Agonist Therapy
730	Other Opioid Agonist Therapy
800	Other psychiatric medications
900	Other specified
1000	ASA therapy
1100	Insulin therapy
1110	Metformin for diabetes
1200	Thyroid medication
1300	Anti-anxiety medication
1310	Anti-anxiety medication stopped during pregnancy
1500	Tamiflu
1600	Relenza
1800	Metformin for Polycystic Ovarian syndrome (PCOS)
1900	Biologic monoclonal antibody for autoimmune or inflammatory conditions, eg. Humira and Embrel
2000	Maternal steroids for chronic conditions
2100	HSV prophylaxis treatment

**MATERNAL DRUG AND
CHEMICAL USE
DURING PREGNANCY
(R005)**

Maternal drug and chemical use during pregnancy.

Found on the '*PRENATAL RECORD*'.

Code all documented

Code if noted used before found out was pregnant.

200	Ativan
300	Cocaine /Crack
400	Codeine
500	Demerol
600	Dilaudid
700	Hash
800	Heroin
900	Cannabis
910	Cannabis -stopped during pregnancy
1100	Morphine
1200	Prescription medication abuse
1300	Solvents
1400	Valium
1500	Other specified abuse
1600	OxyContin
1700	Ecstasy
1800	Alcohol abuse – chronic
1900	Alcohol abuse - binge
2000	Alcohol abuse – unknown binge or chronic
2010	Alcohol stopped during pregnancy
*2100	E-Cigarettes (Vaping)
2200	Nicotine Replacement
2300	Chewing tobacco
2400	Hookah
2500	Ceremonial tobacco

*This is not considered Nicotine replacement. If patient is using a nicotine replacement therapy as well, code both.

**MATERNAL/FETAL
DIAGNOSTIC AND
THERAPEUTIC
PROCEDURES (R006)**

Maternal/fetal diagnostic and therapeutic procedures.

Found on the 'PRENATAL RECORD'.

Code all documented

100	Amniocentesis for genetic testing
200	Amniocentesis for isoimmunization
300	Amniocentesis for lung maturity
400	Amnioreduction (polyhydramnios, twin to twin transfusion)
500	Amnioinfusion during labour
600	Chorionic villus sampling (CVS),
700	Cordocentesis
801	One fetal blood transfusion
802	Two fetal blood transfusions
803	Three fetal blood transfusions
804	Four fetal blood transfusions
805	Five fetal blood transfusions
806	Six fetal blood transfusions
807	Seven fetal blood transfusions
808	Eight fetal blood transfusions
809	Nine fetal blood transfusions
810	Ten fetal blood transfusions
900	Fetal drainage (i.e. thoracentesis, hydrocephalus, urinary)
910	Fetal fibronectin
1000	Fetal reduction
1100	Feto/placental laser
1200	Fetal stent placement
*1300	Forceps rotation during delivery
*1400	Manual rotation during delivery
*1500	Vacuum rotation during delivery
1600	Removal of device, cervix of cerclage suture
*1700	External version, including attempt
*1800	Internal podalic version, including attempt
1900	Insertion of device, cervix of cerclage suture

*Code version or rotation if attempted whether successful or unsuccessful.

**ANESTHESIA DURING
LABOUR AND DELIVERY
(R010)**

Anesthesia during labour and delivery.

Found on the '*ANESTHESIA RECORD*'.

Code all documented as administered during labour and delivery.

100	Entonox (nitrous)
200	Epidural-single administration
300	Epidural-continuous catheter with intermittent drug administration
400	Epidural-continuous infusion of drug (CIEA)
500	Epidural-patient controlled epidural analgesia (PCEA)
600	General anesthesia
700	Patient controlled intravenous analgesia
800	Pudendal
900	Spinal anesthesia
1000	Spinal-epidural double needle
1100	Other specified anesthesia (e.g. acupuncture, hypnotism, neuroleptic)

**ANESTHESIA DURING
LABOUR ONLY (R011)**

Anesthesia during labour only.

Found on the '*ANESTHESIA RECORD*'.

Code all documented as administered during labour only.

100	Entonox (nitrous)
200	Epidural-single administration
300	Epidural-continuous catheter with intermittent drug administration
400	Epidural-continuous infusion of drug (CIEA)
500	Epidural-patient controlled epidural analgesia (PCEA)
600	General anesthesia
700	Patient controlled intravenous analgesia
800	Pudendal
900	Spinal anesthesia
1000	Spinal-epidural double needle
1100	Other specified anesthesia (e.g. acupuncture, hypnotism, neuroleptic)

**ANESTHESIA DURING
DELIVERY ONLY (R012)**

Anesthesia during delivery only.

Found on the '*ANESTHESIA RECORD*'.

Code all documented as administered during delivery only.

100	Entonox (nitrous)
200	Epidural-single administration
300	Epidural-continuous catheter with intermittent drug administration
400	Epidural-continuous infusion of drug (CIEA)
500	Epidural-patient controlled epidural analgesia (PCEA)
600	General anesthesia
700	Patient controlled intravenous analgesia
800	Pudendal
900	Spinal anesthesia
1000	Spinal-epidural double needle
1100	Other specified anesthesia (e.g. acupuncture, hypnotism, neuroleptic)

**COMPLICATIONS OF
ANESTHESIA (R013)**

Complications of anesthesia.

Found on the '*ANESTHESIA RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented.

100	Epidural blood patch
200	Local anesthetic systemic toxicity (LAST)
400	Accidental dural tap
500	Total spinal anesthesia
600	Prolonged epidural block
700	High epidural/subdural block
800	Peripheral nerve injury
900	Epidural/spinal hematoma
1000	Epidural abscess
1200	Aspiration pneumonitis
1300	Cardiac arrest
1400	Post-dural puncture headache
1500	Paraesthesia
1600	Hypotension
1700	Back pain
1800	Failed intubation for general anesthetic

**OTHER OBSTETRICAL
CONDITIONS AFFECTING
PREGNANCY (R014)**

Other obstetrical conditions affecting pregnancy.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented.

100	Pruritic urticarial papules and plaques of pregnancy (PUPP)
200	Impetigo herpetiformis
300	Dermatitis herpetiformis
400	Separation of symphysis pubis
500	Gestational (pregnancy-induced) hypertension without proteinuria, includes: gestational hypertension NOS, mild pre-eclampsia
550	Hypertension, unspecified type
700	Pre-existing hypertension complicating pregnancy, childbirth and the puerperium
800	Pre-existing hypertensive disorder with superimposed proteinuria*
900	Pre-existing diabetes mellitus, type 1
1000	Pre-existing diabetes mellitus, type 2
1100	Pre-existing diabetes mellitus of other specified type present when pregnant during this pregnancy
1200	Pre-existing diabetes mellitus of unspecified type present during this pregnancy
1300	Diabetes mellitus arising in pregnancy, includes gestational diabetes
1400	Diabetes mellitus in pregnancy, unspecified
1600	Febrile morbidity (38 degrees or more on 2 or more occasions at least 4 hours apart, in any 48 hour period, excluding the first 24 hours after delivery, regardless of cause.)
1700	Maternal fever > 38 degrees
1800	Gestational hypertension with significant proteinuria
1900	HELLP Syndrome (Hemolysis, elevated liver enzymes, low platelet count)
2000	Mild anemia 100 -110 g/L before delivery
2100	Moderate anemia 80 -99 g/L before delivery
2200	Severe < 80 g/L before delivery
2300	Mild anemia 100 -110 g/L after delivery
2400	Moderate anemia 80 -99 g/L after delivery
2500	Severe < 80 g/L after delivery

*Proteinuria is defined using the following criteria:
24 hr urine - protein greater than or equal to 0.3g/day, or
Urine dipstick (P.O.C.) – greater than or equal to 1+ protein, or
Protein-Creatinine ratio (PrCr) –greater than or equal to 30g/mol

**GASTRO-INTESTINAL
DISEASES**

Gastro-intestinal diseases.

**CODE IF CONDITION IS OR
WAS PRESENT DURING
THE PREGNANCY (R015)**

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Cholelithiasis
200	Ulcerative colitis/proctitis
300	Crohn's disease
400	Irritable bowel syndrome
500	Pancreatitis, acute and chronic
600	Reflux gastritis
700	Ulcers (all types)

PSYCHIATRIC ILLNESS

Psychiatric illness.

**CODE IF CONDITIONS IS OR
WAS PRESENT DURING THE
PREGNANCY (R016)**

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented.

100	Anxiety disorders
200	Depression
300	Eating disorders (e.g. anorexia nervosa, bulimia nervosa)
400	Bipolar disorder
500	Schizophrenia
600	Other includes PTSD and ADHD

NEUROLOGICAL ILLNESS

**CODE IF THE CONDITION IS
OR WAS PRESENT DURING
THE CURRENT PREGNANCY
(R017)**

Neurological illness.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Bell's palsy
200	Cerebral palsy
300	Epilepsy
400	Intracerebral hemorrhage
500	Muscular dystrophy
600	Myasthenia gravis
700	Multiple sclerosis
800	Presence of Harrington Rod
900	Subarachnoid hemorrhage
1000	Seizure
1100	Tuberous sclerosis
1200	Thoracic outlet syndrome
1300	Other

HEART DISEASE

Heart disease.

**CODE IF THE CONDITION IS
OR WAS PRESENT DURING
CURRENT PREGNANCY
(R018)**

Found on the 'PRENATAL RECORD' or 'DISCHARGE SUMMARY'.

Code all documented

100	Arrhythmia
200	Congenital heart disease
300	Cardiac arrest
400	Coronary artery disease
500	Endocarditis
600	History of heart disease or surgery
700	Myocardial infarction
800	Prolapsed mitral value
900	Cardiomyopathy
1000	Myocarditis
1100	Pulmonary hypertension
1200	Rheumatic heart disease
1300	Valve prosthesis
1400	Wolff-Parkinson-White syndrome
1500	Other acquired cardiac diseases
1600	Thromboembolic disease

ENDOCRINE DISEASE

Endocrine disease.

**CODE IF THE CONDITION IS
OR WAS PRESENT DURING THE
CURRENT PREGNANCY (R019)**

Found on the 'PRENATAL RECORD' or 'DISCHARGE SUMMARY'.

Code all documented

100	Disorder of adrenal gland
200	Disorder of ovary
300	Hashimoto's thyroiditis
400	Hyperthyroidism with goiter
500	Hyperthyroidism with thyroid nodule
600	Hyperthyroidism with goiter, nodular
700	Hyperthyroidism without Goiter
800	Hypothyroidism
900	Hyperparathyroidism
1000	Disorder of hypothalamus
1100	Disorder of pituitary gland

RENAL DISEASE**CODE IF THE CONDITION
IS OR WAS PRESENT
DURING THE CURRENT
PREGNANCY (R020)**

Renal disease.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Acute pyelonephritis
200	Renal calculus
300	Chronic glomerulonephritis
400	Previous episode of acute pyelonephritis during current pregnancy
500	Hydronephrosis
600	Nephropathy
700	Nephritic syndrome
800	Polycystic kidney disease
900	Chronic pyelonephritis
1000	Renal agenesis
1100	Renal transplant
1200	Chronic renal disease, type undetermined
1300	Urinary tract infection

**NEOPLASM, INCLUDING
MALIGNANCIES**

**CODE IF CONDITION IS OR
WAS PRESENT DURING THE
CURRENT PREGNANCY (R021)**

Neoplasm, including malignancies.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Bowel
200	Breast
300	Cervix
400	Other
500	Ovary (teratoma)
600	Thyroid
700	Vagina

BLOOD DYSCRASIAS

**CODE IF THE CONDITION IS
OR WAS PRESENT DURING
THE CURRENT PREGNANCY /
POSTPARTUM PERIOD
(R022)**

Blood dyscrasias.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Hemolytic anemia
200	Dysfibrinogenemia
300	Factor 12 deficiency
400	Familial hyperfibrinogenemia
500	Factor VIII deficiency
600	G6PD deficiency
700	Idiopathic hypoplastic anemia
800	Idiopathic thrombocytopenic purpura (ITP)
900	Sickle cell anemia
1000	Thalassemia
1100	Von Will brand's disease
1200	Thrombotic thrombocytopenia purpura (TTP)
1300	Thrombocytopenia

PULMONARY DISEASE

Pulmonary disease.

**CODE IF THE CONDITION IS
OR WAS PRESENT DURING
CURRENT PREGNANCY
(R023)**Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Asthma
200	Cystic fibrosis
300	Pulmonary edema
400	Other significant pulmonary diseases
500	Pneumonia, antepartum

**OTHER NON-OBSTETRICAL
DISEASES, NOT ELSEWHERE
CLASSIFIABLE**

Other non-obstetrical disease, not elsewhere classifiable.

**CODE IF THE CONDITION
IS OR WAS PRESENT
DURING CURRENT
PREGNANCY
(R024)**Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code if condition is or was present during the current pregnancy

Code all documented

100	Ankylosing spondylitis
200	Cholinesterase deficiency
300	Family or personal history of malignant hyperthermia
400	Neurofibromatosis (Von Recklinghausen's disease)
500	Porphyria
600	Maternal phenylketonuria
700	Rheumatoid arthritis/psoriatic
800	Sarcoidosis
900	Scleroderma
1000	Scoliosis
1100	Sjogren's syndrome
1200	Systemic lupus
1300	Schumann's disease
1400	Cannabinoid hyperemesis syndrome
1500	Polycystic Ovarian Syndrome

PREVIOUS PREGNANCY
MATERNAL DISEASES (R025)

Previous pregnancy maternal diseases.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Code all documented

100	Previous history of personal malignancy
200	Previous sensitized pregnancy
300	Hypertensive disease in previous pregnancy
400	Previous eclampsia
500	Previous ectopic pregnancy
600	Previous molar pregnancy
700	Previous anemia
800	Previous abruptio placenta
900	Previous breech
1000	Previous thromboembolic disease
1100	Previous gestational diabetes
1200	Previous history of infertility
1300	Previous postpartum depression

MATERNAL TRANSFUSIONS
BLOOD AND OTHER PRODUCTS
(R026)

Maternal transfusions, blood and other products.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Code all documented

100	One maternal blood transfusion
200	Two maternal blood transfusions
300	Three maternal blood transfusions
400	Four maternal blood transfusions
500	Five maternal blood transfusions
600	Six maternal blood transfusions
700	Seven maternal blood transfusions
800	Eight maternal blood transfusions
900	Nine maternal blood transfusions
1000	Ten maternal blood transfusions
1100	More than ten maternal blood transfusions
1200	Albumin transfusion
1300	Cryoprecipitate transfusion
1400	Fresh frozen plasma transfusion
1500	Gamma globulin transfusion
1600	Plasma exchange/plasmapheresis transfusion
1700	Platelet transfusion
1800	Massive transfusion protocol initiated, as noted on postpartum hemorrhage record
1900	Other

REASON FOR MATERNAL
BLOOD TRANSFUSION
(R027)

Reason for maternal blood transfusion.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Code all documented

100	Anemia in pregnancy
200	Antepartum hemorrhage
300	Intrapartum hemorrhage
400	Postpartum hemorrhage
500	Other

IMMUNIZATIONS (R028)

Immunizations.

Found on the '*PRENATAL RECORD*' or '*MATERNAL ASSESSMENT FORM*'.

Code all documented.

100	Seasonal influenza vaccine
400	Pertussis (Boostrix)
500	Measles, Mumps, Rubella (MMR)
600	Covid 19 vaccine
700	Hepatitis B immunization
800	RSV vaccine

**PROCEDURES FOR
POSTPARTUM HEMORRHAGE
(R029)**

Procedures for postpartum hemorrhage.

Found on the '*BIRTH RECORD*' or '*PARTOGRAM*', '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Code all documented

100	Uterine compression suture (e.g. B-Lynch or Cho)
200	Tying (ligation) of uterine arteries
300	Embolization of uterine arteries
400	Uterine tamponade (use of Bakri balloon or uterine packing) not to be confused with vaginal packing

**INDWELLING CATHETER
AT DISCHARGE
(R032)**

Indwelling catheter still inserted at discharge

Found on the '*DISCHARGE SUMMARY*' or '*PROGRESS NOTES*'.

100	Patient discharged with indwelling catheter
-----	---

**PRE-NATAL COLOSTRUM
COLLECTION
(R033)**

Mom collected colostrum during pre-natal period.

Found on the '*PRENATAL RECORD*' '*MATERNAL ASSESSMENT*' or '*PROGRESS NOTES*'.

100	Patient collected colostrum during pre-natal period for use at delivery
-----	---

Left blank intentionally

**PLACENTAL OR CORD
ANOMALIES (R051)**

INFANT RCP CODES

Placental or cord anomalies.

Found in '*OBSTETRICIAN'S REPORT*' or '*PLACENTAL PATHOLOGY REPORT*'.

Code all documented

100	Amnionodosum
200	Chorioamnionitis, marked or severe
300	Choroangioma of placenta
400	Circumvallate placenta
500	Funisitis

600	Funisitis, necrotizing
700	Funisitis, candidal
800	Hematoma of umbilical cord
900	Marginal insertion of cord /Battledore
1000	Membranous placenta
1100	Placenta accreta
1200	Placenta increta
1300	Placenta percreta
1400	Single umbilical artery
1500	True knot in cord
1600	Vasa previa
1700	Velamentous insertion of cord

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS (R054)**

Anomaly/metabolic syndromes and conditions.

Found on the '*DISCHARGE SUMMARY*' or '*NEONATAL LISTING*' or '*CHROMOSOMAL REPORT*'.

Code all documented

100	Aarskog syndrome
200	Aase syndrome
300	Acardia
400	Accutane embryopathy
500	Achondrogenesis type Ia
600	Achondrogenesis type Ib
700	Achondrogenesis type II
800	Achondrogenesis-dysplasia congenital type II
900	Achondroplasia
1000	Acoustic neurofibromatosis
1100	Acrocallosal syndrome
1200	Acrocephalosyndactyly syndrome
1300	Acrodysostosis
1400	Acrofacial dysostosis syndrome
1500	Acromegaly
1600	Acromesomelic dwarfism (dysplasia)
1700	Acro-osteolysis syndrome (Arthro-dento-osteo dysplasia)
1800	Adactyly
1900	Adams – Oliver syndrome
2000	Adenoma sebaceum
2100	Adrenal hyperplasia
2200	Adrenal hypoplasia
2300	Adrenoleukodystrophy
2400	AEC syndrome (Ankyloblepharon-ectodermal dysplasia-clefting syndrome)
2500	Agenesis of corpus callosum
2600	Aglossia-adactyly syndrome
2700	Aicardia syndrome
2800	Akinesia sequence
2900	Alagille syndrome
3000	Albright hereditary osteodystrophy
3100	Alopecia
3200	Aminopterin embryopathy
3300	Amnion rupture sequence
3400	Amyoplasia congenita disruptive sequence
3500	Anal atresia
3600	Anencephaly
3700	Aneurysm of the vein of Galen

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

3900	Aniridia
4000	Aniridia-Wilm's tumor association
4100	Anodontia
4200	Anorectal malformation
4300	Antley-Bixler syndrome
4400	Apert syndrome
4500	Arachnodactyly
4600	Arachnoid cyst
4700	Argininaemia
4800	Argininosuccinic aciduria
4900	Arteriohepatic dysplasia
5000	Arteriovenous malformation of the lung
5100	Arthrogryposis, muscular
5200	Arthrogryposis, neurogenic
5300	Arthro-ophthalmopathy (Stickler Syndrome)
5400	Asphyxiating thoracic dystrophy
5500	Asplenia syndrome
5600	Ataxia – telangiectasia syndrome (Louis-Bar Syndrome)
5700	Atelosteogenesis, type 1 (Chondrodysplasia, giant cell)
5800	Athyrotic hypothyroidism sequence
5900	Atr-x syndrome
6000	Baller-Gerold syndrome
6100	Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome)
6200	Bardet-Biedl syndrome
6300	Beals syndrome (Beals contractural arachnodactyly)
6400	Beckwith syndrome (Beckwith-Wiederman Syndrome)
6500	Berardinelli lipodystrophy syndrome
6600	Bicorunate uterus
6700	Bifid scrotum
6800	Bifid uvula
6900	Bladder exstrophy
7000	Blepharophimosis
7100	Bloch-Sulzberger syndrome
7200	Bloom syndrome
7300	Blue sclera
7400	Body stalk anomaly
7500	Bor syndrome (Brachio-oto-renal syndrome)
7600	Borjeson-Forssman-Lehmann syndrome
7700	Brachmann-de Lange Syndrome (Cornelia deLange syndrome)
7800	Brachydactyly
7900	Branchial sinus
8000	Branchio-oculo-facial syndrome
8100	Breech deformation sequence

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

8200	Brushfield spots
8300	Buru-Baraister syndrome
8400	Caffey pseudo-Hurler syndrome
8500	Campomelic dysplasia
8600	Camurati-Engelmann syndrome
8700	Capillary hemangioma
8800	Cardio-facio-cutaneous syndrome (CFC)
8900	Cardiomyopathy, congenital
9000	Carnitine deficiency
9100	Carpenter syndrome
9200	Cartilage-hair hypoplasia syndrome
9300	Catel-Manzke syndrome
9400	Cat-eye syndrome
9500	Caudal dysplasia sequence
9600	Caudal regression syndrome
9700	Cavernous hemangioma
9800	Cebocephaly
9900	Cephalopolysyndactyly syndrome (Greig Syndrome)
10000	Cerebellar calcification
10100	Cerebellar hypoplasia
10200	Cerebral calcification
10300	Cerebral gigantism syndrome
10400	Cerebro-costo-mandibular syndrome
10500	Cerebro-oculo facio-skeletal (cofs) syndrome
10600	Cervico-oculo-acoustic syndrome
10700	Charcot-Marie-Tooth syndrome
10800	Charge syndrome
10900	Child Syndrome (Congenital hemidysplasia)
11000	Choanal atresia
11100	Chondrodysplasia punctata (Conradi-Hünemann Syndrome)
11200	Chondrodystrophica myotonia (Schwartz-Jampel Syndrome)
11300	Chondroectodermal dysplasia (Ellis-van Creveld syndrome)
11400	Chondromatosis
11500	Citrullinaemia
11600	Cleft face
11700	Cleft lip, unilateral
11800	Cleft lip, bilateral
11900	Cleft tongue
12000	Cleft palate

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

12100	Cleidocranial dysostosis
12200	Clinodactyly
12300	Cloacal exstrophy
12400	Clouston syndrome
12500	Cloverleaf skull
12600	Clubfoot
12700	Cockayne syndrome
12800	Coffin-Lowry syndrome
12900	Coffin-Siris syndrome
13000	Cohen syndrome
13100	Coloboma of iris
13200	Colon, malrotation
13300	Congenital adrenal hyperplasia
13400	Congenital hypothyroidism
13500	Congenital microgastria-limb reduction complex
13600	Conjoined twins
13700	Cortical hypoplasia
13800	Costello syndrome
13900	Coumarin embryology effects
14000	Craniofacial dysostosis (Crouzon Syndrome)
14100	Craniofrontonasal dysplasia
14200	Cranio metaphyseal dysplasia
14300	Craniosynostosis
14400	Craniosynostosis, coronal
14500	Craniosynostosis, frontal
14600	Craniosynostosis, Kleeblattschädel
14700	Craniosynostosis, lambdoid
14800	Craniosynostosis, sagittal
14900	Craniosynostosis, trigonocephaly
15000	Cri du chat syndrome
15100	Cryptophthalmos anomaly (Fraser Syndrome)
15200	Cryptorchidism
15300	Cubitus valgus
15400	Cutis aplasia
15500	Cutis hyperelastica
15600	Cutis laxa
15700	Cutis marmorata
15800	Cyclopia
15900	Cyclops
16000	Cystathionuria

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

16100	Cystic adenomatoid malformation of the lung
16200	Cytomegalic inclusion disease
16300	Dandy-walker syndrome
16400	Darwinian tubercle
16500	Dental cyst
16600	Deprivation syndrome
16700	Dermal ridge, aberrant
16800	Desanctis-Cacchione syndrome
16900	Diabetes insipidus
17000	Diabetes mellitus
17100	Diaphragmatic hernia
17200	Diaphyseal aclasis
17300	Diastraphic dyslasia
17400	Diastrophic nanism
17500	DiGeorge syndrome
17600	Dilantin embryopathy
17700	Dimple, sacral
17800	Distal arthogyrposis syndrome
17900	Distichiasis-lymphedema syndrome
18000	Donohue syndrome (Leprechaunism Syndrome)
18100	Down syndrome
18200	Dubowitz syndrome
18300	Duodenal atresia
18400	Dwarfism, acromesomelic
18500	Dwarfism, metatrophic
18600	Dyggve-Melchoir-Clausen syndrome
18700	Dysencephalia splanchnocystica (Meckel-Gruber Syndrome)
18800	Dyskeratosis congenita syndrome
18900	Dystrophia myotonica, Steinert (Myotonic dystrophy)
19000	Early urethral obstruction syndrome
19100	Ectodermal dysplasia
19200	Ectrodactyly, tibial
19300	Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC)
19400	Eczema
19500	Ehlers-Danlos syndrome
19600	Elbow dysplasia
19700	Enamel hypoplasia
19800	Encephalocele
19900	Encephalocraniocutaneous lipomatosis

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

20000	Endocrine neoplasia,multiple, type 2
20100	Epidermal nevus syndrome
20200	Epiphyseal calcification
20300	Epiphyseal dysplasia, multiple
20400	Equinovarus deformity
20500	Escobar syndrome (Multiple pteryguim dysplasia)
20600	Esophageal atresia
20700	Exomphalos
20800	External chonromatosis
20900	Fabry's disease
21000	Falx calcification
21100	Familial blepharophimosis syndrome
21200	Familial short stature
21300	Fanconi syndrome
21400	Fetal alcohol syndrome (FAS)
21500	Femoral hypoplasia-unusual facies syndrome
21600	Fetal face syndrome (Robinow Syndrome)
21700	Fg syndrome
21800	Fibrochondrogenesis
21900	Fibrodysplasia ossificans progressiva syndrome
22000	First and second brachial arch syndrome
22100	Floating-harbour syndrome
22200	Fragile x syndrome (Martin-Bell Syndrome)
22300	Franceschetti-Klein syndrome (Treacher-Collins Syndrome)
22400	Freeman-Sheldon syndrome (Whistling Face Syndrome)
22500	Frenula, absent
22600	Frontal bossing
22700	Frontometaphyseal dysplasia
22800	Frontonasal dysplasia sequence
22900	Fryns syndrome
23000	Galactosemia
23100	Gastroschisis
23200	Geleophysic dysplasia
23300	Gilles telencephalic leucoencephalopathy
23400	Glaucoma
23500	Glossopalatine ankylosis syndrome
23600	B-glucuridase deficiency
23700	Glycogen storage disease
23800	Goiter
23900	Goldenhar syndrome
24000	Goltz syndrome

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

24100	Gonadal dysgenesis
24200	Gorlin syndrome (Nevoid basal cell carcinoma)
24300	Grebe syndrome
24400	Hallerman-Streiff syndrome
25000	Hecht syndrome
25100	Hemifacial microsomia
25200	Hemochromatosis
25300	Hemorrhagic telangiectasia, hereditary
25400	Hereditary arthro-ophthalmopathy
25500	Hereditary osteo-onchodysplasia (Nail-patella syndrome)
25600	Hirshsprung aganglionosis
25700	Holoprosencephaly
25800	Holt-Oram syndrome
25900	Homocystinuria syndrome
26000	Homozygous Leri-Weill syndrome
26100	Hunter syndrome
26200	Hurler syndrome
26300	Hurler-Scheie syndrome
26400	Hutchinson-Gilford syndrome (Progeria Syndrome)
26500	Hydantoin embryology
26600	Hydatidiform placenta
26700	Hydranencephaly
26800	Hydrocele
26900	Hydrocephalus
27000	Hydrops fetalis
27100	Hyperammonaemia
27200	Hypochondrogenesis
27300	Hypochondroplasia
27400	Hypodactyly, hypoglossal
27500	Hypodontia
27600	Hypogenitalism
27700	Hypoglossia-hypodactyly syndrome
27800	Hypogonadism
27900	Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma)
28000	Hypomelanosis of Ito

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

28100	Hypomellia-hypotrichosis-facial hemangioma syndrome
28200	Hypospadias
28300	Hypospadias, glandular (first degree)
28400	Hypospadias, coronal (second degree)
28500	Hypospadias, shaft (third degree)
28600	Hypospadias, perineal (fourth degree)
28700	Hypotrichosis
28800	Ichthyosiform erythroderma (Senter-Kid Syndrome)
28900	Immune deficiency
29000	Immunoglobulin deficiency
29100	Imperforate anus
29200	Iniiencephaly
29300	Intestinal atresia
29400	Intestinal atresia, anal
29500	Intestinal atresia, colonic
29700	Intestinal atresia, ileal
29800	Intestinal atresia, jejunal
29900	Intestinal stenosis
30000	Intestinal stenosis, anal
30100	Intestinal stenosis, colonic
30200	Intestinal stenosis, duodenal
30300	Intestinal stenosis, ileal
30400	Intestinal stenosis, jejunal
30500	Intestinal stenosis, rectal
30600	Intracardiac mass
30700	Intrathoracic vascular ring
30800	Ivenmark syndrome
30900	Jackson-Lawler pachyonychia congenita syndrome
31000	Jadossohn-Lewandowski pachyonychia congenita syndrome
31100	Jansen-type metaphyseal dysplasia
31200	Jarcho-Levin syndrome
31300	Johanson-Blizzard syndrome
31400	Jugular lymphatic obstruction sequence
31500	Kabuki syndrome
31600	Kartagener syndrome
31700	Keratoconus
31800	Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome)
31900	Kinky hair syndrome (Menkes Syndrome)
32000	Klein-Waardenburg syndrome

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

32200	Klippel-Feil sequence
32300	Klippel-Trenaunay-Weber syndrome
32400	Kniest dysplasia
32500	Kozlowski spondylometaphyseal dysplasia
32600	Lacrimon-auriculo-dento-digital syndrome
32700	Ladd syndrome
32800	Langer-Gideon Syndrome
32900	Langer-Saldino achondrogenesis
33000	Larsen syndrome
33100	Laryngeal abnormality
33200	Laryngeal atresia
33300	Laryngeal web
33400	Left-sidedness sequence
33500	Lens, dislocation
33600	Lenticular opacity
33700	Lentigines, multiple
33800	Lenz-Majewski hyperostosis syndrome
33900	Leopard syndrome
34000	Leri-Weill dyschondrosteosis
34100	Leroy I-cell syndrome
34200	Lesch-Nylan syndrome
34300	Lethal multiple pterygium syndrome
34400	Levy-Hollister syndrome
34500	Limb-body wall complex
34600	Lipoatrophy
34700	Lipodosis, neurovisceral
34800	Lipodystrophy, generalized
34900	Lipomatosis, encephalocraniocutaneous
35000	Lippit-cleft hip syndrome (Van der Woude Syndrome)
35100	Lissencephaly Syndrome (Miller-Dieker Syndrome)
35200	Lobstein disease
35300	Lupus, neonatal
35400	Macrocephaly
35500	Macroglossia
35600	Macrogyria
35700	Macro-orchidism
35800	Macrosomia
35900	Macrostomia
36000	Madelung deformity
36100	Maffucci syndrome
36200	Malar hypoplasia
36400	Mandibular hypodontia
36500	Marden-Walker syndrome
36600	Marfan syndrome
36700	Maroteaux-Lamy (mucopolysaccharidosis

ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)

	syndrome)
36800	Marshall syndrome
36900	Marshall-Smith syndrome
37000	Masa syndrome (X-linked hydrocephalus sequence)
37100	Maternal phenylketonuria, fetal effects
37200	Maxillary hypoplasia
37300	McCune-Albright syndrome (osteitis fibrosa cystica)
37400	McKusick type metaphyseal dysplasia
37500	Meckel diverticulum
37600	Median cleft face syndrome
37700	Melanomata
37800	Melanososis, neurocutaneous
37900	Melnick-Fraser syndrome
38000	Melnick-Needles syndrome
38100	Meningocele
38200	Meningomyelocele
38300	Metacarpal hypoplasia
38400	Metaphyseal dysplasia, Jansen type
38500	Metaphyseal dysplasia, McKusick type
38600	Metaphyseal dysplasia, Pyle type
38700	Metaphyseal dysplasia, Schmid type
38800	Metatarsal hypoplasia
38900	Metatarsus adductus
39000	Metatropic dwarfism
39100	Metatropic dysplasia
39200	Methioninaemia
39300	Methotrexate embryology
39400	Microcephaly
39500	Microcolon
39600	Microcolon-megacystis-hypoperistalsis syndrome
39700	Microcornea
39800	Microdeletion syndrome
39900	Microdontia
40000	Microgastria
40100	Microglossia
40200	Micrognathia
40300	Micropenis
40400	Microphthalmia
40500	Microstomia
40600	Miller syndrome (postaxial acrofacial dysostosis)
40700	Moebius syndrome
40800	Mohr syndrome (OFD)
40900	Morquio syndrome
41000	Mucopolidosis III (pseudo Hurler)
41100	Mucopolysaccharidosis I s (Scheie Syndrome)
41200	Mucopolysaccharidosis III, types a, b, c, d

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

41300	Mucopolysaccharidosis VII (Sly Syndrome)
41500	Multiple endocrine neoplasia, type 2b
41600	Multiple neuroma syndrome
41700	Multiple synostosis syndrome (Symphalangism Syndrome)
41800	Murcs association
41900	Myasthenia gravis, newborn
42000	Myopathy, centronuclear
42100	Myopathy, myotubular
42200	Nanism, diastrophic
42300	Nasal dysplasia
42400	Neonatal lupus
42500	Neonatal teeth
42600	Nesidioblastosis
42700	Neu-laxova syndrome
42800	Neural tube defect
42900	Neurocutaneous melanosis syndrome
43000	Neurofibromatosis syndrome
43100	Neuromuscular defect
43200	Neurovisceral lipidosis, familial
43300	Noonan syndrome
43400	Occult spinal dysraphism
43500	Oculo-auriculo-vertebral defect spectrum
43600	Oculodentodigital syndrome
43700	Oculo-genito-laryngeal syndrome (Optiz Syndrome)
43800	Odontoid hypoplasia
43900	Oculo-facial-digital syndrome, type I (OFD-I)
44000	Oculo-facial-digital syndrome type III (OFD-III)
44100	Oligohydramnios sequence
44200	Ollier disease (osteochondromatosis syndrome)
44300	Omphalocele
44400	Optic nerve dysplasia
44500	Oromandibular-limb hypogenesis spectrum
44600	Osteochondrodysplasia
44700	Osteodysplasia
44800	Osteogenesis imperfecta, type I
44900	Osteogenesis imperfecta, type II
45000	Osteolysis
45100	Osteo-onychodysplasia
45200	Osteopetrosis
45300	Otocephaly
45400	Oto-palato-digital syndrome, type I (Taybi Syndrome)
45500	Oto-palato-digital syndrome, type II
45600	Pachydermoperiostosis syndrome
45700	Pachygyria
45800	Pachyonychia congenita syndrome
45900	Pallister-Hall syndrome

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

46000	Parabiotic syndrome, donor (twin-twin transfer)
46100	Parabiotic syndrome, recipient (twin-twin transfer)
46200	Pectus carinatum
46300	Pectus excavatum
46400	Pena-Shokeir phenotype, type I
46500	Pena-Shokeir phenotype, type II
46600	Penta x syndrome
46700	Pentalogy of Cantrell
46800	Perinatal lethal hypophosphotasia
46900	Peters plus syndrome
47000	Peutz-Jeghers syndrome
47100	Pfeiffer syndrome
47200	Phenylketonuria
47300	Phenylketonuria, maternal effects
47400	Photosensitive dermatitis
47500	Pierre Robin syndrome
47600	Pitting, lip
47700	Pitting, preauricular
47800	Poikiloderma congenitale syndrome (Rothmund-Thomson syndrome)
47900	Poland sequence
48000	Polydactyly
48100	Polymicrogyria
48200	Polysplenia syndrome
48300	Popliteal pterygium syndrome
48400	Porencephalic cyst
48500	Port wine stain
48600	Potter syndrome
48700	Prader-Willi syndrome
48800	Preauricular tags
48900	Preauricular pits
49000	Prognathism
49100	Proteus syndrome
49200	Pseudoachondroplasia
49300	Pseudocamptodactyly
49400	Pulmonary agenesis
49500	Pulmonary hypoplasia
49600	Pulmonary lymphangectasia, congenital
49700	Pyknodysostosis
49800	Pyle disease (Pyle metaphyseal dysplasia)
49900	Pyruvate carboxylase deficiency
50000	Pyruvate dehydrogenase deficiency
50100	Rachischisis
50200	Ranula
50300	Rectal atresia
50400	Rectal atresia, with fistula
50500	Refsum's disease
50600	Reifenstein's syndrome

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

50700	Restrictive dermopathy
50800	Retinoic acid embryopathy
50900	Rhizomelic chondrodysplasia punctata
51000	Rieger syndrome
51100	Right-sidedness sequence
51200	Rokitansky malformation sequence
51300	Rubinstein-Taybi syndrome
51400	Russell-Silver syndrome (Silver Syndrome)
51500	Saddle nose
51600	Saethre-Chotzen syndrome
51700	Salino-Noonan short rib-polydactyly syndrome
51800	Sc phocomelia
51900	Schinzel-Giedion syndrome
52000	Schmid type metaphyseal dysplasia
52100	Schizencephaly
52300	Sclerosteosis
52500	Scrotum, shawl
52600	Seckel syndrome
52700	Septo-optic dysplasia sequence
52800	Short bowel syndrome
52900	Short rib-polydactyly syndrome, type II
53000	Shprintzen syndrome
53100	Shwachman syndrome
53200	Simpson-Golabi-Behmel syndrome
53300	Sirenomelia sequence
53400	Smith-Lemli-Opitz Syndrome
53500	Spondylocarpotarsal synostosis syndrome
53600	Spondyloepiphyseal dysplasia
53700	Spondylometaphyseal dysplasia, Kozlowski
53800	Sternal malformation-vascular dysplasia spectrum
53900	Struge-Weber sequence
54000	Sulfite oxidase deficiency
54100	Sugarman syndrome
54200	Syndactyly
54300	Tar syndrome (thrombocytopenia absent radius)
54400	Taurodontism
54600	Tdo syndrome
54700	Testicular feminization syndrome
54800	Testis, hydrocele
54900	Tethered cord malformation syndrome
55000	Thanatophoric dysplasia
55100	Thyroglossal cyst
55300	Thurston syndrome
55400	Tibial aplasia-ectrodactyly syndrome
55500	Townes-brocks syndrome
55600	Tracheoesophageal fistula
55700	Transcobalamin II deficiency
55800	Trapezoidcephaly

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS
(R054)**

55900	Tricho-rhino-phalangeal syndrome, type I
56000	Tridione embryopathy
56100	Trimethadione embryopathy
56200	Triphalangeal thumb
56300	Triploidy
56500	Turner syndrome
56600	Turner-like syndrome
56700	Umbilical hernia
56800	Urorectal septum malformation sequence
56900	Uterus, ambiguous
57300	Vagina, double
57400	Valproate embryopathy
57500	Varadi-Papp syndrome
57600	Vater association
57700	Vein of Galen, aneurysm
57800	Vertebral defect
57900	Volvulus, colon
58000	Volvulus, ileum
58100	Volvulus, jejunum
58200	Volvulus, small bowel
58300	Von Hippel-Lindau syndrome
58400	Vrolik disease
58500	Waardenburg syndrome, type I
58600	Waardenburg syndrome, type II
58700	Waardenburg syndrome, type III
58800	Wagr syndrome
58900	Walker-Warburg syndrome
59000	Warfarin embryology
59100	Weaver syndrome
59200	Weill-Marchesani syndrome
59300	Werner syndrome
59400	Whelan syndrome
59500	Williams syndrome
59600	Xeroderma pigmentosa syndrome
59700	Yunis-Varon syndrome
59800	Zellweger syndrome
59900	Zollinger-Ellison syndrome

DEPRESSION AT BIRTH
(R055)

Depression at birth.

Found on the '*BIRTH RECORD*', '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

If more than one procedure is performed during a delivery, code each separately.

If the same procedure is performed more than once code the total time that procedure was performed.

500	Endotracheal tube < 1 minute
600	Endotracheal tube 1-3 minutes
700	Endotracheal tube > 3 minutes
800	Endotracheal tube unknown duration
900	CPAP < 1 minute
1000	CPAP 1-3 minutes
1100	CPAP > 3 minutes
1200	CPAP unknown duration
1300	LMA < 1 minute
1400	LMA 1-3 minutes
1500	LMA > 3 minutes
1600	LMA unknown duration
1700	PPV < 1 minute
1800	PPV 1-3 minutes
1900	PPV >3 minutes
2000	PPV unknown duration

PATENT DUCTUS ARTERIOSUS
(R057)

Patent ductus arteriosus.

Found on the '*DISCHARGE SUMMARY*'.

Choose one of the following.

100	Non-surgical closure
200	Surgical closure
300	Treatment not stated

**PERSISTENT FETAL
CIRCULATION/
PERSISTENT PULMONARY
HYPERTENSION OF THE
NEWBORN
(R058)**

Persistent fetal circulation/persistent pulmonary hypertension of the newborn.

Found on the 'DISCHARGE SUMMARY'.

Choose **one** of the following causes.

100	Congenital heart disease
200	Fetomaternal bleed
300	Hyaline membrane disease
400	Meconium aspiration
500	Pulmonary hypoplasia
600	Pneumonia
700	Primary pulmonary hypertension
800	Cause not stated

**RESPIRATORY DISTRESS
SYNDROME
(R059)**

Respiratory distress syndrome.

Found on the 'DISCHARGE SUMMARY'.

Choose one of the following.

100	Transient respiratory distress
200	IRDS, mild
300	IRDS, moderate
400	IRDS, severe
500	IRDS, severity not stated
600	Transient Tachypnea of the newborn
700	Benign respiratory distress

**CHRONIC PULMONARY
DISEASE OF PREMATUREITY
(R060)**

Chronic pulmonary disease of prematurity.

Found on the 'DISCHARGE SUMMARY'.

Choose one of the following.

100	Wilson-Mikity syndrome, non-cystic
200	Wilson-Mikity syndrome, cystic
300	Bronchopulmonary dysplasia, non-cystic
400	Bronchopulmonary dysplasia, cystic

**REQUIREMENT FOR HOME
OXYGEN)
(R061**

Requirement for home oxygen.

Found on the 'DISCHARGE SUMMARY'.

100	Patient requires home oxygen
-----	------------------------------

**BIRTH ASPHYXIA SEQUELAE
(R062)**

Birth asphyxia sequelae.

Found on the 'DISCHARGE SUMMARY'.

Code all documented.

100	Post-asphyctic CNS depression
200	Post-asphyctic CNS excitation
300	Post-asphyctic increase intracranial pressure
400	Post-asphyctic brain necrosis
500	Post-asphyctic congestive heart failure
600	Post-asphyctic acute tubular necrosis
700	Post-asphyctic liver and/or adrenal necrosis

CONVULSIONS/SEIZURES
(R063)

Convulsions or seizures due to a stated condition.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Alkalosis
200	Arhinencephaly
300	Benign familial
400	Brain edema
500	Cerebral anomaly, unspecified
600	Drug withdrawal
700	Hemorrhage, brain stem
800	Hemorrhage, cerebellar
900	Hemorrhage, cerebral
1000	Holoprosencephaly
1100	Hydrocephaly
1200	Hydranencephaly
1300	Hypercapnia
1400	Hypocalcemia
1500	Hypocapnia
1600	Hypoglycemia
1700	Hypomagnesemia
1800	Hyponatremia
1900	Inborn error of metabolism
2000	Infarction
2100	Kernicterus
2200	Meningitis
2300	Post-asphyctic
2400	Pyridoxine deficiency
2500	Pyridoxine dependency
2600	Unknown
2700	Venous thrombosis

NEOPLASM
(R064)

Neoplasm.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Astrocytoma
200	Choroid plexus papilloma
300	Connective tissue
400	Craniopharyngioma
500	Cystadenoma
600	Cystic hygroma
700	Endothelial tissue
800	Ependymoma
900	Epithelial tissue
1000	Familial erythrophagocytic lymphohistiocytosis
1100	Fibroma
1200	Follicular cyst
1300	Glioma
1400	Hemangioma, cavernous
1500	Hemangioma, capillary
1600	Hepatoblastoma
1700	Histiocytosis
1800	Insulinoma
1900	Leukemia
2000	Lipoma
2100	Lymphangioma
2200	Lymphoma
2300	Mass, unknown type
2400	Medulloblastoma
2500	Melanoma
2600	Melanotic neuroectodermal tumor
2700	Mesoblastic nephroma
2800	Muscle
2900	Myxofibrosarcoma
3000	Nasal glioma
3100	Nephroblastoma
3200	Nesidioblastosis
3300	Neuroblastoma
3400	Neuroectodermal tumor
3500	Neurofibroma
3600	Retinoblastoma
3700	Rhabdomyoma, cardiac
3800	Rhabdomyoma

NEOPLASM
(R064) (con't)

3900	Sarcoma
4000	Teratoma, cardiac
4100	Teratoma, embryotic rests
4200	Teratoma, gonads
4300	Teratoma, sacrococcygeal
4400	Teratoma, site not specified
4500	Wilm's tumor
4600	Hemangioma
4700	Hemangioma, port-wine

MEDICATIONS
(R066)

Medications.

Found on '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

(Not coded at IWK)

Code all documented.

400	Acyclovir
500	Adenosine
1000	Alprostadel (prostaglandin, e.g.; prostin)
1400	Amoxicillin
1600	Ampicillin
3200	Cefazolin
3300	Cefotaxime
3400	Ceftriaxone
3500	Cefuroxime
4000	Cloxacillin
4200	Surfactant
4800	Digoxin
5000	Dobutamine
5200	Dopamine
5400	Epinephrine
5600	Erythromycin
5700	Fentanyl
5900	Flagyl (metronidazole)
6300	Furosemide (lasix)
6400	Gentamicin

8700	Morphine
8800	Naloxone (narcane)
9500	Penicillin
9600	Phenobarbital
9700	Potassium Chloride
10000	Propranolol
10300	Salbutamol (ventolin)
10400	Septra (sulfamethoxazole / trimethoprim)
11400	Trimethoprim
11700	Vancomycin
12100	Clindamycin
12400	Methadone
12610	Instaglucoose/dextrose gel 1 dose
12620	Instaglucoose/dextrose gel > than 1 dose
12700	Caffeine
12800	Inhaled Nitric Oxide (iNO)
12900	Nor epinephrine
13000	Piperacillin
13100	Meropenem
13200	Levetiracetam
13300	Azithromycin
13400	Cephalexin
13500	Hydrochlorothiazide
13600	Spironolactone
13700	Sodium Chloride Supplements
13800	Sodium Phosphate
13900	Calcium Chloride
14000	Ursodiol
14100	Milrinone
14200	Vasopressin dexmedetomidine
14300	Clonidine
14400	Budesonide inhaler
14500	Hydrocortisone

**NEONATAL ABSTINENCE
SYNDROME
(R067)**

Neonatal abstinence syndrome.

Drug withdrawal from maternal use.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented

100	Alprazolam (xanax)
200	Barbiturate
300	Benzodiazepam/Benzodiazepine
400	Citalopram (celexa)
500	Cocaine
600	Diazepam (valium)
700	Fluoxetine (prozac)
800	Ethchlorvylol (placidyl)
900	Heroin
1000	Hydromorphone (dilaudid)
1100	Lorazepam (ativan)
1200	Meperidine (demerol)
1300	Methadone
1400	Morphine
1500	Oxazepam
1600	Paroxetine (paxil)
1700	Pentazocine (talwin)
1800	Sertraline (zoloft)
1900	Unknown
2000	Venlafaxine
2100	OxyContin
2200	Other
2300	Buprenorphine (subutex)
2400	Suboxone (buprenorphine + naloxone)

**CENTRAL VENOUS
CATHETERS**
(R069)

Central venous catheters.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code all applicable catheters along with the number of times each were inserted.

110	Umbilical vein, direct (1 time)
120	Umbilical vein, direct (2 times)
130	Umbilical vein, direct (3 times)
140	Umbilical vein, direct (4 times)
150	Umbilical vein, direct (5 times)
160	Umbilical vein, direct (more than 5 times)
210	Upper limb, direct (1 time)
220	Upper limb, direct (2 times)
230	Upper limb, direct (3 times)
240	Upper limb, direct (4 times)
250	Upper limb, direct (5 times)
260	Upper limb, direct (more than 5 times)
310	Upper limb, percutaneous (PICC) (1 time)
320	Upper limb, percutaneous (PICC) (2 times)
330	Upper limb, percutaneous (PICC) (3 times)
340	Upper limb, percutaneous (PICC) (4 times)
350	Upper limb, percutaneous (PICC) (5 times)
360	Upper limb, percutaneous (PICC) (more than 5 times)
410	Upper limb, cut down (surgical) (1 time)
420	Upper limb, cut down (surgical) (2 times)
430	Upper limb, cut down (surgical) (3 times)
440	Upper limb, cut down (surgical) (4 times)
450	Upper limb, cut down (surgical) (5 times)
460	Upper limb, cut down (surgical) (more than 5 times)
510	Upper limb, Broviac (1 time)
520	Upper limb, Broviac (2 times)
530	Upper limb, Broviac (3 times)
540	Upper limb, Broviac (4 times)
550	Upper limb, Broviac (5 times)
560	Upper limb, Broviac (more than 5 times)
610	Lower limb, direct (1 time)
620	Lower limb, direct (2 times)
630	Lower limb, direct (3 times)
640	Lower limb, direct (4 times)
650	Lower limb, direct (5 times)
660	Lower limb, direct (more than 5 times)

**CENTRAL VENOUS
CATHETERS (R069) (con't)**

710	Lower limb, percutaneous (PICC) (1 time)
720	Lower limb, percutaneous (PICC) (2 times)
730	Lower limb, percutaneous (PICC) (3 times)
740	Lower limb, percutaneous (PICC) (4 times)
750	Lower limb, percutaneous (PICC) (5 times)
760	Lower limb, percutaneous (PICC) (more than 5 times)
810	Lower limb, cut down (surgical) (1 time)
820	Lower limb, cut down (surgical) (2 times)
830	Lower limb, cut down (surgical) (3 times)
840	Lower limb, cut down (surgical) (4 times)
850	Lower limb, cut down (surgical) (5 times)
860	Lower limb, cut down (surgical) (more than 5 times)
910	Lower limb, Brioviac (1 time)
920	Lower limb, Brioviac (2 times)
930	Lower limb, Brioviac (3 times)
940	Lower limb, Brioviac (4 times)
950	Lower limb, Brioviac (5 times)
960	Lower limb, Brioviac (more than 5 times)
1010	Other (1 time)
1020	Other (2 times)
1030	Other (3 times)
1040	Other (4 times)
1050	Other (5 times)
1060	Other (more than 5 times)

**ARTERIAL CATHETERS
(R070)**

Arterial catheters.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code all applicable catheters along with the number of times each were inserted.

110	Umbilical, direct (1 time)
120	Umbilical, direct (2 times)
130	Umbilical, direct (3 times)
140	Umbilical, direct (4 times)
150	Umbilical, direct (5 times)
160	Umbilical, direct (more than 5 times)
210	Radial, direct (1 time)
220	Radial, direct (2 times)
230	Radial, direct (3 times)
240	Radial, direct (4 times)
250	Radial, direct (5 times)
260	Radial, direct (more than 5 times)

ARTERIAL CATHETERS
(R070)

310	Radial, percutaneous (PICC) (1 time)
320	Radial, percutaneous (PICC) (2 times)
330	Radial, percutaneous (PICC) (3 times)
340	Radial, percutaneous (PICC) (4 times)
350	Radial, percutaneous (PICC) (5 times)
360	Radial, percutaneous (PICC) (more than 5 times)
410	Radial, cut down (surgical) (1 time)
420	Radial, cut down (surgical) (2 times)
430	Radial, cut down (surgical) (3 times)
440	Radial, cut down (surgical) (4 times)
450	Radial, cut down (surgical) (5 times)
460	Radial, cut down (surgical) (more than 5 times)
510	Pedal, direct (1 time)
520	Pedal, direct (2 times)
530	Pedal, direct (3 times)
540	Pedal, direct (4 times)
550	Pedal, direct (5 times)
560	Pedal, direct (more than 5 times)
610	Pedal, percutaneous (PICC) (1 time)
620	Pedal, percutaneous (PICC) (2 times)
630	Pedal, percutaneous (PICC) (3 times)
640	Pedal, percutaneous (PICC) (4 times)
650	Pedal, percutaneous (PICC) (5 times)
660	Pedal, percutaneous (PICC) (more than 5 times)
710	Pedal, cut down (surgical) (1 time)
720	Pedal, cut down (surgical) (2 times)
730	Pedal, cut down (surgical) (3 times)
740	Pedal, cut down (surgical) (4 times)
750	Pedal, cut down (surgical) (5 times)
760	Pedal, cut down (surgical) (more than 5 times)
810	Femoral, direct (1 time)
820	Femoral, direct (2 times)
830	Femoral, direct (3 times)
840	Femoral, direct (4 times)
850	Femoral, direct (5 times)
860	Femoral, direct (more than 5 times)
910	Femoral, percutaneous (PICC) (1 time)
920	Femoral, percutaneous (PICC) (2 times)
930	Femoral, percutaneous (PICC) (3 times)
940	Femoral, percutaneous (PICC) (4 times)
950	Femoral, percutaneous (PICC) (5 times)
960	Femoral, percutaneous (PICC) (more than 5 times)

ARTERIAL CATHETERS
(R070) (con't)

1010	Femoral, cut down (surgical) (1 time)
1020	Femoral, cut down (surgical) (2 times)
1030	Femoral, cut down (surgical) (3 times)
1040	Femoral, cut down (surgical) (4 times)
1050	Femoral, cut down (surgical) (5 times)
1060	Femoral, cut down (surgical) (more than 5 times)
1110	Other (1 time)
1120	Other (2 times)
1130	Other (3 times)
1140	Other (4 times)
1150	Other (5 times)
1160	Other (more than 5 times)

MODE OF VENTILATION
(R071)

Mode of ventilation.

Found on the '*RESPIRATORY THERAPY RECORD*' or on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Intermittent mandatory ventilation (IMV)
200	Synchronized mandatory ventilation (SIMV)
300	Pressure support (PS)
400	Continuous positive airway pressure (CPAP)
500	High frequency oscillatory ventilation (HFOV)
600	Positive pressure ventilation (PPV)

**COMPLICATIONS OF
ENDOTRACHEAL INTUBATION
(R072)**

Complications of endotracheal intubation.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Esophageal perforation
200	Granuloma
300	Laryngeal perforation
400	Laryngeal stenosis
500	Lip deformity
600	Necrotizing laryngitis
700	Necrotizing trachealis
800	Palate deformity
900	Squamous metaplasia
1000	Stridor
1100	Subglottic stenosis
1200	Tracheal perforation
1300	Tracheobronchomalacia
1400	Ulceration

**COMPLICATIONS OF
VASCULAR CATHETERS
(R073)**

Complications of vascular catheters.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Arterial thrombosis
200	Cardiac tamponade
300	Edema
400	Loss of finger(s)
500	Loss of toe(s)
600	Pericardial effusion
700	Perforation of the heart
800	Pleural effusion
900	Phrenic nerve palsy
1000	Ruptured vessel
1100	Thrombophlebitis
1200	Vasospasm
1300	Venous thrombosis

**COMPLICATIONS OF
NASO/ORO GASTRIC TUBES
(R074)**

Complications of Naso/Oro gastric tubes.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Perforation, esophagus
200	Perforation, stomach
300	Perforation, small bowel

**COMPLICATIONS OF
MEDICATIONS
(R075)**

Complications of medications.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented

100	Cardiomyopathy, steroid induced
200	Contracture, secondary to IM injection
300	Nephrocalcinosis, diuretic induced
400	Skin slough

**COMPLICATIONS OF
SURGERY
(R076)**

Complications of surgery.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code all documented

100	Diaphragmatic paralysis
200	Vocal cord paralysis

**COMPLICATIONS OF
BURNS (R077)**

Complications of the following types of burns.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented

100	Chemical
200	Electrical
300	Thermal

PHOTOTHERAPY
(R078)

Phototherapy.

Found on the '*DISCHARGE SUMMARY*'.

100	Phototherapy
-----	--------------

IMMUNIZATIONS
(R079)

Immunizations.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented

100	DPTP (diphtheria,pertussis,tetanus,polio)
200	DPT (diphtheria,pertussis,tetanus)
300	Hepatitis B globulin
400	Hepatitis B vaccine
500	Viral influenza
600	Hemophilus influenza B conjugate
700	RSV (respiratory syncytial virus) vaccine
800	Varicella (chicken pox) vaccine
1000	Prevnar
1100	Rota teq for Rota Virus
1200	Rotarix for Rota Virus

LAB RESULTS**(R080)**

(Not coded at IWK)

(Refer to reference lab sheet for ranges)

Lab results.

Found on '*DISCHARGE SUMMARY*' OR '*LAB SHEETS*'.

Code all documented

100	Neutropenia <1,000 pmns(mature or bands per cu.mm) Use following formula: Multiply the total corrected WBC's by the % of pmns (polymorphoneutrophils) and bands. e.g. total WBC – 15,000 pmns = 5% Bands = 1%
200	ABO immunizations – definite
300	D Isoimmunization
400	Little c Isoimmunization
500	Big C Isoimmunization
600	Big E Isoimmunization
700	Kell Isoimmunization
800	Fya Isoimmunization (Duffy)
900	Kidd
1000	Wright
1100	MNS blood groups
1200	Positive DAT
1300	Misc. Isoimmunization – Little 'e'
1400	Misc. Isoimmunization – Little 's'
1500	Hyperbilirubinemia (Total bilirubin > 15 mg% or > 258 microM/L; or unconjugated or indirect bilirubin ≥ 230 microM/L)
1600	Anemia (Hgb < 14 gm% or < 140g/L or Hct < 42% in the first week; Hgb < 10gm% or < 100g/L or Hct < 30% at any age. Code the cause based on the first low hemoglobin, unless clearly stated otherwise)

LAB RESULTS
(R080) (con't)

1700	Polycythemia (Central Hgb > 21 gm% (210 g/L), central > 63% (.630 L/L), capillary Hgb > 25 gm% (250 g/L) or capillary Hct > 75% (750 L/L); both Hgb and Hct is above normal on a single sample, or at least one of Hgb or Hct is above normal on 2 or more consecutive samples.)
1800	Thrombocytopenia (Platelet count < 100,000 on greater than two occasions only)
1900	Obstructive Jaundice (Direct bilirubin, or conjugated, > 2.0 mg% or >34.5 micromol/L)
2000	Increased nucleated RBC and/or normoblastemia (> 15% or greater than 18 NRBCs on 0-5days; >1% or greater than 2 NRBCs after 5 days)
2100	Reticulocytosis (> 7% on days 1-2; >5% on days 3-6; >3% on days 7 and thereafter)
2200	Hyperthyroidism
2300	Rickets – Elevated alkaline phosphatase only (>406 I.U.)
2410	Hypoglycemia <2.6 mmol/L (less than 72 hours post-birth)
2420	Hypoglycemia <3.3 mmol/L (beyond the first 72 hours post-birth)
2500	Hyperglucosemia (> 125 mg% or > 6.94 mmol/L)
2600	Hypocalcemia (7.0mg% or less; 1.75 mmol/L or less; ionized ≤ 1.0 mmol/L)
2700	Late metabolic acidosis (After 72 hours of age; base deficit > -10 mEq/L or > -10 mmol/L)
2800	Hypokalemia (< 3.0 mEq/L or < 3.0 mmol/L)
2900	Hyperkalemia (7.0 mEq/L or more; 7.0 mmol/L or more)
3000	Hyponatremia (130 mEq/L or less; 130 mmol/L or less)
3100	Hypernatremia (> 155 mEq/L or 155 mmol/L)

LAB RESULTS
(R080) (con't)

3200	Azotemia (BUN 20 mg% or more; 7.14 mmol/L or more urea value)
3300	Hypercreatininemia (2.0mg% or more; 177 micromol/L or more)
3400	Oliguria (< 15 ml/Kgm/day on day2 or < 20 ml/Kgm/day after 2 days)
3500	Hypoproteinemia (4.0 gm% or less; 40 gm/L or less)
3600	Hypoalbuminemia (≤ 2.4gm% or ≤ 24 gm/L)
3700	Hypomagnesemia (1.3 mEq/L or < 1.03 mmol/L)
3800	Hypermagnesemia (> 2.5 mEq/L or > 1.03 mmol/L)
3900	Hyperphosphatemia (8.0 mg% or more; 2.58 mmol/L or more)
4000	Hypertyrosinemia (5.0 mgm% or more)
4100	Hyperammonemia (>150 microgm% or >107 micromol/L)
4200	Hyperuricemia (>400 micromol/L)
4300	Hypercalcemia (≥ 3.0 mmol/L; ionized - ≥ 1.5 mmol/L)
4400	Low serum alkaline/phosphatase (< 120 IU/L)
4500	Hypophosphatemia (< 4.0 mg% or < 1.29 mmol/L)

**INTRA-VENTRICULAR
HEMORRHAGE
(R081)**

Intra-ventricular hemorrhage.

Found on the '*DISCHARGE SUMMARY*'.

100	Grade 1 (sub-ependymal, choroid Plexus hemorrhage)
200	Grade 2 (Hemorrhage into ventricle without dilatation of ventricle)
300	Grade III (Hemorrhage into ventricle with dilatation of ventricle)
400	Grade IV (Hemorrhage into brain: thalamic hemorrhage, cortical hemorrhage)

**TRAUMA
(R082)**

Trauma.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented

100	Fracture clavicle
200	Fracture femur
300	Fracture humerus
400	Fracture other
500	Fracture rib(s)
600	Fracture skull
700	Cephalohematoma left
800	Cephalohematoma right
900	Cephalohematoma bilateral
1000	Cephalohematoma other, including occipital
1100	Cephalohematoma unknown
1200	Shoulder dystocia

**NON-SPECIFIC
NEUROLOGICAL
FINDINGS**
(R083)

Non-specific neurological findings.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Abnormal cerebral irritation/hypertonicity
200	Hyperexplexia (Hereditary Startle Disease)
300	Abnormal cerebral depression/hypotonicity
400	Abnormal cerebral depression due to maternal analgesia
500	Cerebral edema
600	Cortical atrophy
700	Encephalomalacia
800	Gilles telencephalic leucoencephalopathy
900	Infarction
1000	Porencephalic cyst(s)
1100	Periventricular leukomalacia

**OTHER SPECIFIC
NEUROLOGICAL
FINDINGS
(R084)**

Other neurological findings.

Found on the '*DISCHARGE SUMMARY*'.

Code all documented.

100	Facial palsy left
200	Facial palsy right
300	Facial palsy bilateral
400	Brachial plexus (Erb's & Klumpke's) Palsy, Left
500	Brachial plexus (Erb's & Klumpke's) Palsy, Right
600	Brachial plexus (Erb's & Klumpke's) Palsy, bilateral
700	Brachial plexus (Erb's & Klumpke's) Palsy, Radial Nerve (Wrist Drop)
800	Phrenic nerve, left
900	Phrenic nerve, right
1000	Phrenic nerve, bilateral
1100	Hemiparesis transient (NOT present at time of discharge from hospital)
1200	Hemiparesis transient (present at time of discharge from hospital)
1300	Retinal hemorrhage involving the macula
1400	Chorioretinitis
1500	Congenital subdural effusion
1600	Periventricular calcification
1700	Ondines curse
1800	Opsoclonus
1900	Cranial nerve palsy 3rd or oculomotor nerve
2000	Cranial nerve palsy 4th or trochlear nerve
2100	Cranial nerve palsy 5th or trigeminal nerve
2200	Cranial nerve palsy 6th or abducens nerve
2300	Cranial nerve palsy 10th or vagus nerve

**APNEA
(R085)**

Apnea.

Found on the '*DISCHARGE SUMMARY*' OR '*NURSES NOTE*'

100	Apneic spells
-----	---------------

**RESUSCITATION AT
DELIVERY**
(R086)

Resuscitation at delivery.

Found on the 'BIRTH RECORD' or 'DISCHARGE SUMMARY'

Code all documented.

100	Oxygen
300	Chest compressions
400	Other medications
500	Narcan
600	Epinephrine

PERIPHERAL IV
(R088)

Peripheral IV.

Found on 'DISCHARGE SUMMARY' or 'NURSES NOTES'.

100	Peripheral IV Peripheral IV
-----	-----------------------------

**TREATMENT FOR
RETINOPATHY
OF PREMATURITY**
(R089)

Treatment of retinopathy.

Found on the 'DISCHARGE SUMMARY'

Code all documented.

100	Cryotherapy
200	Laser surgery
300	Intra-ocular injection (Avastin)

THERAPEUTIC / PASSIVE COOLING
(R090)

Therapeutic cooling of a newborn

Found on the 'NURSES NOTES OR 'DISCHARGE SUMMARY'.

100	Therapeutic/Passive cooling of the newborn
-----	--

**HYPO/HYPER THERMIA
OF THE NEWBORN
(R091)**

Hypothermia/Hyperthermia of the newborn

Found on the '*DISCHARGE SUMMARY*' and '*PROGRESS NOTES*'

300	Hypothermia (<36.5C) <= 36 hours
400	Hypothermia (<36.5C) > 36 hours, < 28 days
500	Hypothermia (<36.5C) Unknown
600	Hyperthermia (>37.5C) <= 36 hours
700	Hyperthermia (>37.5C) > 36 hours, < 28 days
800	Hyperthermia (>37.5C) Unknown

**IV for Hypoglycemia Management
(R092)**

IV Hypoglycemia management

Found on the '*DISCHARGE SUMMARY*,' *NURSES NOTE*' or the "*MEDICAL ADMINISTRATION REPORT*"

100	Instaglucoase/Dextrose given via IV therapy
-----	---

INDEX OF MATERNAL DISEASES AND PROCEDURES

- A -

	CODE #
Abruptio placenta	
In a previous pregnancy	R025
Abscess:	
Epidural.....	R013
Absence, kidney	R020
Abuse:	
Alcohol	R005
Ativan.....	R005
Cannabis.....	R005
Ceremonial tobacco	R005
Chemical, unspecified.....	R005
Cocaine/Crack.....	R005
Codeine	R005
Demerol	R005
Dilaudid	R005
Hash	R005
Heroin	R005
Hookah.....	R005
Morphine.....	R005
OxyContin.....	R005
Prescription medications	R005
Solvents.....	R005
Valium	R005
Acquired immune deficiency syndrome (A.I.D.S.)	R002
Agensis, renal.....	R020
Albumin transfusion.....	R026
Alcohol abuse.....	R005
Amniocentesis:	
for genetics.....	R006
for isoimmunisation	R006
for lung maturity	R006
Amnioinfusion	R006
Amnioreduction	R006
Anesthesia during labour and delivery.....	R010
Anesthesia during labour only	R011
Anesthesia during delivery only	R012

- A -

Anemia:

Antepartum	R022
In a previous pregnancy	R025
Idiopathic hypoplastic	R022
Hemolytic	R022
Sickle Cell	R022

Anesthesia:

Entonox	R010, R011 and/or R012
Epidural, continuous catheter	R010, R011 and/or R012
Epidural, continuous infusion (CIEA)	R010, R011 and/or R012
Epidural, single	R010, R011 and/or R012
General	R010, R011 and/or R012
Other	R010, R011 and/or R012
Pudendal	R010, R011 and/or R012
Spinal/epidural double needle	R010, R011 and/or R012
Spinal	R010, R011 and/or R012

Ankylosing spondylitis R024

Anorexia Nervosa R016

Antibodies, (Maternal conditions)

Antigen negative	R001
Anti-Cardiolipin	R001
Anti-DNA	R001
Antinuclear (ANA)	R001
Anti-SSA (Ro)	R001
Lupus	R001
Anti-Big C	R001
Anti-Big E	R001
Anti-Big S	R001
Anti-D	R001
Anti-Dha	R001
Anti-Fya	R001
Anti-Kell	R001
Anti-Kidd	R001
Anti-La	R001
Anti-Little c	R001
Anti-Little e	R001
Anti-Little s	R001
Anti-Lutheran	R001
Anti-Wright	R001

- A -

Anti-coagulation drug therapy during pregnancy	R004
Anti-depressive drug use during pregnancy.....	R004
Anti-epileptic drug use during pregnancy.....	R004
Anti-hypertensive drug use during pregnancy	R004
Anxiety disorders	R016
Anxiety medication.....	R004
Arrest:	
Cardiac, during pregnancy	R018
Arrhythmias, cardiac.....	R018
Arthritis, rheumatoid.....	R024
ASA therapy	R004
ASA therapy hyperstension in pregnancy.....	R003
ASA therapy preterm delivery	R003
ASA therapy for previous recurrent loss.....	R003
Aspiration pneumonitis, complicating anesthesia.....	R013
Asthma	R023
Atelectasis, pulmonary	R023
Atosiban therapy for tocolysis	R003
Autoimmune thyroiditis	R019

- B -

Back pain, post anesthetic.....	R013
B-Lynch procedure	R029
Bell's palsy	R017
Bipolar disorder	R016
Block:	
High epidural/subdural.....	R013
Prolonged epidural	R013
Blood dyscrasia.....	R022
Blood patch, to seal dural tear.....	R013
Blood transfusions, number of.....	R026
Blood transfusions, reason for	R027
Bowel carcinoma	R021
Breast carcinoma.....	R021
Breech presentation in a previous pregnancy	R025
Bricanyl (Terbutaline) therapy for tocolysis	R003
Bulimia nervosa	R016

- C -

Calculus, renal.....	R020
Cannabinoid hyperemesis syndrome	R024
Carcinoma.....	R021
Cardiac:	
Arrest	R018
Arrest, complicating anesthesia	R013
Cardiomyopathy.....	R018
Carrier:	
Serum hepatitis (Antigen Positive: Hepatitis A).....	R002
Serum hepatitis (Antigen Positive: Hepatitis B).....	R002
Serum hepatitis (Antigen Positive: Hepatitis C).....	R002
Serum hepatitis (Antigen Positive: Hepatitis viral)	R002
Cerebral palsy	R017
 Cervical:	
Carcinoma.....	R021
Cerclage (insertion and removal of)	R006
Chewing Tobacco	R005
Cholelithiasis.....	R015
Cholinesterase deficiency	R024
Chorionic villi sampling	R006
Chronic hypertensive disease.....	R014
Coagulation disorder, acquired	R022
Colitis, ulcerative	R015
Colostrum collection Pre-natal.....	R033
Complications of anesthesia	R013
Congenital heart disease	R018
Cordocentesis.....	R006
Coronary artery disease.....	R018
Crohn's disease.....	R015
Cryoprecipitate transfusion	R026
Cystic fibrosis	R023
Cytomegalovirus.....	R002

- D -

Deficiency:	
Cholinesterase	R022
Factor 8	R022
Factor 12	R022
G6PD	R022
Depression:	
Previous pregnancy.....	R025
Dermatitis herpetiformis	R014
Diabetes:	
Gestational, in a previous pregnancy	R025
Maternal	R014
Diazepam (Valium) tranquilizer	R008
Dilaudid therapy.....	R008

Disease:

Cardiac	R018
Congenital heart	R018
Coronary artery	R018
Crohn's	R015
Gastrointestinal	R015
Hypertensive, chronic	R014
Polycystic kidney	R020
Pulmonary	R023
Renal	R020
Rheumatic heart	R018
Scheurmann's	R024
Thromboembolic.....	R022
Von Recklinghausen's.....	R024
Von Willebrand's	R022

- D -

Disorder:

Adrenal gland.....	R019
Anxiety.....	R016
Bipolar	R016
Eating	R016
Hypothalamus	R019
Obsessive compulsive.....	R016
Ovary	R019
Panic.....	R016
Pituitary.....	R019

Drainage:

Fetal head to effect delivery.....	R006
Drug abuse	R005
Dural tap, accidental	R013
Dyscrasia, blood.....	R022
Dysfibrinogenemia.....	R022
Dystrophy, muscular	R017

- E -

Eating disorders	R016
Eclampsia in previous pregnancy	R025
E-Cigarettes.....	R005
Ectopic pregnancy in a previous pregnancy.....	R025
Edema, Pulmonary	R023
Embolism, pulmonary.....	R023
Embolization of Arteries.....	R029
Endocarditis	R018
Endocrine diseases	R019
Entonox anesthesia for labour/delivery.....	R012
Epidural:	
Abscess, complicating epidural block.....	R013
Block, high.....	R013

Block, prolonged.....	R013
Entonox	R010, R011 and/or R012
Epidural, continuous catheter.....	R010, R011 and/or R012
Epidural, continuous infusion (CIEA)	R010, R011 and/or R012
Epidural, single	R010, R011 and/or R012
General R010	R011 and/or R012
Hematoma, complicating epidural block	R013
Other	R010, R011 and/or R012
Patient controlled (PCEA)	R010, R011 and/or R012
Pudendal.....	R010, R011 and/or R012
Spinal/epidural double needle.....	R010, R011 and/or R012
Spinal	R010, R011 and/or R012
Epilepsy	R017
Ergot for postpartum hemorrhage	R003
Exchange, plasma	R026
External Auscultation.....	R030
External version	R006

- F -

Factor V Leiden deficiency.....	R001
Factor 8 deficiency.....	R022
Factor 12 deficiency.....	R022
Failed intubation for general anesthetic	R013
Familial hypofibrinogenemia.....	R024
Febrile morbidity	R014
Fetal blood transfusions	R006
Fetal drainage.....	R006
Fetal reduction	R006
Fetal surveillance methods.....	R030
Feto/placental laser	R006
Fetal thoracentesis.....	R006
Fever, maternal	R014
Foot drop:	
Complicating epidural or subdural block.....	R013

- G -

G6PD deficiency	R022
Gamma globulin transfusion.....	R026
Gastritis, reflux	R015
Gastro-intestinal disease	R015
Gestational diabetes in a previous pregnancy	R025
Glomerulonephritis, chronic	R020
Group B streptococcal.....	R002

- H -

Harrington Rod, presence of	R017
Hash abuse	R005
Hashimoto's Thyroiditis	R019
Headache, post-dural puncture.....	R013
Heart disease	R018
HELLP syndrome	R014
Hemolytic anemia	R022
Hepatitis	
Serum hepatitis (Antigen Positive: Hepatitis A).....	R002
Serum hepatitis (Antigen Positive: Hepatitis B).....	R002
Serum hepatitis (Antigen Positive: Hepatitis C).....	R002
Serum hepatitis (Antigen Positive: Hepatitis viral)	R002
Herpes simplex infection	R002
HSV prophylaxis treatment.....	R004
Heroin abuse	R005
History:	
Abruptio placenta.....	R025
Anemia.....	R025
Breech presentation.....	R025
Diabetes, gestational	R025
Eclampsia.....	R025
Ectopic pregnancy.....	R025
Embolus, pulmonary	R025
Hydatidiform mole	R025
Hypertensive disease.....	R025
Infertility	R025
Malignancy	R025
Malignant hyperthermia (family/personal)	R025
Sensitized pregnancy	R025
Thromboembolic disease	R025
Human Papillomavirus.....	R002
Hydronephrosis	R020
Hypertension, pulmonary.....	R023
Hypertensive disease:	
chronic	R014
in previous pregnancy	R025
pregnancy-induced.....	R014
Hyperparathyroidism	R019
Hyperthyroidism	R019
Hypnotism for labour/delivery.....	R010, R11 and/ or R012
Hypofibrinogenemia	R022
Hypoplastic anemia, idiopathic.....	R022
Hypotension, post anesthetic	R013

- I -

Idiopathic thrombocytopenic purpura	R022
Illness, psychiatric.....	R016
Immunizations:	
Covid- 19	R028
MMR.....	R028
Pertussis	R028
Seasonal	R028
Impetigo herpetiformis.....	R014
Indocid (Indomethacin) therapy for tocolysis	R003
Indomethacin therapy (polyhydramnios)	R003
Indwelling catheter at discharge	R003
Infarction, myocardial.....	R032
Infection:	
AIDS	R002
Group B streptococcus.....	R002
Herpes simplex virus.....	R002
Syphilis	R002
Urinary tract.....	R019
Infertility, previous history	R025
Injection:	
Epi-catheter	R013
Intravenous, toxic reaction to.....	R013
Insulin therapy	R004
Intermittent auscultation	R030
Internal auscultation.....	R030
Intracerebral hemorrhage	R017
Irritable bowel syndrome	R015
Isoxsuprine (Vasodilan) therapy for tocolysis	R003
IV Iron Therapy before delivery	R003
IV Iron Therapy after delivery.....	R003

- L -

Labetalol for hypertension	R003
Lesion, spinal cord	R013
Lithium, maternal use of	R004

- M -

Magnesium sulfate therapy:	
hypertension or seizures.....	R003
tocolysis	R003
Malignancy/Neoplasms	
current pregnancy.....	R021
previous pregnancy	R025
Maternal antibody conditions	R001
Maternal blood transfusions.....	R026
Maternal carrier status.....	R002
Maternal drug and chemical abuse.....	R005
Maternal drug therapies	R003 and R004
Maternal fever	R014
Maternal/fetal diagnostic procedures	R006
Maternal infection.....	R002
Maternal steroids for chronic conditions	R0042
Metformin for diabetes	R004
Metformin for polycystic ovarian syndrome.....	R004
Misoprostol for postpartum hemorrhage.....	R003
Mitral valve prolapsed	R018
Molar pregnancy in a previous pregnancy.....	R025
Morphine abuse.....	R005
Multiple sclerosis	R017
Muscular dystrophy	R017
Myasthenia gravis	R017
Myocardial infarction.....	R018
Myocarditis	R018

- N -

Narcotic:	
abuse, chronic, during pregnancy	R005
use, chronic, during pregnancy	R004
Neoplasm, including malignancies	R021
Nephropathy.....	R020
Nephritic syndrome.....	R020
Nervosa, anorexia	R016
Neurofibromatosis.....	R024
Neurologic illness	R017
Nicotine replacement therapy	R005

- O -

Obsessive-compulsive disorders	R016
Obstetrical disease, other, NEC	R014
Other non-obstetrical diseases	R024
Oral herpes	R002
Ovarian carcinoma	R021

- P -

Packing of Bakri balloon	R029
Pain, back, anesthetic complication	R013
Palsy:	
Bell's	R017
Cerebral.....	R017
Pancreatitis, acute and chronic.....	R015
Paresthesia, post-anesthetic.....	R013
Paralysis, respiratory, due to anesthesia.....	R013
Patch, blood.....	R013
Phenylketonuria	R024
Plasma exchange	R026
Plasma transfusion	R026
Plasmapheresis.....	R026
Platelet transfusion.....	R026
Pneumonia, antepartum.....	R023
Pneumonitis, aspiration, complicating anesthesia.....	R013
Polycystic kidney disease	R020
Porphyria.....	R024
Post-dural puncture headache	R013
Postpartum hemorrhage procedures.....	R029
Pregnancy-induced hypertension	R014
Prescription medication abuse during pregnancy	R005
Presence, Harrington Rod	R017
Pre-eclampsia previous pregnancy.....	R025
Previous:	
Abruptio placenta.....	R025
Anemia.....	R025
Breech	R025
Ectopic pregnancy.....	R025
Gestational diabetes	R025
Malignancy	R025
Molar pregnancy	R025

- P -

Postpartum depression	R025
Thromboembolic disease	R025
Sensitized pregnancy	R025
Problems, lower urinary tract.....	R020
Procedures, postpartum hemorrhage.....	R029
Proctitis, ulcerative	R015
Progesterone or premature labour	R003
Prolapsed mitral valve.....	R018
Prolonged epidural block	R013
Prosthesis, valve (heart)	R018
Pruritic urticarial papules and plaques of pregnancy	R014
Pseudotumor cerebri	R017
Psychiatric illness.....	R016
Pudendal anesthesia for labour/delivery	R010, R011 and/or R012
Pulmonary:	
Disease	R023
Edema, antepartum/intrapartum.....	R023
Edema, postpartum	R023
Embolus in a previous pregnancy	R025
Hypertension.....	R018
Pyelonephritis:	
Acute.....	R020
Chronic.....	R020

- R -

Reflux gastritis.....	R015
Removal cervical suture.....	R006
Renal	
Agenesis.....	R020
Calculus	R020
Disease (not U.T.I.).....	R020
Failure	R020
Transplant	R020
Rheumatic heart disease.....	R018
Rheumatoid arthritis.....	R024

- S -

Sarcoidosis	R024
Scheurmann's disease	R024
Schizophrenia	R016
Scleroderma	R024
Sclerosis:	
Muscular	R017
Tuberous	R017
Scoliosis	R024
Sensitized pregnancy previously	R025
Separation of symphysis pubis	R014
Seizures	R017
Serum hepatitis carrier	R002
Sickle cell anemia	R022
Sjogren's syndrome	R024
Spherocytosis, hereditary	R005
Spinal anesthesia:	
Labour and delivery	R010, R011 and/or R012
Total (respiratory paralysis)	R013
Spinal cord lesion, complicating epidural or subdural block	R013
Spinal/epidural double needle:	
Labour/delivery	R010, R011 and/or R012
Spondylitis, ankylosing	R024
Street drug abuse during pregnancy	R005
Streptococcal infection, group	R002
Subarachnoid hemorrhage	R017
Subdural block, high	R013
Suture, cervical, removal of	R006
Syndrome:	
Irritable bowel	R015
Nephrotic	R020
Sjogren's	R024
Thoracic outlet	R017
Wolff Parkinson's White Syndrome	R018
Syphilis	R002
Systemic lupus	R024

- T -

Tap:	
Dural, accidental	R013
Fetal peritoneal	R006
Terbutaline therapy for tocolysis	R003
Thalassemia.....	R022
Therapy:	
Anti-coagulation	R004
Anti-depressives.....	R004
Anti-epileptics.....	R004
Anti-hypertensive.....	R004
ASA	R004
Thoracentesis, fetal	R006
Thoracic outlet syndrome	R017
Thrombocytopenia	R022
Thrombocytopenic purpura:	
Idiopathic	R022
Thrombotic.....	R022
Thromboembolic disease in present pregnancy	R018
Thrombophlebitis in a previous pregnancy.....	R025
Thyroid therapy.....	R004
Thyroiditis Hashimoto	R019
Toxic intravenous injection.....	R013
Toxoplasmosis, prenatal	R002
Tranexamic Acid for postpartum hemorrhage	R003
Transfusions:	
Albumin	R026
Blood, number of	R026
Cryoprecipitate.....	R026
Fetal, total number of.....	R006
Fresh frozen plasma	R026
Gamma globulin	R026
Plasma exchange/plasmapheresis	R026
Platelets.....	R026
Transfusion, reason for	R027
Transplant, renal	R020
Tuberous sclerosis.....	R017
Tying of uterine arteries.....	R029

- U -

Ulcerative:	
Colitis.....	R015
Proctitis	R015
Ulcers	R015
Unspecified chemical abuse during pregnancy.....	R005
Urinary tract infection.....	R020
Use, narcotic, chronic	R004

- V -

Vaginal carcinoma	R021
Valve prosthesis	R018
Ventolin therapy for tocolysis.....	R003
Version, external	R006
Von Recklinghausen's disease.....	R024
Von Willebrand's disease	R022

- W -

Wolff Parkinson's White Syndrome.....	R018
---------------------------------------	------

- Z -

Zika (confirmed cases only).....	R002
----------------------------------	------

INDEX OF NEONATAL DISEASES AND PROCEDURES

- A -

	CODE #
Abducens nerve palsy, 6th nerve	R085
Abnormal cerebral depression:	
Non post-asphyctic.....	R083
Post-asphyctic	R062
Abnormal cerebral irritation:	
Not post-asphyctic	R083
Post-asphyctic	R062
ABO Isoimmunization	R080
Acyclovir	R066
Adenosine	R066
Adrenalin	R066
Alkalosis	R063
Alprazolam.....	R067
Alprostadel.....	R066
Amnionsodosum	R051
Amoxicillin	R066
Anemia.....	R080
Anomaly/Metabolic Syndromes and Conditions	
Aarskog syndrome	R054
Aase syndrome.....	R054
Acardia.....	R054
Accutane embryopathy	R054
Achondrogenesis type Ia.....	R054
Achondrogenesis type Ib.....	R054
Achondrogenesis type II	R054
Achondrogenesis-dysplasia congenita type II.....	R054
Achondroplasia	R054
Acoustic neurofibromatosis	R054
Acrocallosal syndrome.....	R054
Acrocephalosyndactyly syndrome	R054
Acrodysostosis	R054
Acrofacial dysostosis syndrome	R054
Acromegaly.....	R054
Acromesomelic dwarfism (dysplasia).....	R054
Acro-osteolysis syndrome (Artho-dento-osteo dysplasia).....	R054
Adactyly.....	R054
Adams-Oliver syndrome	R054
Adenoma sebaceum	R054
Adrenal hyperplasia	R054
Adrenal hypoplasia	R054
Adrenoleukodystrophy	R054
Aec syndrome (Ankyloblepharon-ectodermal dysplasia-clefting)	R054

- A -

Anomaly/Metabolic Syndromes and Conditions (con't)

Agensis of corpus callosum	R054
Aglossia-adactyly syndrome	R054
Aicardi syndrome.....	R054
Akinesia sequence.....	R054
Alagille syndrome.....	R054
Albright hereditary osteodystrophy	R054
Alopecia	R054
Aminopterlin embryopathy.....	R054
Amnion rupture sequence	R054
Amyoplasia congenita disruptive sequence	R054
Anal atresia	R054
Anencephaly	R054
Aneurysm of the vein of Galen.....	R054
Angelman syndrome (Happy Puppet Syndrome)	R054
Aniridia	R054
Aniridia-Wilm's tumor association.....	R054
Anodontia.....	R054
Anorectal malformation	R054
Antley-Bixler syndrome.....	R054
Apert syndrome.....	R054
Arachnodactyly	R054
Arachnoid cyst	R054
Argininaemia	R054
Argininosuccinic aciduria	R054
Arteriohepatic dysplasia.....	R054
Arteriovenous malformation of the lung.....	R054
Arthrogryposis, muscular.....	R054
Arthrogryposis, neurogenic.....	R054
Arthro-ophthalmopathy (Stickler Syndrome)	R054
Asphyxiating thoracic dystrophy	R054
Asplenia syndrome.....	R054
Ataxia - telangiectasia syndrome (Lovis-Bar Syndrome).....	R054
Atelosteogenesis, type I (Chondrodysplasia, giant cell)	R054
Athyrotic hypothyroidism sequence	R054
Atr-x syndrome	R054
Baller Gerold syndrome.....	R054
Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome)	R054
Bardet-Biedl syndrome	R054
Beals syndrome (Beals contractural arachnodactyly).....	R054
Beckwith syndrome (Beckwith-Wiederman Syndrome)	R054
Berardinelli lipodystrophy syndrome	R054
Bicorunate uterus	R054
Bifid scrotum	R054
Bifid uvula	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Bladder exstrophy	R054
Blepharophimosis	R054
Bloch-sulzberger syndrome	R054
Bloom syndrome.....	R054
Blue sclera.....	R054
Body stalk anomaly.....	R054
Bor syndrome (Brachio-oto-renal syndrome)	R054
Borjeson-Forssmann-Lehmann syndrome	R054
Brachmann-de Lange syndrome (Cornelia deLange syndrome)	R054
Brachydactyly	R054
Branchial sinus.....	R054
Branchio-oculo-facial syndrome.....	R054
Breech deformation sequence	R054
Brushfield spots	R054
Buru-Baraister syndrome	R054
Caffey pseudo-hurler syndrome.....	R054
Campomelic dysplasia	R054
Camurati-Engelmann syndrome	R054
Capillary hemangioma	R054
Cardiomyopathy, congenital	R054
Carnitine deficiency	R054
Carpenter syndrome	R054
Cartilage-hair hypoplasia syndrome	R054
Catel-Manzke syndrome	R054
Cat-eye syndrome	R054
Caudal dysplasia sequence.....	R054
Caudal regression syndrome	R054
Cavernous hemangioma.....	R054
Cebocephaly.....	R054
Cephalopolysyndactyly syndrome (Greig Syndrome)	R054
Cerebellar calcification	R054
Cerebellar hypoplasia.....	R054
Cerebral calcification	R054
Cerebral gigantism syndrome	R054
Cerebro-costo-mandibular syndrome.....	R054
Cerebro-oculo facio-skeletal (cofs) syndrome	R054
Cerevico-oculo-acoustic syndrome.....	R054
Charcot-Marie-Tooth syndrome	R054
Charge syndrome	R054
Child Syndrome (Congenital hemidysplasia)	R054
Choanal atresia.....	R054
Chondrodysplasia punctata (Condracli-Hünemann Syndrome)	R054
Chondrodystrophica myotonia (Schwartz-Jampel Syndrome)	R054
Chondroectodermal dysplasia (Ellis-van Creveld syndrome).....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Chondromatosis	R054
Citrullinaemia	R054
Cleft face.....	R054
Cleft lip, unilateral	R054
Cleft lip, bilateral	R054
Cleft tongue.....	R054
Cleft palate.....	R054
Cleidocranial dysostosis.....	R054
Clinodactyly.....	R054
Cloacal exstrophy.....	R054
Clouston syndrome	R054
Cloverleaf skull.....	R054
Clubfoot	R054
Cockayne syndrome.....	R054
Coffin-Lowry syndrome	R054
Coffin-Siris syndrome.....	R054
Cohen syndrome	R054
Coloboma of iris	R054
Colon, malrotation	R054
Congenital adrenal hyperplasia.....	R054
Congenital hypothyroidism.....	R054
Congenital microgastria-limb reduction complex.....	R054
Conjoined twins	R054
Cortical hypoplasia	R054
Costello syndrome	R054
Coumarin embryology effects.....	R054
Craniofacial dysostosis (Crouzon Syndrome).....	R054
Craniofrontonasal dysplasia.....	R054
Craniometaphyseal dysplasia.....	R054
Craniosynostosis	R054
Craniosynostosis, coronal	R054
Craniosynostosis, frontal.....	R054
Craniosynostosis, Kleeblattschadel.....	R054
Craniosynostosis, lambdoid	R054
Craniosynostosis, sagittal.....	R054
Craniosynostosis, trigonocephaly	R054
Cri du chat syndrome	R054
Cryptophthalmos anomaly (Fraser Syndrome)	R054
Cryptorchidism	R054
Cubitus valgus.....	R054
Cutis aplasia.....	R054
Cutis hyperelastica	R054
Cutis laxa	R054
Cutis marmorata.....	R054
Cyclopia	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Cystathionuria.....	R054
Cystic adenomatoid malformation of the lung.....	R054
Cytomegalic inclusion disease.....	R054
Dandy-walker syndrome.....	R054
Darwinian tubercle.....	R054
Dental cyst.....	R054
Deprivation syndrome.....	R054
Dermal ridge, aberrant.....	R054
Desanctis-Cacchione syndrome.....	R054
Diabetes insipidus.....	R054
Diabetes mellitus.....	R054
Diaphragmatic hernia.....	R054
Diaphyseal aclasis.....	R054
Diastrophic dysplasia.....	R054
Diastrophic nanism.....	R054
DiGeorge syndrome.....	R054
Dilantin embryopathy.....	R054
Dimple, sacral.....	R054
Distal arthrogryposis syndrome.....	R054
Distichiasis-lymphedema syndrome.....	R054
Donohue syndrome (Leprechaunism Syndrome).....	R054
Down syndrome.....	R054
Dubowitz syndrome.....	R054
Duodenal atresia.....	R054
Dwarfism, acromesomelic.....	R054
Dwarfism, metatrophic.....	R054
Dyggve-Melchoir-Clausen syndrome.....	R054
Dysencephalia splanchnocystica (Meckel-Gruber Syndrome).....	R054
Dyskeratosis congenita syndrome.....	R054
Dystrophia myotonica, Steinert (Myotonic dystrophy).....	R054
Early urethral obstruction syndrome.....	R054
Ectodermal dysplasia.....	R054
Ectrodactyly, tibial.....	R054
Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC).....	R054
Eczema.....	R054
Ehlers-danlos syndrome.....	R054
Elbow dysplasia.....	R054
Enamel hypoplasia.....	R054
Encephalocele.....	R054
Encephalocraniocutaneous lipomatosis.....	R054
Endocrine neoplasia, multiple, type 2.....	R054
Epidermal nevus syndrome.....	R054
Epiphyseal calcification.....	R054
Epiphyseal dysplasia, multiple.....	R054
Equinovarus deformity.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Escobar syndrome (Multiple pterygium dysplasia)	R054
Esophageal atresia.....	R054
Exomphalos	R054
External chondromatosis.	R054
Fabry's disease.....	R054
Falx calcification.....	R054
Familial blepharophimosis syndrome	R054
Familial short stature.....	R054
Fanconi syndrome.....	R054
Fetal alcohol syndrome (FAS)	R054
Femoral hypoplasia-unusual facies syndrome	R054
Fetal face syndrome (Robinow Syndrome)	R054
Fg syndrome	R054
Fibrochondrogenesis	R054
Fibrodysplasia ossificans progressiva syndrome	R054
First and second brachial arch syndrome	R054
Floating-habour syndrome	R054
Fragile x syndrome (Martin-Bell Syndrome).....	R054
Franceschetti-Klein syndrome (Treacher-Collins Syndrome).....	R054
Freeman-Sheldon syndrome (Whistling Face Syndrome)	R054
Frenula, absent	R054
Frontal bossing.....	R054
Frontometaphyseal dysplasia	R054
Frontonasal dysplasia sequence	R054
Fryns syndrome.....	R054
Galactosemia.....	R054
Gastroschisis	R054
Geleophysic dysplasia.....	R054
Gilles telencephalic leucoencephalopathy	R054
Glaucoma	R054
Glossopalatine ankylosis syndrome	R054
B-glucuidase deficiency	R054
Glycogen storage disease.....	R054
Goiter	R054
Goldenhar syndrome.....	R054
Goltz syndrome.....	R054
Gonadal dysgenesis.....	R054
Gorlin syndrome (Nevoid basal cell carcinoma)	R054
Grebe syndrome	R054
Hallerman-streiff syndrome	R054
Hamartosis	R054
Hemangioma	R054
Hemangioma, capillary	R054
Hemangioma, cavernous.....	R054
Hemangioma, port-wine	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Hecht syndrome	R054
Hemifacial microsomia.....	R054
Hemochromatosis	R054
Hemorrhagic telangiectasia, hereditary.....	R054
Hereditary arthro-ophthalmopathy.....	R054
Hereditary osteo-onchodysplasia (Nail patella syndrome)	R054
Hirshsprung aganglionosis.....	R054
Holoprosencephaly	R054
Holt-oram syndrome	R054
Homocystinuria syndrome	R054
Homozygous Leri-Weill syndrome.....	R054
Hunter syndrome.....	R054
Hurler syndrome	R054
Hurler-Scheie syndrome	R054
Hutchinson-Gilford syndrome (Progeria Syndrome).....	R054
Hydantoin embryology	R054
Hydatidiform placenta	R054
Hydranencephaly.....	R054
Hydrocele.....	R054
Hydrocephalus	R054
Hydrops fetalis.....	R054
Hyperammonaemia	R054
Hypochondrogenesis.....	R054
Hypochondroplasia	R054
Hypodactyly, hypoglossal.....	R054
Hypodontia.....	R054
Hypogenitalism	R054
Hypoglossia-hypodactyly syndrome.....	R054
Hypogonadism	R054
Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma).....	R054
Hypomelanosis of ito	R054
Hypomellia-hypotrichosis-facial hemangioma syndrome	R054
Hypospadias.....	R054
Hypospadias, glandular (first degree)	R054
Hypospadias, coronal (second degree).....	R054
Hypospadias, shaft (third degree)	R054
Hypospadias, perineal (fourth degree)	R054
Hypotrichosis	R054
Ichthyosiform erythroderma (Senter-Kid Syndrome).....	R054
Immune deficiency.....	R054
Immunoglobulin deficiency	R054
Imperforate anus	R054
Iniencephaly.....	R054
Intestinal atresia	R054
Intestinal atresia, anal.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Intestinal atresia, colonic	R054
Intestinal atresia, duodenal.....	R054
Intestinal atresia, ileal	R054
Intestinal atresia, jejuna	R054
Intestinal stenosis	R054
Intestinal stenosis, anal	R054
Intestinal stenosis, colonic	R054
Intestinal stenosis, duodenal	R054
Intestinal stenosis, ileal	R054
Intestinal stenosis, jejuna	R054
Intestinal stenosis, rectal	R054
Intracardiac mass	R054
Intrathoracic vascular ring	R054
Ivenmark syndrome	R054
Jackson-Lawler pachyonychia congenita syndrome.....	R054
Jadossohn-Lewandowski pachyonychia congenita syndrome	R054
Jansen-type metaphyseal dysplasia.....	R054
Jarcho-Levin syndrome.....	R054
Johanson-Blizzard syndrome	R054
Jugular lymphatic obstruction sequence	R054
Kabuki syndrome	R054
Kartagener syndrome	R054
Keratoconus	R054
Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome)	R054
Kinky hair syndrome (Menkes Syndrome).....	R054
Klein-Waardenburg syndrome.....	R054
Klinefelter syndrome	R054
Klippel-Feil sequence	R054
Klippel-Trenaunay-Weber syndrome	R054
Kniest dysplasia	R054
Kozlowski spondylometaphyseal dysplasia.....	R054
Lacrima-auriculo-dento-digital syndrome	R054
Ladd syndrome	R054
Langer-Gideon Syndrome.....	R054
Langer-Saldino achondrogenesis	R054
Larsen syndrome.....	R054
Laryngeal abnormality	R054
Laryngeal atresia.....	R054
Laryngeal web.....	R054
Left-sidedness sequence.....	R054
Lens, dislocation	R054
Lenticular opacity	R054
Lentigines, multiple	R054
Lenz-Majewski hyperostosis syndrome.....	R054
Leopard syndrome	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Leri-weill dyschondrosteosis	R054
Leroy I-cell syndrome.....	R054
Lesch-Nylan syndrome	R054
Lethal multiple pterygium syndrome	R054
Levy-Hollister syndrome	R054
Limb-body wall complex.....	R054
Lipoatrophy.....	R054
Lipodosis, neurovisceral	R054
Lipodystrophy, generalized.....	R054
Lipomatosis, encephalocraniocutaneous.....	R054
Lip-pit cleft lip syndrome (Van der Woude Syndrome)	R054
Lissencephaly Syndrome (Miller-Dreker Syndrome).....	R054
Lobstein disease	R054
Lupus, neonatal	R054
Macrocephaly.....	R054
Macroglossia.....	R054
Macrogyria.....	R054
Macro-orchidism.....	R054
Macrosomia	R054
Macrostomia	R054
Madelung deformity.....	R054
Maffucci syndrome	R054
Malar hypoplasia.....	R054
Male pseudo hermaphroditism.....	R054
Mandibular hypodontia.....	R054
Marden-Walker syndrome	R054
Marfan syndrome	R054
Maroteaux-Lamy (mucopolysaccharidosis syndrome).....	R054
Marshall Syndrome.....	R054
Marshall-Smith syndrome.....	R054
Masa syndrome (X-linked hydrocephalus syndrome).....	R054
Maternal phenylketonuria, fetal effects	R054
Maxillary hypoplasia	R054
Mccune-Albright syndrome (osteitis fibrosa cystica).....	R054
Mckusick type metaphyseal dysplasia	R054
Meckel diverticulum	R054
Median cleft face syndrome.....	R054
Melanomata	R054
Melanososis, neurocutaneou.....	R054
Melnick-Fraser syndrome	R054
Melnick-needles syndrome	R054
Meningocele.....	R054
Meningomylocele	R054
Metacarpal hypoplasia	R054
Metaphyseal dysplasia, Jansen type.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Metaphyseal dysplasia, McKusick type.....	R054
Metaphyseal dysplasia, Pyle type	R054
Metaphyseal dysplasia, Schmid type	R054
Metatarsal hypoplasia	R054
Metatarsus adductus.....	R054
Metatropic dwarfism.....	R054
Metatropic dysplasia	R054
Methioninaemia	R054
Methotrexate embryology.....	R054
Microcephaly	R054
Microcolon.....	R054
Microcolon-megacystis-hypoperistalsis syndrome.....	R054
Microcornea	R054
Microdeletion syndrome	R054
Microdontia.....	R054
Microgastria	R054
Microglossia.....	R054
Micrognathia	R054
Micropenis	R054
Microphthalmia.....	R054
Microstomia	R054
Miller syndrome (postaxial acrofacial dysostosis).....	R054
Moebius syndrome.....	R054
Mohr syndrome (OFD)	R054
Morquio syndrome.....	R054
Mucopolipidosis III (pseudo Hurler)	R054
Mucopolysaccharidosis I s (Scheie Syndrome)	R054
Mucopolysaccharidosis III, types a, b, c, d.....	R054
Mucopolysaccharidosis VII (Sly Syndrome).....	R054
Mulibrey nanism syndrome (Perheentupu Syndrome)	R054
Multiple endocrine neoplasia, type 2b	R054
Multiple neuroma syndrome	R054
Multiple synostosis syndrome (Symphalangism Syndrome).....	R054
Murcs association	R054
Myasthenia gravis, newborn	R054
Myopathy, centronuclear	R054
Myopathy, myotubular.....	R054
Nanism, diastrophic	R054
Nasal dysplasia	R054
Neonatal lupus	R054
Neonatal teeth	R054
Nesidioblastosis	R054
Neu-laxova syndrome	R054
Neural tube defect.....	R054
Neurocutaneous melanosis syndrome.....	R054
Neurofibromatosis syndrome.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Neuromuscular defect	R054
Neurovisceral lipidosis, familial	R054
Noonan syndrome	R054
Occult spinal dysraphism	R054
Oculo-auriculo-vertebral defect spectrum	R054
Oculodentodigital syndrome	R054
Oculo-genito-laryngeal syndrome (Optiz Syndrome).....	R054
Odontoid hypoplasia	R054
Oculo-facial-digital syndrome, type I (OFD-I).....	R054
Oculo-digital-facial syndrome type III (OFD-III)	R054
Oligohydramnios sequence	R054
Ollier disease (osteochondromatosis syndrome).....	R054
Omphalocele	R054
Optic nerve dysplasia	R054
Oromandibular-limb hypogenesis spectrum	R054
Osteochondrodysplasia	R054
Osteodysplasia	R054
Osteogenesis imperfecta, type I	R054
Osteogenesis imperfecta, type II.....	R054
Osteolysis.....	R054
Osteo-onychodysplasia	R054
Osteoporosis.....	R054
Otocephaly	R054
Oto-palato-digital syndrome, type I (Taybi Syndrome).....	R054
Oto-palato-digital syndrome, type II.....	R054
Pachydermoperiostosis syndrome.....	R054
Pachygyria	R054
Pachyorchia congenita syndrome.....	R054
Pallister-Hall syndrome	R054
Parabiotic syndrome, donor (Twin-to-twin transfer)	R054
Parabiotic syndrome, recipient (Twin-to-twin transfer)	R054
Pectus carinatum	R054
Pectus excavatum.....	R054
Pena Shokeir phenotype, type I	R054
Pena-Shokeir phenotype, type II.....	R054
Penta x syndrome	R054
Pentalogy of Cantrell	R054
Perinatal lethal hypophosphatasia.....	R054
Peters'-plus syndrome.....	R054
Peutz Jeghers syndrome	R054
Pfeiffer syndrome.....	R054
Phenylketonuria	R054
Phenylketonuria, maternal effects.....	R054
Photosensitive dermatitis	R054
Pierre Robin syndrome	R054
Pitting, lip.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Pitting, preauricular.....	R054
Poikiloderma congenitale syndrome (Rothmund-Thomson).....	R054
Poland sequence.....	R054
Polydactyly	R054
Polymicrogyria.....	R054
Polysplenia syndrome	R054
Popliteal pterygium syndrome	R054
Porencephalic cyst	R054
Port wine stain	R054
Potter syndrome	R054
Prader-Willi syndrome.....	R054
Preauricular tags	R054
Preauricular pits	R054
Prognathism	R054
Porteus syndrome.....	R054
Pseudoachondroplasia.....	R054
Pseudocamptodactyly	R054
Pulmonary agenesis	R054
Pulmonary hypoplasia.....	R054
Pulmonary lymphangiectasis, congenital.....	R054
Pyknodysostosis.....	R054
Pyle disease (Pyle metaphyseal dysplasia)	R054
Pyruvate carboxylase deficiency.....	R054
Pyruvate dehydrogenase deficiency.....	R054
Rachischisis	R054
Ranula	R054
Rectal atresia.....	R054
Rectal atresia, with fistula.....	R054
Refsum's disease.....	R054
Reifenstein's syndrome.....	R054
Restrictive dermopathy	R054
Retinoic acid embryopathy	R054
Rhizomelic chondrodysplasia punctata.....	R054
Rieger syndrome	R054
Right-sidedness sequence	R054
Rokitansky malformation sequence	R054
Rubinstein-Taybi syndrome.....	R054
Russell-Silver syndrome (Silver Syndrome).....	R054
Saddle nose	R054
Saethre-Chotzen syndrome	R054
Salino-noonan short rib-polydactyly syndrome	R054
Sc phocomelia.....	R054
Schinz-Giedion syndrome.....	R054
Schimid type metaphyseal dysplasia.....	R054
Schizencephaly.....	R054
Sclerosteosis.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)

Scrotum, shawl.....	R054
Seckel syndrome	R054
Septo-optic dysplasia sequence.....	R054
Short bowel syndrome	R054
Short rib-polydactyly syndrome, type II	R054
Shprintzen syndrome	R054
Shwachman syndrome	R054
Simpson-Golabi-Behmel syndrome	R054
Sirenomelia sequence.....	R054
Smith-Lemli-Opitz Syndrome	R054
Spondylotarsal synostosis syndrome.....	R054
Spondylometaphyseal dysplasia	R054
Spondylometaphyseal dysplasia, Kozlowski.....	R054
Stenocardia-malformation-vascular dysplasia spectrum.....	R054
Struge-Weber sequence	R054
Sulfite oxidase deficiency	R054
Sugarman syndrome.....	R054
Syndactyly	R054
Tar syndrome (thrombocytopenia absent radius).....	R054
Taurodontism	R054
Tardieu syndrome	R054
Testicular feminization syndrome.....	R054
Testis, hydrocele	R054
Tethered cord malformation syndrome.....	R054
Thanatophoric dysplasia	R054
Thyroglossal cyst	R054
Thrombocytopenia absent radius syndrome	R054
Thurston syndrome	R054
Tibial aplasia-ectrodactyly syndrome	R054
Townes-brock syndrome.....	R054
Tracheoesophageal fistula.....	R054
Transcobalamin II deficiency	R054
Trapezoidcephaly	R054
Tricho-rhino-phalangeal syndrome, type I.....	R054
Tridione embryopathy.....	R054
Trimethadione embryopathy	R054
Triphalangeal thumb	R054
Triploidy	R054
Trp I	R054
Turner syndrome.....	R054
Turner-like syndrome.....	R054
Umbilical hernia	R054
Urorectal septum malformation sequence.....	R054
Uterus, ambiguous	R054
Vagina, double	R054
Valproate embryopathy.....	R054

Anomaly/Metabolic Syndromes and Conditions (con't)	
Varadi-Papp syndrome.....	R054
Vater association.....	R054
Vein of Galen, aneurysm	R054
Vertebral defect.....	R054
Volvulus, colon.....	R054
Volvulus, ileum.....	R054
Volvulus, jejunum.....	R054
Volvulus, small bowel	R054
Von Hippel-Lindau syndrome	R054
Vrolik disease	R054
Waardenburg syndrome, type I.....	R054
Waardenburg syndrome, type II	R054
Waardenburg syndrome, type III	R054
Wagr syndrome	R054
Walker-Warburg syndrome	R054
Warfarin embryology.....	R054
Weaver syndrome	R054
Weill-Marchesani syndrome	R054
Werner syndrome.....	R054
Whelan syndrome	R054
Williams syndrome	R054
Xeroderma pigmentosa syndrome	R054
Yunis-Varon syndrome	R054
Zellweger syndrome.....	R054
Zollinger-ellison syndrome	R054
Ampicillin	R063
Apnea	R085
Arhinecephaly	R063
Arterial Catheters	
Femoral, direct	R070
Femoral, percutaneous (PICC).....	R070
Femoral, cut down (surgical)	R070
Pedal, direct.....	R070
Pedal, percutaneous (PICC)	R070
Pedal, cut down (surgical).....	R070
Radial, direct	R070
Radial, percutaneous (PICC).....	R070
Radial, cut down (surgical)	R070
Umbilical, direct	R070
Arterial thrombosis	R073
Astrocytoma.....	R064
Azotemia	R080

- B -

Baller Gerold syndrome	R054
Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome)	R054
Barbiturate drug withdrawal from maternal use	R067
Bardet-Biedl syndrome	R054
Beals syndrome (Beals contractural arachnodactyly)	R054
Beckwith syndrome (Beckwith-Wiedemann Syndrome)	R054
Benzodiazepam, drug withdrawal from maternal use	R063
Berardinelli lipodystrophy syndrome	R054
Bicornuate uterus	R054
Bifid scrotum	R054
Bifid uvula	R054
Big C-isoimmunization	R080
Big E-isoimmunization	R080
Birth asphyxia sequella:	
Post-Asphyctic CNS depression	R062
Post-Asphyctic CNS excitation	R062
Post-Asphyctic increase intracranial pressure	R062
Post-Asphyctic brain necrosis	R062
Post-Asphyctic congestive heart failure	R062
Post-Asphyctic acute tubular necrosis	R062
Post-Asphyctic Liver and/or adrenal necrosis	R062
Bladder exstrophy	R054
Blepharophimosis	R054
Bloch-sulzberger syndrome	R054
Bloom syndrome	R054
Blue sclera	R054
Body stalk anomaly	R054
Bor syndrome (Brachio-oto-renal syndrome)	R054
Borjeson-Forssman-Lehmann syndrome	R054
Brachial Plexus (Erb& Klumpke's) Palsy Right	R084
Brachial Plexus (Erb & Klumpke's) Palsy Bilateral	R084
Brachial Plexus (Erb & Klumpke's) Palsy Radial Nerve	R084
Brachmann-de Lange syndrome (Cornelia deLange syndrome)	R054
Brachydactyly	R054
Brain edema	R063
Branchial sinus	R054
Branchio-oculo-facial syndrome	R054
Breech deformation sequence	R054
Brushfield spots	R054
Bronchopulmonary dysplasia, non-cystic	R060
Bronchopulmonary dysplasia, non-cystic	R060
Burns:	
Chemical	R077
Electrical	R077
Thermal	R077
Buru-Baraister syndrome	R054

Caffey pseudo-hurler syndrome.....	R054
Campomelic dysplasia	R054
Camurati-Engelmann syndrome	R054
Capillary hemangioma	R054
Cardiomyopathy, congenital	R054
Carnitine deficiency	R054
Carpenter syndrome	R054
Cartilage-hair hypoplasia syndrome	R054
Catel-Manzke syndrome	R054
Cat-eye syndrome	R054
Caudal dysplasia sequence.....	R054
Caudal regression syndrome	R054
Cavernous hemangioma.....	R054
Cebocephaly.....	R054
Central Venous Catheters	
Lower limb, direct.....	R069
Lower limb, percutaneous (PICC)	R069
Lower limb, cut down (surgical).....	R069
Lower limb, Brioviac	R069
Umbilical vein, direct.....	R069
Upper limb, direct	R069
Upper limb, percutaneous (PICC).....	R069
Upper limb, cut down (surgical)	R069
Upper limb, Broviac.....	R069
Cephalopolysyndactyly syndrome (Greig Syndrome)	R054
Cerebellar calcification	R054
Cerebellar hypoplasia.....	R054
Cerebral anomaly associated with convulsions	R063
Cerebral calcification	R054
Cerebral gigantism syndrome	R054
Cerebro-costo-mandibular syndrome.....	R054
Cerebro-oculo facio-skeletal (cofs) syndrome.....	R054
Cerevico-oculo-acoustic syndrome.....	R054
Charcot-Marie-Tooth syndrome	R054
Charge syndrome	R054
Child Syndrome (Congenital hemidysplasia)	R054
Choanal atresia.....	R054
Chondrodysplasia punctata (Condracli-Hünemann Syndrome)	R054
Chondrodystrophica myotonia (Schwartz-Jampel Syndrome)	R054
Chondroectodermal dysplasia (Ellis-van Creveld syndrome).....	R054
Chondromatos	R054
Chorioamnionitis, marked or severe	R051
Chorioangioma of placenta/cord.....	R051
Choroid Plexus Papilloma.....	R064

- C -

Circumvallate placenta.....	R051
Citrullinaemia	R054
Ceftazidime	R066
Cefazolin	R066
Cefotaxime.....	R066
Ceftriaxone.....	R066
Cefuroxime	R066
Cephalohematoma.....	R082
Cerebral edema	R083
Chorioretinitis	R084
Chronic Pulmonary Disease of Prematurity:	
Bronchopulmonary dysplasia, non-cystic.....	R060
Bronchopulmonary dysplasia, cystic	R060
Wilson-Mikity syndrome, non-cystic	R060
Wilson-Mikity syndrome, cystic.....	R060
Citalopram, withdrawal from maternal use.....	R067
Cloxacillin.....	R066
Cleft face.....	R054
Cleft lip, unilateral	R054
Cleft lip, bilateral	R054
Cleft tongue.....	R054
Cleft palate.....	R054
Cleidocranial dysostosis.....	R054
Clinodactyly.....	R054
Cloacal exstrophy.....	R054
Clouston syndrome	R054
Cloverleaf skull.....	R054
Clubfoot	R054
Cockayne syndrome	R054
Coffin-Lowry syndrome	R054
Coffin-Siris syndrome.....	R054
Cohen syndrome	R054
Coloboma of iris	R054
Colon, malrotation	R054

Complications of Endotracheal Intubations:

Esophageal perforation	R072
Granuloma	R072
Laryngeal perforation.....	R072
Laryngeal stenosis.....	R072
Lip deformity	R072
Necrotizing laryngitis.....	R072
Necrotizing tracheitis.....	R072
Palate deformity	R072
Squamous metaplasia.....	R072
Stridor	R072
Subglottic stenosis	R072
Tracheal perforation.....	R072
Tracheobronchomalacia.....	R072
Ulceration.....	R072
Complications of naso/oro gastric tubes	
Perforation, esophagus.....	R074
Perforation, stomach	R074
Perforation, small bowel	R074
Complications of medications	
Cardiomyopathy.....	R075
Contracture secondary to IM injections	R075
Nephrocalcinosis, diuretic induced.....	R075
Skin slough	R075
Complications of surgery	
Diaphragmatic paralysis.....	R076
Vocal cord paralysis.....	R076
Complications of vascular catheters	
Arterial thrombosis	R073
Cardiac tamponade.....	R073
Edema	R073
Loss of finger(s).....	R073
Loss of toe(s)	R073
Pericardial effusion	R073
Perforation of the heart	R073
Pleural effusion	R073
Phrenic nerve palsy.....	R073
Ruptured vessel.....	R073
Thrombophlebitis.....	R073
Vasospasm	R073
Venous thrombosis.....	R073

- C -

Congenital adrenal hyperplasia.....	R054
Congenital hypothyroidism.....	R054
Congenital microgastria-limb reduction complex.....	R054
Congenital Subdural Effusion.....	R084
Conjoined twins	R054
Convulsions/Seizures due to:	
Alkalosis	R063
Arhinencephaly	R063
Benign Familial.....	R063
Brain Edema	R063
Cerebral Anomaly, Unspecified.....	R063
Drug Withdrawal	R063
Hemorrhage, Brain Stem	R063
Hemorrhage, Cerebellar	R063
Hemorrhage, Cerebral.....	R063
Holoprosencephaly	R063
Hydrocephaly.....	R063
Hydranencephaly	R063
Hypercapnia	R063
Hypocalcemia	R063
Hypocapnia	R063
Hypoglycemia.....	R063
Hypomagnesemia.....	R063
Hyponatremia.....	R063
Inborn Error of Metabolism.....	R063
Infarction.....	R063
Kernicterus.....	R063
Meningitis	R063
Post-asphyctic	R063
Pyridoxine Deficiency	R063
Pyridoxine Dependency	R063
Unknown.....	R063
Venous Thrombosis	R063
Cortical atrophy	R083
Cortical hypoplasia	R054
Costello syndrome	R054
Coumarin embryology effects.....	R054
Cranial Nerve Palsy	R084
Craniofacial dysostosis (Crouzon Syndrome).....	R054
Craniofrontonasal dysplasia.....	R054
Craniometaphyseal dysplasia.....	R054
Craniopharyngioma neoplasm	R064

- C -

Craniosynostosis	R054
Craniosynostosis, coronal	R054
Craniosynostosis, frontal.....	R054
Craniosynostosis, Kleeblattschadel.....	R054
Craniosynostosis, lambdoid	R054
Craniosynostosis, sagittal.....	R054
Craniosynostosis, trigonocephaly	R054
Cri du chat syndrome	R054
Cryptophthalmos anomaly (Fraser Syndrome)	R054
Cryptorchidism	R054
Cubitus valgus.....	R054
Cutis aplasia.....	R054
Cutis hyperelastica	R054
Cutis laxa	R054
Cutis marmorata.....	R054
Cyclopia	R054
Cystathionuria	R054
Cystadenoma.....	R064
Cystic adenomatoid malformation of the lung.....	R054
Cystic Hygroma	R064
Cytomegalic inclusion disease	R054

- D -

Dandy-walker syndrome	R054
Darwinian tubercle.....	R054
Dental cyst	R054
Depression at birth.....	R055
Deprivation syndrome.....	R054
Dermal ridge, aberrant	R054
Desanctis-Cacchione syndrome	R054
Diabetes insipidus.....	R054
Diabetes mellitus.....	R054
Diaphragmatic hernia	R054
Diaphragmatic paralysis, complication of surgery.....	R076
Diaphyseal aclasia.....	R054
Diastrophic dysplasia	R054
Diastrophic nanism	R054
Diazepam, infant medication	R066
Diazepam, drug withdrawal from maternal use	R067
DiGeorge syndrome	R054
Digoxin, infant medication	R066
Dilantin embryopathy	R054
Dilantin, infant medication	R066
Dimple, sacral	R054
Distal arthrogryposis syndrome.....	R054
Distichiasis-lymphedema syndrome	R054

D Isoimmunization.....	R080
Dobutamine, infant medication.....	R066
Dopamine, infant medication.....	R066
Donohue syndrome (Leprechaunism Syndrome)	R054
Down syndrome	R054
DPT Immunization.....	R079
DPTP immunization.....	R079
Drug withdrawal from maternal use	
Alprazolam (Xanax).....	R067
Barbiturate	R067
Benzodiazepam	R067
Citalopram (Celexa).....	R067
Cocaine	R067
Diazepam (Valium).....	R067
Fluoxetine (Prozac).....	R067
Ethchlorvylol (Placidly).....	R067
Heroin	R067
Hydromorphone (Dilaudid)	R067
Lorazepam (Ativan)	R067
Meperidine (Demerol)	R067
Methadone	R067
Morphine.....	R067
OxyContin.....	R067
Oxazepam	R067
Paroxetine (Paxil).....	R067
Pentazocine (Talwin)	R067
Sertraline (Zoloft)	R067
Unknown.....	R067
Venlafaxine (Effexor)	R067
Dubowitz syndrome	R054
Ductus syndrome of prematurity	
Non-surgical closure	R057
Surgical treatment	R057
Treatment not stated.....	R057
Duffy Isoimmunization.....	R080
Duodenal atresia.....	R054
Dwarfism, acromesomelic	R054
Dwarfism, metatrophic	R054
Dyggve-Melchoir-Clausen syndrome	R054
Dysencephalia splanchnocystica (Meckel-Gruber Syndrome)	R054
Dyskeratosis congenita syndrome.....	R054
Dystocia, shoulder.....	R082
Dystrophia myotonica, Steinert (Myotonic dystrophy)	R054

- E -

Early urethral obstruction syndrome.....	R054
Ectodermal dysplasia	R054
Ectrodactyly, tibial	R054
Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC).....	R054
Eczema	R054
Edema, complication of vascular catheter	R073
Ehlers-danlos syndrome.....	R054
Elbow dysplasia	R054
Enamel hypoplasia	R054
Encephalocele	R054
Encephalomalacia	R083
Encephalocraniocutaneous lipomatosis	R054
Endocrine neoplasia, multiple, type 2.....	R054
Endothelial tissue, neoplasm.....	R064
Epednymona, neoplasm	R064
Epidermal nevus syndrome.....	R054
Epinephrine, infant medication	R066
Epiphyseal calcification	R054
Epiphyseal dysplasia, multiple.....	R054
Epithelial Tissue, neoplasm	R066
Equinovarus deformity.....	R054
Erb's Palsy	R084
Erythromycin, infant medication	R066
Escobar syndrome (Multiple pterygium dysplasia)	R054
Esophageal atresia.....	R054
Esophageal perforation, due to Endotracheal tube.....	R072
Ethchlorvyol, drug withdrawal from maternal use	R067
Exomphalos.....	R054
External chondromatosis.....	R054

Fabry's disease.....	R054
Facial Palsy	R084
Falx calcification.....	R054
Familial blepharophimosis syndrome	R054
Familial erythrophagocytic lymphohistiocytosis, neoplasm.....	R064
Familial short stature.....	R054
Fanconi syndrome.....	R054
Fetal alcohol syndrome (FAS)	R054
Femoral hypoplasia-unusual facies syndrome	R054
Fentanyl, infant medication	R066
Fetal face syndrome (Robinow Syndrome)	R054
Fg syndrome.....	R054
Fibrochondrogenesis	R054
Fibrodysplasia ossificans progressiva syndrome	R054
Fibroma, neoplasm.....	R064
First and second brachial arch syndrome	R054
Flagyl, infant medications.....	R066
Floating-habour syndrome	R054
Fluoxetine, drug withdrawal from maternal use	R067
Follicular cyst, neoplasm	R064
Fracture	
Clavicle	R082
Femur	F082
Humerus.....	R082
Other	R082
Rib(s)	R082
Skull	R082
Fragile x syndrome (Martin-Bell Syndrome).....	R054
Franceschetti-Klein syndrome (Treacher-Collins Syndrome)	R054
Freeman-Sheldon syndrome (Whistling Face Syndrome)	R054
Frenula, absent	R054
Frontal bossing.....	R054
Frontometaphyseal dysplasia	R054
Frontonasal dysplasia sequence	R054
Fryns syndrome.....	R054
Funisitis.....	R051
Funisitis, candidal	R051
Funisitis, necrotizing.....	R051
Furosemide, infant medication.....	R066
Fya isoimmunisation.....	R080

-G -

Galactosemia.....	R054
Gastroschisis	R054
Geleophysic dysplasia.....	R054
Gentamicin, infant medications	R066
Gilles telencephalic leucoencephalopathy	R054
Glaucoma	R054
Glioma, neoplasm	R064
Glossopalatine ankylosis syndrome	R054
B-glucosidase deficiency	R054
Glucagon, infant medications	R066
Glycogen storage disease	R054
Goiter	R054
Goldenhar syndrome.....	R054
Goltz syndrome	R054
Gonadal dysgenesis.....	R054
Gorlin syndrome (Nevoid basal cell carcinoma)	R054
Grebe syndrome	R054

- H -

Hallerman-Streiff syndrome	R054
Hamartosis	R054
Hecht syndrome	R054
Hemangioma	R054
Hemangioma, capillary	R054
Hemangioma, cavernous.....	R054
Hemangioma, port-wine	R054
Hematoma of umbilical cord	R051
Hemiparesis, Transient	R084
Hemifacial microsomia	R054
Hemochromatosis	R054
Hemorrhage, Intra-ventricular	
Grade I	R081
Grade II	R081
Grade III.....	R081
Grade IV	R081
Hemorrhagic telangiectasia, hereditary.....	R054
Hepatoblastoma, neoplasm	R064
Hereditary arthro-ophthalmopathy.....	R054
Hereditary osteo-onchodysplasia (Nail patella syndrome)	R054
Hirshsprung aganglionosis.....	R054
Histiocytosis, neoplasm	R064

Holoprosencephaly	R054
Holt-oram syndrome	R054
Home Oxygen	R061
Homocystinuria syndrome	R054
Homozygous Leri-Weill syndrome.....	R054
Hunter syndrome.....	R054
Hurler syndrome	R054
Hurler-Scheie syndrome	R054
Hutchinson-Gilford syndrome (Progeria Syndrome).....	R054
Hydantoin embryology	R054
Hydatidiform placenta	R054
Hydranencephaly.....	R054
Hydrocele.....	R054
Hydrocephalus	R054
Hydrops fetalis.....	R054
Hyperammonaemia	R080
Hyperbilirubinemia	R080
Hypercalcemia	R080
Hypercreatininemia.....	R080
Hyperglucosemia	R080
Hyperkalemia.....	R080
Hypermagnesemia.....	R080
Hypernatremia.....	R080
Hyperphosphatemia	R080
Hyperplexixia (hereditary Startle Disease).....	R083
Hyperthermia	R091
Hyperthyroidism	R080
Hypertyrosinemia.....	R080
Hyperuricemia.....	R080
Hypoalbuminemia.....	R080
Hypocalcemia	R080
Hypochondrogenesis.....	R054
Hypochondroplasia	R054
Hypodactyly, hypoglossal.....	R054
Hypodontia.....	R054
Hypogenitalism	R054
Hypoglossia-hypodactyly syndrome.....	R054
Hypoglucosemia	R080
Hypogonadism	R054
Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectodermal).....	R054
Hypokalemia	R080
Hyponatremia.....	R080
Hypomagnesemia.....	R080
Hypomelanosis of ito	R054
Hypomellia-hypotrichosis-facial hemangioma syndrome	R054
Hypophosphatemia	R080
Hypoproteinemia.....	R080

-H-

Hypospadias.....	R054
Hypospadias, glandular (first degree).....	R054
Hypospadias, coronal (second degree).....	R054
Hypospadias, shaft (third degree)	R054
Hypospadias, perineal (fourth degree).....	R054
Hypothermia	R091
Hypotrichosis	R054

- I -

Ichthyosiform erythroderma (Senter-Kid Syndrome).....	R054
Immune deficiency.....	R054
Immunization:	
DPT.....	R079
DPTP.....	R079
Flu (viral influenza)	R079
Haemophilus Influenza B Conjugate (Act Hib).....	R079
Hepatitis B globulin	R079
Hepatitis B vaccine	R079
RSV (Respiratory Syncytial Virus)	R079
Varicella (Chicken Pox) vaccine.....	R079
Immunoglobulin deficiency	R054
Imperforate anus	R054
Intra-Ventricular Hemorrhage	
Grade I	R081
Grade II	R081
Grade III.....	R081
Grade IV	R081
Increased nucleated RBC and /or neuroblastoma	R080
Infarction, Non-specific neurological findings	R083
Infant Medications	
Acyclovir.....	R066
Adenosine	R066
Alprostadil (Prostaglandin i.e. Prostin).....	R066
Amoxicillin	R066
Ampicillin	R066
Azithromycin	R066
Budesonide inhaler.....	R066
Caffeine.....	R066
Calcium Chloride.....	R066
Cefazolin.....	R066
Cefotaxime.....	R066
Ceftriaxone.....	R066
Cefuroxime	R066
Clindamycin.....	R066
Cloxacillin.....	R066
Clonidine.....	R066
Cloxicillin	R066
Digoxin	R066

Dobutamine.....	R066
Dopamine.....	R066
Epinephrine	R066
Erythromycin eye prophylaxis	R066
Erythromycin	R066
Fentanyl	R066
Flagyl (Metronidazole)	R066
Furosemide (Lasix).....	R066
Gentamicin.....	R066
Hydrochlorothiazide	R066
Hydrocortisone.....	R066
Inhaled nitric oxide (iNo).....	R066
Insta glucose/Dextrose	R066
Levetiracetam.....	R066
Meropenem	R066
Methadone	R066
Milrinone	R066
Morphine.....	R066
Naloxone (Narcan).....	R066
Nor epinephrine	R066
Penicillin	R066
Phenobarbital	R066
Potassium chloride	R066
Propranolol.....	R066
Salbutamol (Ventolin).....	R066
Septra	R066
Sodium chloride supplements	R066
Sodium phosphate.....	R066
Spironolactone	R066
Suboxone	R066
Surfactant [Exosurf] Cortisol (Exosurf) [Surfactant].....	R066
Trimethoprim	R066
Ursodiol.....	R066
Vancomycin	R066
Vasopressin dexmedetomidine	R066
Intiencephaly.....	R054
Insulinoma, neoplasm	R064
IV Peripheral.....	R088
IV for hypoglycemia management.....	R092
Intestinal atresia	R054
Intestinal atresia, anal.....	R054
Intestinal atresia, colonic	R054
Intestinal atresia, duodenal.....	R054
Intestinal atresia, ileal	R054
Intestinal atresia, jejuna	R054
Intestinal stenosis	R054
Intestinal stenosis, anal	R054
Intestinal stenosis, colonic	R054
Intestinal stenosis, duodenal	R054
Intestinal stenosis, ileal	R054
Intestinal stenosis, jejuna	R054

Intestinal stenosis, rectal	R054
Intracardiac mass	R054
Intrathoracic vascular ring	R054
Ivenmark syndrome	R054

- J -

Jackson-Lawler pachyonychia congenita syndrome	R054
Jadosohn-Lewandowski pachyonychia congenita syndrome	R054
Jansen-type metaphyseal dysplasia	R054
Jarcho-Levin syndrome	R054
Jaundice, obstructive	R080
Johanson-Blizzard syndrome	R054
Jugular lymphatic obstruction sequence	R054

- K -

Kabuki syndrome	R054
Kartagener syndrome	R054
Kell-isoimmunization	R080
Keratoconus	R054
Kidd-isoimmunization	R080
Killian/Teschler-Nicola syndrome (Pallister Mosaic syndrome)	R054
Kinky hair syndrome (Menkes Syndrome)	R054
Klein-Waardenburg syndrome	R054
Klinefelter syndrome	R054
Klippel-Feil sequence	R054
Klippel-Trenaunay-Weber syndrome	R054
Kniest dysplasia	R054
Knot in cord (true)	R051
Kozlowski spondylometaphyseal dysplasia	R054

- L -

Lab results	
Neutropenia	R080
ABO Immunization- Definite	R080
D Isoimmunization	R080
Little c Isoimmunization	R080
Big C Isoimmunization	R080
Big E Isoimmunization	R080
Kell Isoimmunization	R080
Fya Isoimmunization (Duffy)	R080
Kidd	R080

Lab results (con't)

Wright	R080
MNS blood groups.....	R080
Positive DAT	R080
Misc. Isoimmunization - Little "e"	R080
Misc. Isoimmunization - Little "s"	R080
Hyperbilirubinemia	R080
Anemia.....	R080
Polycythemia	R080
Thrombocytopenia	R080
Obstructive Jaundice.....	R080
Increased nucleated RBC and/or normoblastemia	R080
Reticulocytosis.....	R080
Hyperthyroidism	R080
Rickets - Elevated alkaline phosphatase only	R080
Hypoglycemia	R080
Hyperglucosemia	R080
Hypocalcemia	R080
Late Metabolic Acidosis	R080
Hypokalemia	R080
Hyperkalemia.....	R080
Hyponatremia.....	R080
Hypernatremia	R080
Azotemia.....	R080
Hypercreatininemia.....	R080
Oliguria	R080
Hypoproteinemia	R080
Hypoalbuminemia.....	R080
Hypomagnesemia.....	R080
Hypermagnesemia.....	R080
Hyperphosphatemia	R080
Hypertyrosinemia.....	R080
Hyperammonemia.....	R080
Hyperuricemia	R080
Hypercalcemia	R080
Low serum alkaline/phosphatase	R080

Lab results (con't)	
Lacrimal-auriculo-dento-digital syndrome	R054
Ladd syndrome.....	R054
Langer-Gideon Syndrome.....	R054
Langer-Saldino achondrogenesis	R054
Larsen syndrome	R054
Laryngeal abnormality	R054
Laryngeal atresia.....	R054
Laryngeal web.....	R054
Left-sidedness sequence.....	R054
Lens, dislocation	R054
Lenticular opacity	R054
Lentigines, multiple	R054
Lenz-Majewski hyperostosis syndrome	R054
Leopard syndrome	R054
Leri-weill dyschondrosteosis	R054
Leroy I-cell syndrome.....	R054
Lesch-Nylan syndrome	R054
Lethal multiple pterygium syndrome	R054
Leukemia, neoplasm	R064
Levy-Hollister syndrome	R054
Limb-body wall complex.....	R054
Lip deformity, complication of endotracheal tube	R072
Lipoatrophy.....	R054
Lipodosis, neurovisceral	R054
Lipodystrophy, generalized.....	R054
Lipoma, neoplasm.....	R064
Lipomatosis, encephalocraniocutaneous.....	R054
Lippit-cleft hip syndrome (Van der Woude Syndrome)	R054
Lissencephaly Syndrome (Miller-Dreker Syndrome).....	R054
Lobstein disease	R054
Lorazepam, withdrawal from maternal use.....	R064
Lupus, neonatal	R054
Lymphangioma	R064
Lymphoma	R064

- M -

Macrocephaly.....	R054
Macroglossia.....	R054
Macrogyria.....	R054
Macro-orchidism.....	R054
Macrosomia.....	R054
Macrostomia	R054
Madelung deformity.....	R054
Maffucci syndrome	R054
Malar hypoplasia.....	R054
Male pseudohermaphroditism.....	R054
Mandibular hypodontia	R054
Marden-Walker syndrome	R054
Marfan syndrome	R054
Marginal insertion of cord, placental anomaly	R051
Maroteaux-Lamy (mucopolysaccharidosis syndrome).....	R054
Marshall Syndrome.....	R054
Marshall-Smith syndrome.....	R054
Masa syndrome (X-linked hydrocephalus syndrome).....	R054
Mass, unknown type neoplasm	R064
Maternal phenylketonuria, fetal effects	R054
Maxillary hypoplasia	R054
Mccune-Albright syndrome (osteitis fibrosa cystica).....	R054
Mckusick type metaphyseal dysplasia	R054
Meckel diverticulum	R054
Median cleft face syndrome.....	R054
Medulloblastoma, neoplasm	R064
Melanoma, neoplasm	R064
Melanomata.....	R054
Melanosis, neurocutaneous	R054
Melanotic neuroectodermal tumour, neoplasm.....	R064
Melnick-Fraser syndrome	R054
Melnick-needles syndrome	R054
Membranous Placentia.....	R051
Meningocele.....	R054
Meningomyelocele	R054
Meperidine, infant withdrawal from maternal use.....	R067
Mesoblastic nephroma, neoplasm.....	R064
Metacarpal hypoplasia	R054
Metaphyseal dysplasia, Jansen type.....	R054

- M -

Metaphyseal dysplasia, McKusick type.....	R054
Metaphyseal dysplasia, Pyle type	R054
Metaphyseal dysplasia, Schmid type	R054
Metatarsal hypoplasia	R054
Metatarsus adductus.....	R054
Metatropic dwarfism.....	R054
Metatropic dysplasia	R054
Methadone, infant withdrawal from maternal use	R064
Methioninaemia	R054
Methotrexate embryology	R054
Microcephaly	R054
Microcolon.....	R054
Microcolon-megacystis-hypopertistalsis syndrome.....	R054
Microcornea	R054
Microdeletion syndrome	R054
Microdontia.....	R054
Microgastria	R054
Microglossia.....	R054
Micrognathia	R054
Micropenis	R054
Microphthalmia.....	R054
Microstomia	R054
Miller syndrome (postaxial acrofacial dysostosis).....	R054
Mode of Ventilation	
Intermittent mandatory ventilation (IMV)	R071
Synchronized mandatory ventilation (SIMV).....	R071
Pressure support (PS).....	R071
Continuous positive airway pressure (CPAP).....	R071
High frequency Oscillatory ventilation (HFOV)	R071
Positive pressure ventilation (PPV)	R071
Moebius syndrome.....	R054
Mohr syndrome (OFD)	R054
Morphine, infant medication.....	R066

- M -

Morphine, infant withdrawal from maternal use.....	R067
Morquio syndrome.....	R054
Mucopolipidosis III (pseudo Hurler)	R054
Mucopolysaccharidosis I s (Scheie Syndrome)	R054
Mucopolysaccharidosis III, types a, b, c, d.....	R054
Mucopolysaccharidosis VII (Sly Syndrome).....	R054
Mulibrey nanism syndrome (Perheentupu Syndrome)	R054
Multiple endocrine neoplasia, type 2b	R054
Multiple neuroma syndrome	R054
Multiple synostosis syndrome (Symphalangism Syndrome).....	R054
Murcs association.....	R054
Muscle, neoplasm	R064
Myasthenia gravis, newborn	R054
Myopathy, centronuclear	R054
Myopathy, myotubular.....	R054
Myxofibrosarcoma, neoplasm.....	R064

- N -

Nanism, diastrophic	R054
Narcan, infant medication.....	R066
Nasal dysplasia.....	R054
Naso/oro gastric tubes, complications of	
Perforation, esophagus.....	R074
Perforation, stomach	R074
Perforation, small bowel	R074
Neonatal lupus	R054
Neonatal teeth	R054
Neoplasms	
Astrocytoma.....	R064
Choroid Plexus Papilloma.....	R064
Connective Tissue.....	R064
Craniopharyngioma.....	R064
Cystadenoma.....	R064
Cystic Hygroma	R064
Endothelial Tissue.....	R064
Ependymoma	R064
Epithelial Tissue	R064
Familial Erythrophagocytic Lymphohistiocytosis	R064
Fibroma.....	R064
Follicular Cyst.....	R064
Glioma	R064
Hemangioma, Cavernous.....	R064

N -

Neoplasms(con't)

Hemangioma, Capillary	R064
Hepatoblastoma	R064
Histiocytosis.....	R064
Insulinoma	R064
Leukemia	R064
Lipoma	R064
Lymphangioma	R064
Lymphoma.....	R064
Mass, Unknown Type	R064
Medulloblastoma	R064
Melanoma	R064
Melanotic Neuroectodermal Tumor.....	R064
Mesoblastic Nephroma	R064
Muscle.....	R064
Myxofibrosarcoma.....	R064
Nasal Glioma	R064
Nephroblastoma	R064
Nesidioblastosis	R064
Neuroblastoma	R064
Neuroectodermal Tumor.....	R064
Neurofibroma.....	R064
Retinoblastoma	R064
Rhabdomyoma, Cardiac.....	R064
Rhabdomyoma	R064
Sarcoma	R064
Teratoma, Cardiac.....	R064
Teratoma, Embryotic Rests.....	R064
Teratoma, Gonads.....	R064
Teratoma, Sacrococcygeal	R064
Teratoma, Site Not Specified.....	R064
Wilm's Tumor.....	R064
Nesidioblastosis	R054
Neu-laxova syndrome	R054
Neural tube defect	R054
Neurocutaneous melanosis syndrome.....	R054
Neurofibromatosis syndrome.....	R054

Neurological findings, non-specific	
Abnormal Cerebral Irritation/Hypertonicity	R083
Hyperexlexia (Hereditary Startle Disease)	R083
Abnormal Cerebral Depression/Hypotonicity	R083
Abnormal Cerebral Depression due to Maternal Analgesia.	R083
Cerebral Edema.....	R083
Cortical Atrophy	R083
Encephalomalacia	R083
Infarction.....	R083
Porencephalic Cyst(s)	R083
Periventricular Leukomalacia	R083
Neurological findings, other specific	
Brachial Plexus (Erb's and Klumpke's) Palsy, left.....	R084
Brachial Plexus (Erb's and Klumpke's) Palsy, right	R084
Brachial Plexus (Erb's and Klumpke's) Palsy, Bilateral	R084
Brachial Plexus (Erb's and Klumpke's) (Wrist Drop).....	R084
Chorioretinitis	R084
Congenital Subdural Effusion.....	R084
Cranial Nerve Palsy 3rd or Oculomotor Nerve.....	R084
Cranial Nerve Palsy 4th or Trochlear Nerve.....	R084
Cranial Nerve Palsy 5th or Trigeminal Nerve	R084
Cranial Nerve Palsy 6th or Abducens Nerve	R084
Cranial Nerve Palsy 10th or Vagus Nerve	R084
Facial Palsy Left	R084
Facial Palsy Right.....	R084
Facial Palsy Bilateral	R084
Hemiparesis Transient (Not present at discharge)	R084
Hemiparesis Transient (Present at time of discharge).....	R084
Ondines's Curses	R084
Opsoclonus.....	R084
Phrenic Nerve Left.....	R084
Phrenic Nerve Right.....	R084
Phrenic Nerve Bilateral.....	R084
Periventricular Calcification	R084
Retinal hemorrhage involving the macula	R084
Neuromuscular defect	R054
Neurovisceral lipidosis, familial	R054
Noonan syndrome	R054

- O -

Obstructive jaundice	R080
Occult spinal dysraphism	R054
Oculo-auriculo-vertebral defect spectrum	R054
Oculodigital syndrome	R054
Oculo-genito-laryngeal syndrome (Optiz Syndrome).....	R054
Odontoid hypoplasia	R054
Oculo-facial-digital syndrome, type I (OFD-I).....	R054
Oculo-digital-facial syndrome type III (OFD-III).....	R054
Oligohydramnios sequence	R054
Oliguria	R080
Ollier disease (osteochondromatosis syndrome).....	R054
Omphalocele	R054
Ondines curse.....	R084
Opsoclonus.....	R084
Optic nerve dysplasia	R054
Oromandibular-limb hypogenesis spectrum	R054
Osteochondrodysplasia	R054
Osteodysplasia	R054
Osteogenesis imperfecta, type I	R054
Osteogenesis imperfecta, type II.....	R054
Osteolysis.....	R054
Osteo-onychodysplasia	R054
Osteopetrosis.....	R054
Otocephaly	R054
Oto-palato-digital syndrome, type I (Taybi Syndrome).....	R054
Oto-palato-digital syndrome, type II.....	R054
OxyContin, withdrawal from due to maternal use	R067
Oxygen, home therapy	R061

- P -

Pachydermoperiostosis syndrome.....	R054
Pachygyria.....	R054
Pachyonychia congenita syndrome.....	R054
Pallister-Hall syndrome	R054
Parabiotic syndrome, donor (Twin-to-twin transfer)	R054
Parabiotic syndrome, recipient (Twin-to-twin transfer).....	R054

Pachydermoperiostosis syndrome.....	R054
Pachygyria.....	R054
Pachyorchia congenita syndrome.....	R054
Pallister-Hall syndrome	R054
Parabiotic syndrome, donor (Twin-to-twin transfer)	R054
Parabiotic syndrome, recipient (Twin-to-twin transfer).....	R054
Patent ductus arteriosus	
Non-surgical closure	R057
Surgical closure.....	R057
Treatment not stated.....	R057
Pectus carinatum	R054
Pectus excavatum.....	R054
Pena Shokeir phenotype, type I.....	R054
Pena-Shokeir phenotype, type II.....	R054
Penicillin, infant medications.....	R066
Paxil (Paroxetine) withdrawal from maternal use	R067
Pentazocine, withdrawal from maternal use	R067
Penta x syndrome	R054
Pentalogy of Cantrell	R054
Perinatal lethal hypophosphotasia.....	R054
Peripheral IV	R088
Persistent fetal Circulation/Hypertension of the newborn	
Congenital heart disease	R058
Fetomaternal bleed.....	R058
Hyaline membrane disease	R058
Meconium aspiration	R058
Pulmonary hypoplasia.....	R058
Pneumonia	R058
Primary pulmonary hypertension.....	R058
Cause not stated	R058
Peters-plus syndrome	R054
Peutz Jeghers syndrome	R054
Pfeiffer syndrome.....	R054
Phenobarbital, infant medication	R066
Phenylketonuria	R054
Phenylketonuria, maternal effects.....	R054
Photosensitive dermatitis	R054
Phototherapy	R078
Pierre Robin syndrome	R054
Pitting, lip.....	R054
Pitting, preauricular.....	R054

Placental or cord anomalies	
Amnionodosum.....	R051
Chorioamnionitis, marked or severe	R051
Choroangioma of placenta	R051
Circumvallate placenta.....	R051
Funisitis.....	R051
Funisitis, necrotizing.....	R051
Funisitis, candidal	R051
Hematoma of umbilical cord	R051
Marginal insertion of cord	R051
Membranous placenta	R051
Placenta accrete.....	R051
Placenta Increta	R051
Placenta percreta	R051
Single umbilical artery	R051
True knot in cord.....	R051
Vasa previa	R051
Velamentous insertion of cord	R051
Poikiloderma congenitale syndrome (Rothmund-Thomson).....	R054
Poland sequence.....	R054
Polydactyly	R054
Polymicrogyria.....	R054
Polysplenia syndrome	R054
Popliteal pterygium syndrome	R054
Porencephalic cyst	R054
Porteus syndrome.....	R054
Port wine stain.....	R054
Post-asphyctic:	
Acute tubular necrosis and hemorrhagic necrosis of kidney	R062
Adrenal necrosis	R062
Brain necrosis	R062
CNS depression.....	R062
CNS excitation.....	R062
Congestive heart failure	R062
Convulsions	R063
Increased intracranial pressure.....	R062
Liver and/or adrenal necrosis.....	R062
Positive DAT	R080
Potassium chloride, infant medication	R066
Potter syndrome	R054
Prader-Willi syndrome.....	R054
Preauricular tags.....	R054
Preauricular pits	R054

- P -

Prognathism	R054
Propranolol, infant medication.....	R066
Pseudoachondroplasia.....	R054
Pseudocamptodactyly	R054
Pulmonary agenesis	R054
Pulmonary Disease of prematurity, chronic	
Bronchopulmonary dysplasia, non-cystic	R060
Bronchopulmonary dysplasia, cystic	R060
Wilson-Mikity syndrome, non-cystic	R060
Wilson-Mikity syndrome, cystic.....	R060
Pulmonary hypoplasia.....	R054
Pulmonary lymphangectasia, congenital.....	R054
Pyknodysostosis.....	R054
Pyle disease (Pyle metaphyseal dysplasia)	R054
Pyruvate carboxylase deficiency.....	R054
Pyruvate dehydrogenase deficiency	R054

- R -

Rachischisis.....	R054
Ranula	R054
Rectal atresia.....	R054
Rectal atresia, with fistula.....	R054
Refsum's disease.....	R054
Reifenstein's syndrome.....	R054
Requirement for home oxygen.....	R061
Respiratory: distress syndrome	
Benign.....	R059
Mild.....	R059
Moderate	R059
Severe.....	R059
Severity not stated.....	R059
Transient	R059
Transient Tachypnea of the newborn.....	R059
Restrictive dermopathy	R054
Resuscitation at delivery	R086
Retinal hemorrhage involving macula	R084
Retinoblastoma, neoplasm	R064
Retinoic acid embryopathy	R054
Rhabdomyoma, cardiac, neoplasm	R054
Rhabdomyoma	R054
Rhizomelic chondrodysplasia punctata.....	R054
Rieger syndrome	R054
Right-sidedness sequence	R054
Rokitansky malformation sequence	R054

-R-

RSV vaccine.....	R079
Rubinstein-Taybi syndrome.....	R054
Russell-Silver syndrome (Silver Syndrome).....	R054

- S -

Saddle nose	R054
Saethre-Chotzen syndrome	R054
Salbutamol, infant medication	R066
Salino-noonan short rib-polydactyly syndrome.....	R054
Sarcoma, neoplasm	R064
Sc phocomelia.....	R054
Schinzel-Giedion syndrome.....	R054
Schimmd type metaphyseal dysplasia.....	R054
Schizencephaly.....	R054
Sclerosteosis.....	R054
Scrotum, shawl.....	R054
Seckel syndrome	R054
Septo-optic dysplasia sequence.....	R054
Septra, infant medication	R066
Sertraline, withdrawal from maternal use	R067
Short bowel syndrome	R054
Short rib-polydactyly syndrome, type II	R054
Shoulder dystocia.....	R082
Shprintzen syndrome	R054
Shwachman syndrome	R054
Simpson-Golabi-Behmel syndrome	R054
Single umbilical artery	R051
Sirenomelia sequence.....	R054
Smith-Lemli-Opitz Syndrome	R054
Spondylotarsal synostosis syndrome.....	R054
Spondylometaphyseal dysplasia	R054
Spondylometaphyseal dysplasia, Kozlowski.....	R054
Stenocardia-malformation-vascular dysplasia spectrum.....	R054
Struge-Weber sequence	R054
Sulfite oxidase deficiency	R054
Sugarman syndrome.....	R054
Surfactant	R066
Syndactyly.....	R054

Tar syndrome (thrombocytopenia absent radius).....	R054
Taurodontism	R054
Tdo syndrome	R054
Teratoma, Cardiac.....	R064
Teratoma, Embryotic Rests.....	R064
Teratoma, Gonads.....	R064
Teratoma, Sacrococcygeal	R064
Teratoma, Site Not Specified.....	R064
Testicular feminization syndrome.....	R054
Testis, hydrocele	R054
Tethered cord malformation syndrome.....	R054
Thanatophoric dysplasia	R054
Therapeutic cooling of the newborn	R090
Thyroglossal cyst	R054
Thrombocytopenia absent radius syndrome	R054
Thrombophlebitis, complication of vascular catheter.....	R073
Thurston syndrome	R054
Tibial aplasia-ectrodactyly syndrome	R054
Townes-brock syndromeR054	
Tracheal perforation, complication of Endotracheal tube.....	R072
Tracheobronchomalacia, complication of Endotracheal tube	R072
Tracheoesophageal fistula.....	R054
Transcobalamin II deficiency	R054
Trapezoidcephaly	R054
Trauma	
Cephalohematoma Left.....	R082
Cephalohematoma Right	R082
Cephalohematoma Bilateral.....	R082
Cephalohematoma Other, Including Occipital.....	R082
Cephalohematoma Unknown.....	R082
Fracture Clavicle.....	R082
Fracture Femur.....	R082
Fracture Humerus.....	R082
Fracture Other	R082
Fracture Rib(s)	R082
Fracture Skull.....	R082
Shoulder Dystocia.....	R082
Tricho-rhino-phalangeal syndrome, type I.....	R054
Tridione embryopathy.....	R054
Trimethadione embryopathy	R054
Trimethoprim, infant medication	R066
Triphalangeal thumb	R054
Triploidy	R054
Trp I	R054
True knot in cord, placenta	R051
Turner syndrome.....	R054
Turner-like syndrome.....	R054

- U -

Umbilical hernia.....	R054
Urorectal septum malformation sequence.....	R054
Uterus, ambiguous	R054

- V -

Vaccine

DPT.....	R079
DPT	R079
Haemophilus influenza, B conjugate (HIB).....	R079
Hepatitis B globulin	R079
Hepatitis B vaccine	R079
Respiratory syncytial virus	R079
Varicella (Chicken Pox) vaccine.....	R079
Viral Influenza	R079
Vancomycin, infant medication	R066
Varadi-Papp syndrome.....	R054
Vasa previa, placental anomaly	R051
Vascular Catheters, complications of	
Arterial thrombosis	R073
Cardiac tamponade.....	R073
Edema	R073
Loss of finger(s).....	R073
Loss of toe(s)	R073
Pericardial effusion	R073
Perforation of the heart	R073
Pleural effusion	R073
Phrenic nerve palsy	R073
Ruptured vessel.....	R073
Thrombophlebitis.....	R073
Vasospasm	R073
Venous thrombosis.....	R073
Vater association.....	R054
Vein of Galen, aneurysm	R054
Velamentous insertion of cord	R051

-V-

Venous catheters	
Umbilical vein, direct.....	R069
Upper limb, direct.....	R069
Upper limb, percutaneous (PICC).....	R069
Upper limb, cut down (surgical).....	R069
Upper limb, Broviac.....	R069
Lower limb, direct.....	R069
Lower limb, percutaneous (PICC)	R069
Lower limb, cut down (surgical).....	R069
Lower limb, Broviac	R069
Other	R069
Vertebral defect.....	R054
Ventilation, modes of	
Intermittent mandatory ventilation (IMV)	R071
Synchronized mandatory ventilation (SIMV).....	R071
Pressure support (PS).....	R071
Continuous positive airway pressure (CPAP).....	R071
High frequency Oscillatory ventilation (HFOV)	R071
Positive pressure ventilation (PPV)	R071
Vocal cord paralysis, complication of surgery.....	R076
Volvulus, colon.....	R054
Volvulus, ileum.....	R054
Volvulus, jejunum.....	R054
Volvulus, small bowel	R054
Von Hippel-Lindau syndrome	R054
Vrolik disease.....	R054

- W -

Waardenburg syndrome, type I.....	R054
Waardenburg syndrome, type II.....	R054
Waardenburg syndrome, type III	R054
Wagr syndrome	R054
Walker-Warburg syndrome	R054
Warfarin embryology.....	R054
Wasting soft tissue	Pg.91
Weaver syndrome	R054
Weill-Marchesani syndrome	R054
Werner syndrome.....	R054
Whelan syndrome	R054
Williams syndrome	R054
Wilm's tumor	R064

- W -

Wilson-Mikity syndrome	
Cystic	R060
Non-cystic	R060
Withdrawal due to maternal use:	
Alprazolam (Xanax).....	R067
Barbiturate	R067
Benzodiazepam	R067
Citalopram (Celexa).....	R067
Cocaine	R067
Diazepam (Valium).....	R067
Fluoxetine (Prozac).....	R067
Ethchlorvylol (Placidyl).....	R067
Heroin	R067
Hydromorphone (Dilaudid)	R067
Lorazepam (Ativan)	R067
Meperidine (Demerol)	R067
Methadone	R067
Morphine.....	R067
OxyContin.....	R067
Oxazepam	R067
Paroxetine (Paxil).....	R067
Pentazocine (Talwin)	R067
Sertraline (Zoloft)	R067
Unknown.....	R067
Venlafaxine (Effexor)	R067
Wright-isoimmunization	R080
Wrist Drop	R084

- X -

Xeroderma pigmentosa syndrome	R054
-------------------------------------	------

- Y -

Yunis-Varon syndrome	R054
----------------------------	------

- Z -

Zellweger syndrome.....	R054
Zollinger-Ellison syndrome	R054